

- Abid, A.M. and Olive, D.J. (2024), "Some Simple High Dimensional One and Two Sample Tests," is at (<http://parker.ad.siu.edu/Olive/pphd1samp.pdf>).
- Agresti, A. (2002), *Categorical Data Analysis*, 2nd ed., Wiley, Hoboken, NJ.
- Agresti, A. (2013), *Categorical Data Analysis*, 3rd ed., Wiley, Hoboken, NJ.
- Akaike, H. (1973), "Information Theory and an Extension of the Maximum Likelihood Principle," in *Proceedings, 2nd International Symposium on Information Theory*, eds. Petrov, B.N., and Csakim, F., Akademiai Kiado, Budapest, 267-281.
- Anderson, T.W. (1984), *An Introduction to Multivariate Statistical Analysis*, 2nd ed., Wiley, New York, NY.
- Bai, Z.D., and Saranadasa, H. (1996), "Effects of High Dimension: by an Example of a Two Sample Problem," *Statistica Sinica*, 6, 311-329.
- Basa, J., Cook, R.D., Forzani, L., and Marcos, M. (2024), "Asymptotic Distribution of One-Component Partial Least Squares Regression Estimators in High Dimensions," *The Canadian Journal of Statistics*, 52, 118-130.
- Becker, R.A., Chambers, J.M., and Wilks, A.R. (1988), *The New S Language: a Programming Environment for Data Analysis and Graphics*, Wadsworth and Brooks/Cole, Pacific Grove, CA.
- Bühlmann, P., and van de Geer, S. (2011), *Statistics for High-Dimensional Data Methods, Theory and Applications*, Springer, New York, NY.
- Charkhi, A., and Claeskens, G. (2018), "Asymptotic Post-Selection Inference for the Akaike Information Criterion," *Biometrika*, 105, 645-664.
- Chen, S.X., and Qin, Y.L. (2010), "A Two Sample Test for High-dimensional Data with Applications to Gene-Set Testing," *The Annals of Statistics*, 38, 808-835.
- Chihara, L., and Hesterberg, T. (2011), *Mathematical Statistics with Resampling and R*, Hoboken, NJ: Wiley.
- Chun, H., and Keleş, S. (2010), "Sparse Partial Least Squares Regression for Simultaneous Dimension Reduction and Predictor Selection," *Journal of the Royal Statistical Society, B*, 72, 3-25.
- Claeskens, G., and Hjort, N.L. (2008), *Model Selection and Model Averaging*, Cambridge University Press, New York, NY.
- Cook, R.D. (2018), *An Introduction to Envelopes: Dimension Reduction for Efficient Estimation in Multivariate Statistics*, Wiley, Hoboken, NJ.
- Cook, R.D., and Forzani, L. (2008), "Principal Fitted Components for Dimension Reduction in Regression," *Statistical Science*, 23, 485-501.
- Cook, R.D., and Forzani, L. (2018), "Big Data and Partial Least Squares Prediction," *The Canadian Journal of Statistics*, 46, 62-78.
- Cook, R.D., and Forzani, L. (2019), "Partial Least Squares Prediction in High-Dimensional Regression," *The Annals of Statistics*, 47, 884-908.
- Cook, R.D., and Forzani, L. (2024), *Partial Least Squares Regression: and Related Dimension Reduction Methods*, Chapman and Hall/CRC, Boca Raton, FL.

- Cook, R.D., Forzani, L., and Rothman, A. (2013), "Prediction in Abundant High-Dimensional Linear Regression," *Electronic Journal of Statistics*, 7, 30593088.
- Cook, R.D., Helland, I.S., and Su, Z. (2013), "Envelopes and Partial Least Squares Regression," *Journal of the Royal Statistical Society, B*, 75, 851-877.
- Cook, R.D., and Weisberg, S. (1999), *Applied Regression Including Computing and Graphics*, Wiley, New York, NY.
- Cox, D.R. (1972), "Regression Models and Life-Tables," *Journal of the Royal Statistical Society, B*, 34, 187-220.
- Dezeure, R., Bühlmann, P., Meier, L., and Meinshausen, N. (2015), "High-Dimensional Inference: Confidence Intervals, p -Values and R-Software hdi," *Statistical Science*, 30, 533-558.
- Efron, B. (1979), "Bootstrap Methods, Another Look at the Jackknife," *The Annals of Statistics*, 7, 1-26.
- Efron, B. (1982), *The Jackknife, the Bootstrap and Other Resampling Plans*, SIAM, Philadelphia, PA.
- Efron, B., and Hastie, T. (2016), *Computer Age Statistical Inference*, Cambridge University Press, New York, NY.
- Efron, B., Hastie, T., Johnstone, I., and Tibshirani, R. (2004), "Least Angle Regression," (with discussion), *The Annals of Statistics*, 32, 407-451.
- Efron, B., and Tibshirani, R.J. (1993), *An Introduction to the Bootstrap*, Chapman & Hall/CRC, New York, NY.
- Efroymson, M.A. (1960), "Multiple Regression Analysis," in *Mathematical Methods for Digital Computers*, eds. Ralston, A., and Wilf, H.S., Wiley, New York, New York, 191-203.
- Ewald, K., and Schneider, U. (2018), "Uniformly Valid Confidence Sets Based on the Lasso," *Electronic Journal of Statistics*, 12, 1358-1387.
- Fan, J., and Li, R. (2001), "Variable Selection via Noncave Penalized Likelihood and Its Oracle Properties," *Journal of the American Statistical Association*, 96, 1348-1360.
- Fan, J., and Lv, J. (2010), "A Selective Overview of Variable Selection in High Dimensional Feature Space," *Statistica Sinica*, 20, 101-148.
- Feng, L., and Sun, F. (2015), "A Note on High-Dimensional Two-Sample Test," *Statistics & Probability Letters*, 105, 29-36.
- Feng, L., Zou, C., Wang, Z., and Zhu, L. (2015), "Two Sample Behrens-Fisher Problem for High-Dimensional Data," *Statistica Sinica*, 25, 1297-1312.
- Ferguson, T.S. (1996), *A Course in Large Sample Theory*, Chapman & Hall, New York, NY.
- Frey, J. (2013), "Data-Driven Nonparametric Prediction Intervals," *Journal of Statistical Planning and Inference*, 143, 1039-1048.
- Friedman, J., Hastie, T., Hoefling, H., and Tibshirani, R. (2007), "Pathwise Coordinate Optimization," *Annals of Applied Statistics*, 1, 302-332.
- Friedman, J., Hastie, T., Simon, N., and Tibshirani, R. (2015), *glmnet: Lasso and Elastic-Net Regularized Generalized Linear Models*, R Package version 2.0, (<http://cran.r-project.org/package=glmnet>).

- Fujikoshi, Y., Ulyanov, V.V., and Shimizu, R. (2010), *Multivariate Statistics: High-Dimensional and Large-Sample Approximations*, Wiley, Hoboken, NJ.
- Giraud, C. (2022), *Introduction to High-Dimensional Statistics*, CRC Press Taylor & Francis, Boca Raton, FL.
- Goh, G., and Dey, D.K. (2019), "Asymptotic Properties of Marginal Least-Square Estimator for Ultrahigh-Dimensional Linear Regression Models with Correlated Errors," *The American Statistician*, 73, 4-9.
- Gregory, K.B., Carroll, R.J., Baladandayuthapani, V., and Lahari, S.N. (2015), "A Two-Sample Test for Equality of Means in High Dimension," *Journal of the American Statistical Association*, 110, 837-849.
- Grübel, R. (1988), "The Length of the Shorth," *The Annals of Statistics*, 16, 619-628.
- Guan, L., and Tibshirani, R. (2020), "Post Model-Fitting Exploration via a "Next-Door" Analysis," *Canadian Journal of Statistics*, 48, 447-470.
- Gunst, R.F., and Mason, R.L. (1980), *Regression Analysis and Its Application*, Marcel Dekker, New York, NY.
- Haggstrom, G.W. (1983), "Logistic Regression and Discriminant Analysis by Ordinary Least Squares," *Journal of Business & Economic Statistics*, 1, 229-238.
- Haile, M.G., Zhang, L., and Olive, D.J. (2024), "Predicting Random Walks and a Data Splitting Prediction Region," *Stats*, 7(1), 23-33.
- Hand, D.J. (2006), "Classifier Technology and the Illusion of Progress," (with discussion), *Statistical Science*, 21, 1-34.
- Harrar, S.W., and Kong, X. (2022), "Recent Developments in High-Dimensional Inference for Multivariate Data: Parametric, Semiparametric and Nonparametric Approaches," *Journal of Multivariate Analysis*, 188, 104855.
- Hastie, T., Tibshirani, R., and Friedman, J. (2009), *The Elements of Statistical Learning: Data Mining, Inference, and Prediction*, 2nd ed., Springer, New York, NY.
- Hastie, T., Tibshirani, R., and Wainwright, M. (2015), *Statistical Learning with Sparsity: the Lasso and Generalizations*, CRC Press Taylor & Francis, Boca Raton, FL.
- Hebbler, B. (1847), "Statistics of Prussia," *Journal of the Royal Statistical Society, A*, 10, 154-186.
- Helland, I.S. (1990), "Partial Least Squares Regression and Statistical Models," *Scandinavian Journal of Statistics*, 17, 97-114.
- Helland, I.S. and Almøy, T. (1994), "Comparison of Prediction Methods When Only a Few Components Are Relevant," *Journal of the American Statistical Association*, 89, 583-591.
- Hogg, R.V., Tanis, E.A., and Zimmerman, D. (2020), *Probability and Statistical Inference*, 10th ed., Pearson, Hoboken, NJ.
- Hoerl, A.E., and Kennard, R. (1970), "Ridge Regression: Biased Estimation for Nonorthogonal Problems," *Technometrics*, 12, 55-67.

- Hotelling, H. (1931), “A Generalization of Student’s Ratio,” *The Annals of Mathematical Statistics*, 2, 360-378.
- Hu, J., and Bai, Z. (2015), “A Review of 20 Years of Naive Tests of Significance for High-Dimensional Mean Vectors and Covariance Matrices,” *Science China Mathematics*, 55, online.
- Hyodo, M., and Nishiyama, T. (2017), “A One-Sample Location Test Based on Weighted Averaging of Two Test Statistics When the Dimension and the Sample Size are Large,” *Communications in Statistics: Theory and Methods*, 46, 3526-3541.
- James, G., Witten, D., Hastie, T., and Tibshirani, R. (2013, 2021), *An Introduction to Statistical Learning With Applications in R*, 1st and 2nd ed., Springer, New York, NY.
- Javanmard, A., and Montanari, A. (2014), “Confidence Intervals and Hypothesis Testing for High-Dimensional Regression,” *Journal of Machine Learning Research*, 15, 2869-2909.
- Jia, J., and Yu, B. (2010), “On Model Selection Consistency of the Elastic Net When $p \gg n$,” *Statistica Sinica*, 20, 595-611.
- Jin, Y., and Olive, D.J. (2024), “Large Sample Theory for Some Ridge-Type Regression Estimators,” is at (<http://parker.ad.siu.edu/Olive/ppridgetype.pdf>).
- Johnson, R.A., and Wichern, D.W. (2007), *Applied Multivariate Statistical Analysis*, 6th ed., Pearson, Upper Saddle River, NJ.
- Johnstone, I.M., and Lu, A.Y. (2009), “On Consistency and Sparsity for Principal Component Analysis in High Dimension,” (with discussion), *Journal of the American Statistical Association*, 104, 682-703.
- Kivaranovic, D., and Leeb, H. (2021), “On the Length of Post-Model-Selection Confidence Intervals Conditional on Polyhedral Constraints,” *Journal of the American Statistical Association*, 116, 845-857.
- Knight, K., and Fu, W.J. (2000), “Asymptotics for Lasso-Type Estimators,” *The Annals of Statistics*, 28, 1356-1378.
- Koch, I. (2014), *Analysis of Multivariate and High-Dimensional Data*, Cambridge University Press, New York, NY.
- Larsen, R.J., and Marx, M.L. (2017), *Introduction to Mathematical Statistics and Its Applications*, 6th ed., Pearson, Upper Saddle River, NJ.
- Lederer, J. (2022), *Fundamentals of High-Dimensional Statistics with Exercises and R Labs*, Springer, New York, NY.
- Lehmann, E.L. (1999), *Elements of Large-Sample Theory*, Springer, New York, NY.
- Mai, Q., Zou, H., and Yuan, M. (2012), “A Direct Approach to Sparse Discriminant Analysis in Ultra-High Dimensions,” *Biometrika*, 99, 29-42.
- Meinshausen, N. (2007), “Relaxed Lasso,” *Computational Statistics & Data Analysis*, 52, 374-393.
- Nelder, J.A., and Wedderburn, R.W.M. (1972), “Generalized Linear Models,” *Journal of the Royal Statistical Society, A*, 135, 370-384.

- Ning, Y., and Liu, H. (2017), “A General Theory of Hypothesis Tests and Confidence Regions for Sparse High Dimensional Models,” *The Annals of Statistics*, 45, 158-195.
- Obozinski, G., Wainwright, M.J., and Jordan, M.I. (2011), “Support Union Recovery in High-Dimensional Multivariate Regression,” *The Annals of Statistics*, 39, 1-47.
- Olive, D.J. (2002), “Applications of Robust Distances for Regression,” *Technometrics*, 44, 64-71.
- Olive, D.J. (2004), “Visualizing 1D Regression,” in *Theory and Applications of Recent Robust Methods*, eds. Hubert, M., Pison, G., Struyf, A., and Van Aelst S., Birkhäuser, Basel.
- Olive, D.J. (2007), “Prediction Intervals for Regression Models,” *Computational Statistics & Data Analysis*, 51, 3115-3122.
- Olive, D.J. (2008), *Applied Robust Statistics*, online course notes, see (<http://parker.ad.siu.edu/Olive/ol-bookp.htm>).
- Olive, D.J. (2010), *Multiple Linear and 1D Regression Models*, online course notes, see (<http://parker.ad.siu.edu/Olive/regbk.htm>).
- Olive, D.J. (2013a), “Asymptotically Optimal Regression Prediction Intervals and Prediction Regions for Multivariate Data,” *International Journal of Statistics and Probability*, 2, 90-100.
- Olive, D.J. (2013b), “Plots for Generalized Additive Models,” *Communications in Statistics: Theory and Methods*, 42, 2610-2628.
- Olive, D.J. (2014), *Statistical Theory and Inference*, Springer, New York, NY.
- Olive, D.J. (2017a), *Linear Regression*, Springer, New York, NY.
- Olive, D.J. (2017b), *Robust Multivariate Analysis*, Springer, New York, NY.
- Olive, D.J. (2018), “Applications of Hyperellipsoidal Prediction Regions,” *Statistical Papers*, 59, 913-931.
- Olive, D.J. (2023a), *Theory for Linear Models*, online course notes, (<http://parker.ad.siu.edu/Olive/linmodbk.htm>).
- Olive, D.J. (2023b), *Robust Statistics*, online course notes, (<http://parker.ad.siu.edu/Olive/robbook.htm>).
- Olive, D.J. (2023c), *Survival Analysis*, online course notes, see (<http://parker.ad.siu.edu/Olive/survbk.htm>).
- Olive, D.J. (2023d), *Large Sample Theory*, online course notes, (<http://parker.ad.siu.edu/Olive/lampbk.pdf>).
- Olive, D.J. (2023e), *Prediction and Statistical Learning*, online course notes, (<http://parker.ad.siu.edu/Olive/slearnbk.pdf>).
- Olive, D.J. (2023f), “High Dimensional Binary Regression and Classification,” is at (<http://parker.ad.siu.edu/Olive/pphdbreg.pdf>).
- Olive, D.J., Alshammari, A. A., Pathirana, K.G., and Hettige, L.A.W. (2024), “Testing with the One Component Partial Least Squares and the Marginal Maximum Likelihood Estimators,” is at (<http://parker.ad.siu.edu/Olive/pphdwls.pdf>).

- Olive, D.J., and Hawkins, D.M. (2003), "Robust Regression with High Coverage," *Statistics & Probability Letters*, 63, 259-266.
- Olive, D.J., and Hawkins, D.M. (2005), "Variable Selection for 1D Regression Models," *Technometrics*, 47, 43-50.
- Olive, D.J., Pelawa Watagoda, L.C.R., and Rupasinghe Arachchige Don, H.S. (2015), "Visualizing and Testing the Multivariate Linear Regression Model," *International Journal of Statistics and Probability*, 4, 126-137.
- Olive, D.J., Rathnayake, R.C., and Haile, M.G. (2022), "Prediction Intervals for GLMs, GAMs, and Some Survival Regression Models," *Communications in Statistics: Theory and Methods*, 51, 8012-8026.
- Olive, D.J., and Zhang, L. (2024), "One Component Partial Least Squares, High Dimensional Regression, Data Splitting, and the Multitude of Models," *Communications in Statistics: Theory and Methods*, to appear.
- Park, J., and Ayyala, D.N. (2013), "A Test for the Mean Vector in Large Dimension and Small Samples," *Journal of Statistical Planning and Inference*, 143, 929-943.
- Pati, Y.C., Rezaifar, R., and Krishnaprasad, P.S. (1993), "Orthogonal Matching Pursuit: Recursive Function Approximation with Applications to Wavelet Decomposition," in *Conference Record of the Twenty-Seventh Asilomar Conference on Signals, Systems and Computers* IEEE, 40-44.
- Pelawa Watagoda, L. C. R., and Olive, D.J. (2021a), "Bootstrapping Multiple Linear Regression after Variable Selection," *Statistical Papers*, 62, 681-700.
- Pelawa Watagoda, L.C.R., and Olive, D.J. (2021b), "Comparing Six Shrinkage Estimators with Large Sample Theory and Asymptotically Optimal Prediction Intervals," *Statistical Papers*, 62, 2407-2431.
- Politis, D.N., and Romano, J.P. (1994), "Large Sample Confidence Regions Based on Subsamples Under Minimal Assumptions," *The Annals of Statistics*, 22, 2031-2050.
- Pourahmadi, M. (2013), *High-Dimensional Covariance Estimation*, Wiley, Hoboken, NJ.
- Qi, X., Luo, R., Carroll, R.J., and Zhao, H. (2015), "Sparse Regression by Projection and Sparse Discriminant Analysis," *Journal of Computational and Graphical Statistics*, 24, 416-438.
- R Core Team (2020), "R: a Language and Environment for Statistical Computing," R Foundation for Statistical Computing, Vienna, Austria, (www.R-project.org).
- Rajapaksha, K.W.G.D.H., and Olive, D.J. (2022), "Wald Type Tests with the Wrong Dispersion Matrix," *Communications in Statistics: Theory and Methods*, 53, 2236-2251.
- Rathnayake, R.C., and Olive, D.J. (2023), "Bootstrapping Some GLM and Survival Regression Variable Selection Estimators," *Communications in Statistics: Theory and Methods*, 52, 2625-2645.

- Rinaldo, A., Wasserman, L., and G'Sell, M. (2019), "Bootstrapping and Sample Splitting for High-Dimensional, Assumption-Lean Inference," *The Annals of Statistics*, 47, 3438-3469.
- Rish, I., and Grabarnik, G.N. (2015), *Sparse Modeling: Theory, Algorithms, and Applications*, CRC Press Taylor & Francis, Boca Raton, FL.
- Ro, K., Zou, C., Wang, W., and Yin, G. (2015), "Outlier Detection for High-Dimensional Data," *Biometrika*, 102, 589-599.
- Seber, G.A.F., and Lee, A.J. (2003), *Linear Regression Analysis*, 2nd ed., Wiley, New York, NY.
- Sen, P.K., and Singer, J.M. (1993), *Large Sample Methods in Statistics: an Introduction with Applications*, Chapman & Hall, New York, NY.
- Serfling, R.J. (1980), *Approximation Theorems of Mathematical Statistics*, Wiley, New York, NY.
- Severini, T.A. (2005), *Elements of Distribution Theory*, Cambridge University Press, New York, NY.
- Slawski, M., zu Castell, W., and Tutz, G., (2010), "Feature Selection Guided by Structural Information," *The Annals of Applied Statistics*, 4, 1056-1080.
- Srivastava, M.S., and Du, M. (2008), "A Test for the Mean Vector with Fewer Observations Than the Dimension," *Journal of Multivariate Analysis*, 99, 386-402.
- Su, W., Bogdan, M., and Candés, E. (2017), "False Discoveries Occur Early on the Lasso Path," *The Annals of Statistics*, 45, 2133-2150.
- Su, W.J. (2018), "When is the First Spurious Variable Selected by Sequential Regression Procedures?" *Biometrika*, 105, 517-527.
- Su, Z., and Cook, R.D. (2012), "Inner Envelopes: Efficient Estimation in Multivariate Linear Regression," *Biometrika*, 99, 687-702.
- Tay, J.K., Narasimhan, B. and Hastie, T. (2023), "Elastic Net Regularization Paths for All Generalized Linear Models," *Journal of Statistical Software*, 106, 1-31.
- Tibshirani, R. (1996), "Regression Shrinkage and Selection via the Lasso," *Journal of the Royal Statistical Society, B*, 58, 267-288.
- Tibshirani, R. (1997), "The Lasso Method for Variable Selection in the Cox Model," *Statistics in Medicine*, 16, 385-395.
- Tibshirani, R., Bien, J., Friedman, J., Hastie, T., Simon, N., Taylor, J., and Tibshirani, R.J. (2012), "Strong Rules for Discarding Predictors in Lasso-Type Problems," *Journal of the Royal Statistical Society, B*, 74, 245-266.
- Tibshirani, R.J. (2013) "The Lasso Problem and Uniqueness," *Electronic Journal of Statistics*, 7, 1456-1490.
- Wackerly, D.D., Mendenhall, W., and Scheaffer, R.L. (2008), *Mathematical Statistics with Applications*, 7th ed., Thomson Brooks/Cole, Belmont, CA.
- Wagener, J., and Dette, H. (2012), "Bridge Estimators and the Adaptive Lasso under Heteroscedasticity," *Mathematical Methods of Statistics*, 21, 109-126.

- Wainwright, M.J. (2019), *High-Dimensional Statistics: a Non-Asymptotic Viewpoint*, Cambridge University Press, New York, NY.
- Walpole, R.E., Myers, R.H., Myers, S.L., and Ye, K. (2016), *Probability & Statistics for Engineers & Scientists*, 9th ed., Pearson, New York, NY.
- Wang, L., Peng, B., and Li, R. (2015), "A High-Dimensional Nonparametric Multivariate Test for Mean Vector," *Journal of the American Statistical Association*, 110, 1658-1669.
- Wold, H. (1975), "Soft Modelling by Latent Variables: the Non-Linear Partial Least Squares (NIPALS) Approach," *Journal of Applied Probability*, 12, 117-142.
- Wold, H. (1985), "Partial Least Squares," *International Journal of Cardiology*, 147, 581-591.
- Wold, H. (2006), "Partial Least Squares," *Encyclopedia of Statistical Sciences*, Wiley, New York, NY.
- Yao, J., Zheng, S., and Bai, Z. (2015), *Large Sample Covariance Matrices and High-Dimensional Data Analysis*, Cambridge University Press, New York, NY.
- Zhang, X., and Cheng, G. (2017), "Simultaneous Inference for High-Dimensional Linear Models," *Journal of the American Statistical Association*, 112, 757-768.
- Zhao, P., and Yu, B. (2006), "On Model Selection Consistency of Lasso," *Journal of Machine Learning Research* 7, 2541-2563.
- Zhou, M. (2001), "Understanding the Cox Regression Models with Time-Change Covariates," *The American Statistician*, 55, 153-155.
- Zou, H., and Hastie, T. (2005), "Regularization and Variable Selection via the Elastic Net," *Journal of the Royal Statistical Society Series, B*, 67, 301-320.

Index

- ID regression, 5
- Ulyanov, v
- abundant, 91
- active set, 109
- additive error regression, 2, 6
- additive predictor, 5
- AER, 4
- Anderson, 145, 230
- AP, 4
- apparent error rate, 186
- asymptotic distribution, 29, 32
- asymptotic theory, 29
- Atkinson, 211
- Austin, 21

- Bühlmann, v
- Basa, 118, 119, 141
- Becker, 264
- Belsley, 141
- Berk, 141
- Berndt, 230, 242
- Bertsimas, 141, 144
- Bhatia, 68, 104
- bivariate normal, 15
- Bogdan, 142, 145
- boosting, 204
- bootstrap, 29
- Boudt, 68
- Box, 12
- Box–Cox transformation, 12
- Buja, 160
- Burnham, 145
- Butler, 145
- Buxton, 23, 69, 73, 244

- c, 192

- Cai, 204
- Camponovo, 142
- Candés, 142
- Candes, 144
- case, 1, 49
- cdf, 4, 17
- centering matrix, 19
- cf, 4, 41
- Chatterjee, 142
- Chebyshev’s Inequality, 34
- Chen, 122, 134, 145
- Cheng, 141
- Chernozhukov, 141
- Chetverikov, 141
- Chihara, vi
- Cho, 145
- Chun, 97, 118, 142
- CI, 4
- Claeskens, 141
- CLT, 4
- coefficient of multiple determination, 53
- Collett, 205
- conditional distribution, 15
- confusion matrix, 188
- consistent, 34
- consistent estimator, 34
- constant variance MLR model, 49
- Continuity Theorem, 41
- Continuous Mapping Theorem, 40
- converges almost everywhere, 36
- converges in distribution, 32
- converges in law, 32
- converges in probability, 33
- converges in quadratic mean, 34
- Cook, vi, 9, 54, 68, 96, 97, 118, 119, 142, 143, 204, 217, 219, 223, 227, 236, 254, 258

- covariance matrix, 13
- covmb2, 22, 66
- Cox, 12, 134
- Cramér, 54
- Crawley, 264, 266
- cross validation, 186
- CV, 4

- DA, 4
- Das, 160
- data frame, 264
- Datta, 141
- degrees of freedom, 54, 147
- Delta Method, 30
- Denham, 142
- dense, 91
- Dette, 160
- Devroye, 187
- Dey, 120
- Dezeure, 141
- df, 54

- EAP, 4
- EC, 4
- Eck, 247
- Efron, 102, 103, 108, 141, 142
- Efroymsen, 141
- Eicker, 142, 160
- eigenvalue, 91
- eigenvector, 91
- elastic net, 114
- elastic net variable selection, 117, 131
- elliptically contoured, 28
- elliptically symmetric, 28
- envelope estimators, 254
- error sum of squares, 52, 63
- Ervin, 160
- ESP, 4
- ESSP, 4
- estimated additive predictor, 5
- estimated sufficient predictor, 5, 174
- estimated sufficient summary plot, 5
- Euclidean norm, 42
- Ewald, 132, 141
- extrapolation, 122

- Fan, 111, 119, 141, 142, 144, 145
- FDA, 4
- Ferguson, 40, 68
- Ferrari, 141
- FF plot, 58, 219
- Filzmoser, 181
- Fithian, 141
- fitted values, 49, 83, 136

- Flachaire, 160
- Fogel, 141
- Forzani, 96, 97, 118, 119, 142
- Fox, 264
- Frank, 143
- Freedman, 155
- Friedman, vi, 143, 174, 204, 263
- Fryzlewicz, 145
- Fu, 105, 109, 141–143
- Fujikoshi, v, 145, 254
- full model, 77, 136

- G'Sell, 141
- GAM, 4
- Gao, 144
- Gaussian MLR model, 49
- generalized additive model, 5
- generalized eigenvalue problem, 178
- generalized linear model, 5
- Gini's index, 196
- Giraud, v
- Gladstone, 60, 73, 209–211
- GLM, 4
- Goh, 120
- Grabarnik, v
- Gram matrix, 101
- Graybill, 86
- Green, 21
- Gruber, 142
- Guan, 111
- Gunst, 103, 104, 141
- Guttman, 63

- Haile, 2
- Hair, 21
- Haitovsky, 144
- Hall, 142
- Hand, 205
- Harrell, 21
- Hastie, v, vi, 93, 97, 100–103, 108, 109, 111, 114, 122, 133, 134, 141–143, 145, 147, 199, 204
- hat matrix, 50, 63
- Hawkins, 142, 145, 146, 205, 217
- Hebbler, 87, 234
- Helland, 95, 98, 119
- Henderson, 226
- Hesterberg, vi, 29
- high dimensional statistics, 3
- Hinkley, 160
- Hjort, 141
- Hoerl, 142
- Hoffman, 145
- Hogg, vi

- Huang, 144
 Huber, 160
 Huberty, 204
 Hurvich, 134

 identity line, 6, 50, 218
 iid, 4, 5, 17, 49

 Jacobian matrix, 43
 James, v, 1, 85, 127, 141, 170, 195, 197, 204, 208
 Javanmard, 141
 Jia, 116
 Johnson, vi, 14, 28, 92, 170, 178, 216, 220
 Johnstone, 255
 joint distribution, 14
 Jolliffe, 96
 Jones, 145

 Kakizawa, 229, 230
 Karhunen Loeve direction, 93
 Karhunen Loeve directions, 142
 Keleş, 97, 142
 Kennard, 142
 Khattree, 229, 230, 255
 Kim, 145
 Kivaranovic, 141
 Knight, 105, 109, 141–143
 KNN, 4
 Koch, 181, 182, 204
 Kshirsagar, 229, 242

 ladder of powers, 9
 ladder rule, 9, 65
 Lahiri, 142, 160
 Lai, 142
 Larsen, vi
 lasso, 4, 10, 85, 144, 254
 lasso variable selection, 85, 131, 143
 LDA, 4
 least squares, 50
 least squares estimators, 215
 Lederer, v
 Lee, 16, 21, 61, 78, 141, 144, 229
 Leeb, 141, 145
 Lehmann, 36, 37, 68
 Lei, 142, 145
 Leroy, 146
 leverage, 122
 Li, 144
 Liao, 141
 limiting distribution, 29, 32
 Lin, 144

 Liu, 142, 204
 location model, 17
 Lockhart, 141, 142
 log rule, 9, 65
 logistic regression, 135, 174
 Loh, 145
 Long, 160
 LR, 4
 Lu, 141
 Lumley, vi, 263
 Luo, 122, 134, 145
 Lv, 119, 141, 142, 145

 MacKinnon, 160
 MAD, 4, 17
 Mahalanobis distance, 19, 21, 22, 66
 Mai, 204
 Mallows, 145
 Mammen, 160
 Marden, 2
 Mardia, 179
 Mark, 21
 Markov's Inequality, 34
 Maronna, 255
 Marquardt, 102
 Marx, vi
 Mason, 103, 104, 141
 Mathsoft, 264
 McCulloch, 21
 McLachlan, 204
 MCLT, 4
 mean, 17
 MED, 4
 median, 17, 65
 median absolute deviation, 18, 66
 Meinshausen, 111, 143
 Mendenhall, vi
 Mevik, vi, 98, 263
 mgf, 4, 41
 Minor, 206, 207
 mixture distribution, 47, 67
 MLD, 4
 MLR, 2, 4, 48
 MLS CLT, 227
 MMLE, 4
 model sum of squares, 63
 modified power transformation, 10
 Montanari, 141
 Morgenthaler, 255
 Mosteller, 11
 multicollinearity, 59
 multiple linear regression, 2, 5, 48
 multiple linear regression model, 214
 Multivariate Central Limit Theorem, 43

- Multivariate Delta Method, 43
- multivariate linear model, 214
- multivariate linear regression model, 213
- multivariate location and dispersion model, 214
- multivariate normal, 13
- MVN, 4, 14
- Myers, vi

- Nadler, 255
- Naik, 98, 229, 230, 255
- Ning, 142
- Nordhausen, 255
- norm, 114
- normal equations, 62
- normal MLR model, 49
- Norman, 21
- null classifier, 194

- Obozinski, 144, 254
- observation, 1
- Olejnik, 204
- Olive, v, vi, 2, 8, 48, 68, 95, 97, 111, 116–119, 123, 133, 141, 142, 145, 146, 157, 160, 204, 205, 217, 219, 220, 254
- OLS, 4, 10, 50
- OPLS, 4
- order statistics, 17, 65
- outlier resistant regression, 22
- outliers, 7, 16

- Pötscher, 141, 160
- partial least squares, 85, 254
- Pati, 143
- PCA, 4
- PCR, 4
- pdf, 4
- Pelawa Watagoda, 2, 111, 116, 123, 132, 141, 142
- PI, 4
- PLS, 4
- pmf, 4
- population correlation, 15
- population mean, 13
- positive definite, 92
- positive semidefinite, 92
- power transformation, 10
- Pratt, 38
- predicted values, 49, 136
- predictor variables, 213
- Preinerstorfer, 160
- Press, 69
- principal component direction, 93
- principal component regression, 91
- principal components regression, 85, 91
- pval, 55, 60
- pvalue, 55

- QDA, 4
- Qi, 141, 144
- qualitative variable, 48
- quantitative variable, 48

- R, 263
- R Core Team, vi, 124
- Rajapaksha, 157, 159
- random forests, 204
- Rao, 13
- Rathnayake, vi, 2, 111, 117, 142
- Rayleigh quotient, 178
- regression sum of squares, 52
- regression through the origin, 63
- Rejchel, 142
- residual plot, 5, 50, 218
- residuals, 50, 83, 136
- response plot, 5, 50, 218
- response transformation, 11
- response variable, 1, 5
- response variables, 213
- ridge regression, 85, 144, 254
- Rinaldo, 141
- Ripley, vi, 193, 263, 264
- Rish, v
- Ro, 23
- Rohatgi, 16, 41
- Romano, 155, 160
- Rothman, 145
- Rousseeuw, 146
- RR plot, 58, 218
- rule of thumb, 21

- S, 36
- sample correlation matrix, 20
- sample covariance matrix, 19, 66
- sample mean, 19, 29, 52, 66
- SAS Institute, 258
- Savin, 230, 242
- Scheaffer, vi
- Schneider, 132, 141
- score equations, 103
- SE, 4, 29
- Searle, 226, 255
- Seber, 16, 61, 78, 229
- Sen, 68, 79
- separating hyperplane, 198
- Serfling, 68
- Severini, 14, 45, 68, 104

- Shimizu, v
Silverman, 178, 204
Singer, 68, 79
singular value decomposition, 101
Slawski, 116
Slutsky's Theorem, 39, 45
Snee, 102
Song, 119
SP, 4
sparse, 91
sparse model, 3
spectral decomposition, 92
square root matrix, 92
SSP, 4
standard deviation, 18
standard error, 29
Steinberger, 145
Stewart, 68, 104
Steyerberg, 21
Streiner, 21
Su, 54, 119, 142, 144, 217, 223, 227, 254
sufficient predictor, 5
Sun, 144
supervised classification, 169
supervised learning, 2
support vector machines, 204
SVD, 101
SVM, 4
- Tanis, vi
Tao, 144
Tarr, 23
Taylor, 115, 144
test data, 1
Therneau, 211
Tibshirani, 110, 111, 115, 141, 142, 205
Tikhonov regularization, 142
time series, 134
total sum of squares, 52
trace, 101
training data, 1
training error rate, 186
transformation plot, 11
trees, 204
Tremearne, 7, 149
- truth table, 188
Tsai, 98, 134
Tukey, 10, 11
Tyler, 255
- uncorrected total sum of squares, 63
unimodal MLR model, 49
unsupervised learning, 2
Uraibi, 145
- van de Geer, v, 141
variance, 17, 18
Venables, vi, 193, 263, 264
Vittinghoff, 21
- W, 36
Wackerly, vi
Wagener, 160
Wagner, 187
Wainwright, v
Walpole, vi
Wang, 75, 145
Wasserman, 141, 145
Weisberg, vi, 9, 217, 219, 236, 258, 264
White, 44, 68, 142, 155, 160
Wichern, vi, 14, 92, 170, 178, 216, 220
Wieczorek, 142, 145
Wisseman, 209
Witten, 205
Wold, 142
Wolf, 155, 160
Wu, 160
- Xu, 141
- Yang, 68, 141, 145
Ye, vi
Yu, 116
- Zhang, vi, 68, 97, 118, 119, 141, 142, 144, 145, 160, 204
Zheng, 145
Zimmerman, vi
Zou, 114, 147