

- Abraham, B., and Ledolter, J. (2006), *Introduction to Regression Modeling*, Thomson Brooks/Cole, Belmont, CA.
- Agresti, A. (2002), *Categorical Data Analysis*, 2nd ed., Wiley, Hoboken, NJ.
- Agresti, A. (2013), *Categorical Data Analysis*, 3rd ed., Wiley, Hoboken, NJ.
- Agresti, A. (2015), *Foundations of Linear and Generalized Linear Models*, Wiley, Hoboken, NJ.
- Agulló, J. (1996), "Exact Iterative Computation of the Multivariate Minimum Volume Ellipsoid Estimator with a Branch and Bound Algorithm," in *Proceedings in Computational Statistics*, ed. Prat, A., Physica-Verlag, Heidelberg, 175-180.
- Agulló, J. (1998), "Computing the Minimum Covariance Determinant Estimator," unpublished manuscript, Universidad de Alicante.
- Akaike, H. (1973), "Information Theory and an Extension of the Maximum Likelihood Principle," in *Proceedings, 2nd International Symposium on Information Theory*, eds. Petrov, B.N., and Csakim, F., Akademiai Kiado, Budapest, 267-281.
- Akaike, H. (1977), "On Entropy Maximization Principle," in *Applications of Statistics*, ed. Krishnaiah, P.R, North Holland, Amsterdam, 27-41.
- Akaike, H. (1978), "A New Look at the Bayes Procedure," *Biometrics*, 65, 53-59.
- Aldrin, M., Bølviken, E., and Schweder, T. (1993), "Projection Pursuit Regression for Moderate Non-linearities," *Computational Statistics & Data Analysis*, 16, 379-403.
- Anderson, T.W. (1971), *The Statistical Analysis of Time Series*, Wiley, New York, NY.
- Anderson, T.W. (1984), *An Introduction to Multivariate Statistical Analysis*, 2nd ed., Wiley, New York, NY.
- Anton, H., Rorres, C., and Kaul, A. (2019), *Elementary Linear Algebra, Applications Version*, 12th ed., Wiley, New York, NY.
- Atkinson, A., and Riani, R. (2000), *Robust Diagnostic Regression Analysis*, Springer, New York, NY.
- Bassett, G.W., and Koenker, R.W. (1978), "Asymptotic Theory of Least Absolute Error Regression," *Journal of the American Statistical Association*, 73, 618-622.
- Becker, R.A., Chambers, J.M., and Wilks, A.R. (1988), *The New S Language: a Programming Environment for Data Analysis and Graphics*, Wadsworth and Brooks/Cole, Pacific Grove, CA.
- Belsley, D.A. (1984), "Demeaning Conditioning Diagnostics Through Centering," *The American Statistician*, 38, 73-77.
- Berk, R., Brown, L., Buja, A., Zhang, K., and Zhao, L. (2013), "Valid Post-Selection Inference," *The Annals of Statistics*, 41, 802-837.

- Berndt, E.R., and Savin, N.E. (1977), "Conflict Among Criteria for Testing Hypotheses in the Multivariate Linear Regression Model," *Econometrika*, 45, 1263-1277.
- Bernholt, T. (2005), "Computing the Least Median of Squares Estimator in Time $O(n^d)$," *Proceedings of ICCSA 2005*, LNCS, 3480, 697-706.
- Bernholt, T., and Fischer, P. (2004), "The Complexity of Computing the MCD-Estimator," *Theoretical Computer Science*, 326, 383-398.
- Bertsimas, D., King, A., and Mazmunder, R. (2016), "Best Subset Selection Via a Modern Optimization Lens," *The Annals of Statistics*, 44, 813-852.
- Bhatia, R., Elsner, L., and Krause, G. (1990), "Bounds for the Variation of the Roots of a Polynomial and the Eigenvalues of a Matrix," *Linear Algebra and Its Applications*, 142, 195-209.
- Bickel, P.J., and Ren, J.-J. (2001), "The Bootstrap in Hypothesis Testing," in *State of the Art in Probability and Statistics: Festschrift for William R. van Zwet*, eds. de Gunst, M., Klaassen, C., and van der Vaart, A., The Institute of Mathematical Statistics, Hayward, CA, 91-112.
- Bogdan, M., Ghosh, J., and Doerge, R. (2004), "Modifying the Schwarz Bayesian Information Criteria to Locate Multiple Interacting Quantitative Trait Loci," *Genetics*, 167, 989-999.
- Box, G.E.P., and Cox, D.R. (1964), "An Analysis of Transformations," *Journal of the Royal Statistical Society, B*, 26, 211-246.
- Breiman, L. (1996), "Bagging Predictors," *Machine Learning*, 24, 123-140.
- Brillinger, D.R. (1977), "The Identification of a Particular Nonlinear Time Series," *Biometrika*, 64, 509-515.
- Brillinger, D.R. (1983), "A Generalized Linear Model with "Gaussian" Regressor Variables," in *A Festschrift for Erich L. Lehmann*, eds. Bickel, P.J., Doksum, K.A., and Hodges, J.L., Wadsworth, Pacific Grove, CA, 97-114.
- Brown, M.B., and Forsythe, A.B. (1974a), "The ANOVA and Multiple Comparisons for Data with Heterogeneous Variances," *Biometrics*, 30, 719-724.
- Brown, M.B., and Forsythe, A.B. (1974b), "The Small Sample Behavior of Some Statistics Which Test the Equality of Several Means," *Technometrics*, 16, 129-132.
- Büchlmann, P., and Yu, B. (2002), "Analyzing Bagging," *The Annals of Statistics*, 30, 927-961.
- Buckland, S.T., Burnham, K.P., and Augustin, N.H. (1997), "Model Selection: an Integral Part of Inference," *Biometrics*, 53, 603-618.
- Budny, K. (2014), "A Generalization of Chebyshev's Inequality for Hilbert-Space-Valued Random Variables," *Statistics & Probability Letters*, 88, 62-65.
- Burnham, K.P., and Anderson, D.R. (2002), *Model Selection and Multimodel Inference: a Practical Information-Theoretic Approach*, 2nd ed., Springer, New York, NY.

- Burnham, K.P., and Anderson, D.R. (2004), "Multimodel Inference Understanding AIC and BIC in Model Selection," *Sociological Methods & Research*, 33, 261-304.
- Burr, D. (1994), "A Comparison of Certain Bootstrap Confidence Intervals in the Cox Model," *Journal of the American Statistical Association*, 89, 1290-1302.
- Butler, R., and Rothman, E. (1980), "Predictive Intervals Based on Reuse of the Sample," *Journal of the American Statistical Association*, 75, 881-889.
- Butler, R.W., Davies, P.L., and Jhun, M. (1993), "Asymptotics for the Minimum Covariance Determinant Estimator," *The Annals of Statistics*, 21, 1385-1400.
- Buxton, L.H.D. (1920), "The Anthropology of Cyprus," *The Journal of the Royal Anthropological Institute of Great Britain and Ireland*, 50, 183-235.
- Cameron, A.C., and Trivedi, P.K. (1998), *Regression Analysis of Count Data*, 1st ed., Cambridge University Press, Cambridge, UK.
- Cameron, A.C., and Trivedi, P.K. (2013), *Regression Analysis of Count Data*, 2nd ed., Cambridge University Press, Cambridge, UK.
- Camponovo, L. (2015), "On the Validity of the Pairs Bootstrap for Lasso Estimators," *Biometrika*, 102, 981-987.
- Candes, E., and Tao, T. (2007), "The Dantzig Selector: Statistical Estimation When p Is Much Larger Than n ," *The Annals of Statistics*, 35, 2313-2351.
- Cator, E.A., and Lopuhaä, H.P. (2010), "Asymptotic Expansion of the Minimum Covariance Determinant Estimators," *Journal of Multivariate Analysis*, 101, 2372-2388.
- Cator, E.A., and Lopuhaä, H.P. (2012), "Central Limit Theorem and Influence Function for the MCD Estimators at General Multivariate Distributions," *Bernoulli*, 18, 520-551.
- Chang, J., and Hall, P. (2015), "Double Bootstrap Methods That Use a Single Double-Bootstrap Simulation," *Biometrika*, 102, 203-214.
- Chang, J., and Olive, D.J. (2010), "OLS for 1D Regression Models," *Communications in Statistics: Theory and Methods*, 39, 1869-1882.
- Charkhi, A., and Claeskens, G. (2018), "Asymptotic Post-Selection Inference for the Akaike Information Criterion," *Biometrika*, 105, 645-664.
- Chatterjee, A., and Lahiri, S.N. (2011), "Bootstrapping Lasso Estimators," *Journal of the American Statistical Association*, 106, 608-625.
- Chen, C.H., and Li, K.C. (1998), "Can SIR be as Popular as Multiple Linear Regression?," *Statistica Sinica*, 8, 289-316.
- Chen, J., and Chen, Z. (2008), "Extended Bayesian Information Criterion for Model Selection with Large Model Spaces," *Biometrika*, 95, 759-771.
- Chen, S.X. (2016), "Peter Hall's Contributions to the Bootstrap," *The Annals of Statistics*, 44, 1821-1836.
- Chen, X. (2011), "A New Generalization of Chebyshev Inequality for Random Vectors," see arXiv:0707.0805v2.

- Chew, V. (1966), "Confidence, Prediction and Tolerance Regions for the Multivariate Normal Distribution," *Journal of the American Statistical Association*, 61, 605-617.
- Chihara, L., and Hesterberg, T. (2011), *Mathematical Statistics with Resampling and R*, Wiley, Hoboken, NJ.
- Cho, H., and Fryzlewicz, P. (2012), "High Dimensional Variable Selection Via Tilting," *Journal of the Royal Statistical Society, B*, 74, 593-622.
- Christensen, R. (1987), *Plane Answers to Complex Questions: the Theory of Linear Models*, 1st ed., Springer, New York, NY.
- Christensen, R. (2020), *Plane Answers to Complex Questions: the Theory of Linear Models*, 5th ed., Springer, New York, NY.
- Chun, H., and Keleş, S. (2010), "Sparse Partial Least Squares Regression for Simultaneous Dimension Reduction and Predictor Selection," *Journal of the Royal Statistical Society, B*, 72, 3-25.
- Čížek, P. (2006), "Least Trimmed Squares Under Dependence," *Journal of Statistical Planning and Inference*, 136, 3967-3988.
- Čížek, P. (2008), "General Trimmed Estimation: Robust Approach to Non-linear and Limited Dependent Variable Models," *Econometric Theory*, 24, 1500-1529.
- Claeskens, G., and Hjort, N.L. (2008), *Model Selection and Model Averaging*, Cambridge University Press, New York, NY.
- Clarke, B.R. (1986), "Nonsmooth Analysis and Fréchet Differentiability of M Functionals," *Probability Theory and Related Fields*, 73, 137-209.
- Clarke, B.R. (2000), "A Review of Differentiability in Relation to Robustness with an Application to Seismic Data Analysis," *Proceedings of the Indian National Science Academy, A*, 66, 467-482.
- Cleveland, W. (1979), "Robust Locally Weighted Regression and Smoothing Scatterplots," *Journal of the American Statistical Association*, 74, 829-836.
- Cleveland, W.S. (1981), "LOWESS: a Program for Smoothing Scatterplots by Robust Locally Weighted Regression," *The American Statistician*, 35, 54.
- Collett, D. (1999), *Modelling Binary Data*, 1st ed., Chapman & Hall/CRC, Boca Raton, FL.
- Collett, D. (2003), *Modelling Binary Data*, 2nd ed., Chapman & Hall/CRC, Boca Raton, FL.
- Cook, R.D. (1977), "Deletion of Influential Observations in Linear Regression," *Technometrics*, 19, 15-18.
- Cook, R.D. (1998), *Regression Graphics: Ideas for Studying Regression Through Graphics*, Wiley, New York, NY.
- Cook, R.D. (2018), *An Introduction to Envelopes: Dimension Reduction for Efficient Estimation in Multivariate Statistics*, Wiley, Hoboken, NJ.
- Cook, R.D., and Forzani, L. (2008), "Principal Fitted Components for Dimension Reduction in Regression," *Statistical Science*, 23, 485-501.
- Cook, R.D., and Forzani, L. (2018), "Big Data and Partial Least Squares Prediction," *The Canadian Journal of Statistics*, 46, 62-78.

- Cook, R.D., and Forzani, L. (2019), "Partial Least Squares Prediction in High-Dimensional Regression," *The Annals of Statistics*, 47, 884-908.
- Cook, R.D., Forzani, L., and Rothman, A. (2013), "Prediction in Abundant High-Dimensional Linear Regression," *Electronic Journal of Statistics*, 7, 3059-3088.
- Cook, R.D., Helland, I.S., and Su, Z. (2013), "Envelopes and Partial Least Squares Regression," *Journal of the Royal Statistical Society, B*, 75, 851-877.
- Cook, R.D., and Olive, D.J. (2001), "A Note on Visualizing Response Transformations in Regression," *Technometrics*, 43, 443-449.
- Cook, R.D., and Su, Z. (2013), "Scaled Envelopes: Scale-Invariant and Efficient Estimation in Multivariate Linear Regression," *Biometrika*, 100, 929-954.
- Cook, R.D., and Su, Z. (2016), "Scaled Predictor Envelopes and Partial Least-Squares Regression," *Technometrics*, 58, 155-165.
- Cook, R.D., and Weisberg, S. (1999), *Applied Regression Including Computing and Graphics*, Wiley, New York, NY.
- Cook, R.D., and Zhang, X. (2015), "Foundations of Envelope Models and Methods," *Journal of the American Statistical Association*, 110, 599-611.
- Cox, D.R. (1972), "Regression Models and Life-Tables," *Journal of the Royal Statistical Society, B*, 34, 187-220.
- Cornish, E.A. (1954), "The Multivariate t-Distribution Associated with a Set of Normal Sample Deviates," *Australian Journal of Physics*, 7, 531-542.
- Cramér, H. (1946), *Mathematical Methods of Statistics*, Princeton University Press, Princeton, NJ.
- Crawley, M.J. (2005), *Statistics an Introduction Using R*, Wiley, Hoboken, NJ.
- Crawley, M.J. (2013), *The R Book*, 2nd ed., Wiley, Hoboken, NJ.
- Croux, C., Dehon, C., Rousseeuw, P.J., and Van Aelst, S. (2001), "Robust Estimation of the Conditional Median Function at Elliptical Models," *Statistics & Probability Letters*, 51, 361-368.
- Daniel, C., and Wood, F.S. (1980), *Fitting Equations to Data*, 2nd ed., Wiley, New York, NY.
- Datta, B.N. (1995), *Numerical Linear Algebra and Applications*, Brooks/Cole Publishing Company, Pacific Grove, CA.
- Denham, M.C. (1997), "Prediction Intervals in Partial Least Squares," *Journal of Chemometrics*, 11, 39-52.
- Devlin, S.J., Gnanadesikan, R., and Kettenring, J.R. (1975), "Robust Estimation and Outlier Detection with Correlation Coefficients," *Biometrika*, 62, 531-545.
- Devlin, S.J., Gnanadesikan, R., and Kettenring, J.R. (1981), "Robust Estimation of Dispersion Matrices and Principal Components," *Journal of the American Statistical Association*, 76, 354-362.
- Dezeure, R., Bühlmann, P., Meier, L., and Meinshausen, N. (2015), "High-Dimensional Inference: Confidence Intervals, p -Values and R-Software hdi," *Statistical Science*, 30, 533-558.

- Draper, N.R., and Smith, H. (1966, 1981, 1998), *Applied Regression Analysis*, 1st, 2nd, and 3rd ed., Wiley, New York, NY.
- Driscoll, M.F., and Krasnicka, B. (1995), "An Accessible Proof of Craig's Theorem in the General Case," *The American Statistician*, 49, 59-62.
- Eaton, M.L. (1986), "A Characterization of Spherical Distributions," *Journal of Multivariate Analysis*, 20, 272-276.
- Eck, D.J. (2018), "Bootstrapping for Multivariate Linear Regression Models," *Statistics & Probability Letters*, 134, 141-149.
- Efron, B. (1979), "Bootstrap Methods, Another Look at the Jackknife," *The Annals of Statistics*, 7, 1-26.
- Efron, B. (1982), *The Jackknife, the Bootstrap and Other Resampling Plans*, SIAM, Philadelphia, PA.
- Efron, B. (2014), "Estimation and Accuracy After Model Selection," (with discussion), *Journal of the American Statistical Association*, 109, 991-1007.
- Efron, B., Hastie, T., Johnstone, I., and Tibshirani, R. (2004), "Least Angle Regression," (with discussion), *The Annals of Statistics*, 32, 407-451.
- Efron, B., and Hastie, T. (2016), *Computer Age Statistical Inference*, Cambridge University Press, New York, NY.
- Efron, B., and Tibshirani, R.J. (1993), *An Introduction to the Bootstrap*, Chapman & Hall/CRC, New York, NY.
- Efroymson, M.A. (1960), "Multiple Regression Analysis," in *Mathematical Methods for Digital Computers*, eds. Ralston, A., and Wilf, H.S., Wiley, New York, NY, 191-203.
- Eicker, F. (1963), "Asymptotic Normality and Consistency of the Least Squares Estimators for Families of Linear Regressions," *Annals of Mathematical Statistics*, 34, 447-456.
- Eicker, F. (1967), "Limit Theorems for Regressions with Unequal and Dependent Errors," in *Proceedings of the Fifth Berkeley Symposium on Mathematical Statistics and Probability, Vol. I: Statistics*, eds. Le Cam, L.M., and Neyman, J., University of California Press, Berkeley, CA, 59-82.
- Ewald, K., and Schneider, U. (2018), "Uniformly Valid Confidence Sets Based on the Lasso," *Electronic Journal of Statistics*, 12, 1358-1387.
- Fahrmeir, L. and Tutz, G. (2001), *Multivariate Statistical Modelling Based on Generalized Linear Models*, 2nd ed., Springer, New York, NY.
- Fan, J., and Li, R. (2001), "Variable Selection Via Noncave Penalized Likelihood and Its Oracle Properties," *Journal of the American Statistical Association*, 96, 1348-1360.
- Fan, J., and Li, R. (2002), "Variable Selection for Cox's Proportional Hazard Model and Frailty Model," *The Annals of Statistics*, 30, 74-99.
- Fan, J., and Lv, J. (2010), "A Selective Overview of Variable Selection in High Dimensional Feature Space," *Statistica Sinica*, 20, 101-148.
- Ferguson, T.S. (1996), *A Course in Large Sample Theory*, Chapman & Hall, New York, NY.
- Fernholtz, L.T. (1983), *von Mises Calculus for Statistical Functionals*, Springer, New York, NY.

- Ferrari, D., and Yang, Y. (2015), "Confidence Sets for Model Selection by F -Testing," *Statistica Sinica*, 25, 1637-1658.
- Fithian, W., Sun, D., and Taylor, J. (2014), "Optimal Inference After Model Selection," ArXiv e-prints.
- Flury, B., and Riedwyl, H. (1988), *Multivariate Statistics: a Practical Approach*, Chapman & Hall, New York.
- Fogel, P., Hawkins, D.M., Beecher, C., Luta, G., and Young, S. (2013), "A Tale of Two Matrix Factorizations," *The American Statistician*, 67, 207-218.
- Fox, J., and Weisberg, S. (2010), *An R Companion to Applied Regression*, 2nd ed., Sage Publications, Thousand Oaks, CA.
- Frank, I.E., and Friedman, J.H. (1993), "A Statistical View of Some Chemometrics Regression Tools," (with discussion), *Technometrics*, 35, 109-148.
- Freedman, D.A. (1981), "Bootstrapping Regression Models," *The Annals of Statistics*, 9, 1218-1228.
- Freedman, D.A. (2005), *Statistical Models Theory and Practice*, Cambridge University Press, New York, NY.
- Frey, J. (2013), "Data-Driven Nonparametric Prediction Intervals," *Journal of Statistical Planning and Inference*, 143, 1039-1048.
- Friedman, J., Hastie, T., Hoefling, H., and Tibshirani, R. (2007), "Pathwise Coordinate Optimization," *Annals of Applied Statistics*, 1, 302-332.
- Friedman, J., Hastie, T., Simon, N., and Tibshirani, R. (2015), *glmnet: Lasso and Elastic-net Regularized Generalized Linear Models*, R Package version 2.0, (<http://cran.r-project.org/package=glmnet>).
- Friedman, J., Hastie, T., and Tibshirani, R. (2010), "Regularization Paths for Generalized Linear Models Via Coordinate Descent," *Journal of Statistical Software*, 33, 1-22.
- Friedman, J.H., and Hall, P. (2007), "On Bagging and Nonlinear Estimation," *Journal of Statistical Planning and Inference*, 137, 669-683.
- Fujikoshi, Y. (2002), "Asymptotic Expansions for the Distributions of Multivariate Basic Statistics and One-Way MANOVA Tests Under Nonnormality," *Journal of Statistical Planning and Inference*, 108, 263-282.
- Fujikoshi, Y., Sakurai, T., and Yanagihara, H. (2014), "Consistency of High-Dimensional AIC-Type and C_p -Type Criteria in Multivariate Linear Regression," *Journal of Multivariate Analysis*, 123, 184-200.
- Furnival, G., and Wilson, R. (1974), "Regression by Leaps and Bounds," *Technometrics*, 16, 499-511.
- Gao, X., and Huang, J. (2010), "Asymptotic Analysis of High-Dimensional LAD Regression with Lasso," *Statistica Sinica*, 20, 1485-1506.
- Gill, R.D. (1989), "Non- and Semi-Parametric Maximum Likelihood Estimators and the von Mises Method, Part 1," *Scandinavian Journal of Statistics*, 16, 97-128.
- Gladstone, R.J. (1905), "A Study of the Relations of the Brain to the Size of the Head," *Biometrika*, 4, 105-123.

- Golub, G.H., and Van Loan, C.F. (1989), *Matrix Computations*, 2nd ed., John Hopkins University Press, Baltimore, MD.
- Graybill, F.A. (1976), *Theory and Application of the Linear Model*, Duxbury Press, North Scituate, MA.
- Graybill, F.A. (1983), *Matrices with Applications to Statistics*, 2nd ed., Wadsworth, Belmont, CA.
- Graybill, F.A. (2000), *Theory and Application of the Linear Model*, Brooks/Cole, Pacific Grove, CA.
- Grübel, R. (1988), "The Length of the Shorth," *The Annals of Statistics*, 16, 619-628.
- Gruber, M.H.J. (1998), *Improving Efficiency by Shrinkage: the James-Stein and Ridge Regression Estimators*, Marcel Dekker, New York, NY.
- Gunst, R.F., and Mason, R.L. (1980), *Regression Analysis and Its Application: a Data Oriented Approach*, Marcel Dekker, New York, NY.
- Guttman, I. (1982), *Linear Models: an Introduction*, Wiley, New York, NY.
- Haggstrom, G.W. (1983), "Logistic Regression and Discriminant Analysis by Ordinary Least Squares," *Journal of Business & Economic Statistics*, 1, 229-238.
- Haitovsky, Y. (1987), "On Multivariate Ridge Regression," *Biometrika*, 74, 563-570.
- Hall, P. (1986), "On the Bootstrap and Confidence Intervals," *The Annals of Statistics*, 14, 1431-1452.
- Hall, P. (1988), "Theoretical Comparisons of Bootstrap Confidence Intervals," (with discussion), *The Annals of Statistics*, 16, 927-985.
- Hall, P., Lee, E.R., and Park, B.U. (2009), "Bootstrap-Based Penalty Choice for the Lasso Achieving Oracle Performance," *Statistica Sinica*, 19, 449-471.
- Hampel, F.R. (1975), "Beyond Location Parameters: Robust Concepts and Methods," *Bulletin of the International Statistical Institute*, 46, 375-382.
- Harville, D.A. (2018), *Linear Models and the Relevant Distributions and Matrix Algebra*, Chapman & Hall/CRC Press, Boca Raton, FL.
- Hastie, T.J., and Tibshirani, R.J. (1986), "Generalized Additive Models" (with discussion), *Statistical Science*, 1, 297-318.
- Hastie, T.J., and Tibshirani, R.J. (1990), *Generalized Additive Models*, Chapman & Hall, London, UK.
- Hastie, T., Tibshirani, R., and Friedman, J. (2009), *The Elements of Statistical Learning: Data Mining, Inference, and Prediction*, 2nd ed. Springer, New York, NY.
- Hastie, T., Tibshirani, R., and Wainwright, M. (2015), *Statistical Learning with Sparsity: the Lasso and Generalizations*, CRC Press Taylor & Francis, Boca Raton, FL.
- Houghton, D.M.A. (1988), "On the Choice of a Model to Fit Data From an Exponential Family," *The Annals of Statistics*, 16, 342-355.

- Haughton, D. (1989), "Size of the Error in the Choice of a Model to Fit Data From an Exponential Family," *Sankhyā, A*, 51, 45-58.
- Hawkins, D.M., Bradu, D., and Kass, G.V. (1984), "Location of Several Outliers in Multiple Regression Data Using Elemental Sets," *Technometrics*, 26, 197-208.
- Hawkins, D.M., and Olive, D.J. (1999a), "Improved Feasible Solution Algorithms for High Breakdown Estimation," *Computational Statistics & Data Analysis*, 30, 1-11.
- Hawkins, D.M., and Olive, D. (1999b), "Applications and Algorithms for Least Trimmed Sum of Absolute Deviations Regression," *Computational Statistics & Data Analysis*, 32, 119-134.
- Hawkins, D.M., and Olive, D.J. (2002), "Inconsistency of Resampling Algorithms for High Breakdown Regression Estimators and a New Algorithm," (with discussion), *Journal of the American Statistical Association*, 97, 136-159.
- He, X., and Portnoy, S. (1992), "Reweighted LS Estimators Converge at the Same Rate as the Initial Estimator," *The Annals of Statistics*, 20, 2161-2167.
- He, X., and Wang, G. (1997), "Qualitative Robustness of S*- Estimators of Multivariate Location and Dispersion," *Statistica Neerlandica*, 51, 257-268.
- Hebbler, B. (1847), "Statistics of Prussia," *Journal of the Royal Statistical Society, A*, 10, 154-186.
- Henderson, H.V., and Searle, S.R. (1979), "Vec and Vech Operators for Matrices, with Some Uses in Jacobians and Multivariate Statistics," *The Canadian Journal of Statistics*, 7, 65-81.
- Hesterberg, T., (2014), "What Teachers Should Know About the Bootstrap: Resampling in the Undergraduate Statistics Curriculum," available from (<http://arxiv.org/pdf/1411.5279v1.pdf>). (An abbreviated version was published (2015), *The American Statistician*, 69, 371-386.)
- Hilbe, J.M. (2011), *Negative Binomial Regression*, Cambridge University Press, 2nd ed., Cambridge, UK.
- Hillis, S.L., and Davis, C.S. (1994), "A Simple Justification of the Iterative Fitting Procedure for Generalized Linear Models," *The American Statistician*, 48, 288-289.
- Hinkley, D.V. (1977), "Jackknifing in Unbalanced Situations," *Technometrics*, 19, 285-292.
- Hjort, G., and Claeskens, N.L. (2003), "The Focused Information Criterion," *Journal of the American Statistical Association*, 98, 900-945.
- Hocking, R.R. (2003), *Methods and Applications of Linear Models: Regression and the Analysis of Variance*, 2nd ed., Wiley, New York, NY.
- Hocking, R.R. (2013), *Methods and Applications of Linear Models: Regression and the Analysis of Variance*, 3rd ed., Wiley, New York, NY.
- Hoerl, A.E., and Kennard, R. (1970), "Ridge Regression: Biased Estimation for Nonorthogonal Problems," *Technometrics*, 12, 55-67.

- Hoffman, I., Serneels, S., Filzmoser, P., and Croux, C. (2015), "Sparse Partial Robust M Regression," *Chemometrics and Intelligent Laboratory Systems*, 149, Part A, 50-59.
- Hogg, R.V., Tanis, E.A., and Zimmerman, D.L. (2015), *Probability and Statistical Inference*, 9th ed., Pearson, Boston, MA.
- Hong, L., Kuffner, T.A., and Martin, R. (2018), "On Overfitting and Post-Selection Uncertainty Assessments," *Biometrika*, 105, 221-224.
- Hosmer, D.W., and Lemeshow, S. (2000), *Applied Logistic Regression*, 2nd ed., Wiley, New York, NY.
- Hössjer, O. (1991), *Rank-Based Estimates in the Linear Model with High Breakdown Point*, Ph.D. Thesis, Report 1991:5, Department of Mathematics, Uppsala University, Uppsala, Sweden.
- Huber, P.J., and Ronchetti, E.M. (2009), *Robust Statistics*, 2nd ed., Wiley, Hoboken, NJ.
- Hubert, M., Rousseeuw, P.J., and Van Aelst, S. (2002), "Comment on 'Inconsistency of Resampling Algorithms for High Breakdown Regression and a New Algorithm' by D.M. Hawkins and D.J. Olive," *Journal of the American Statistical Association*, 97, 151-153.
- Hubert, M., Rousseeuw, P.J., and Van Aelst, S. (2008), "High Breakdown Multivariate Methods," *Statistical Science*, 23, 92-119.
- Hubert, M., Rousseeuw, P.J., and Verdonck, T. (2012), "A Deterministic Algorithm for Robust Location and Scatter," *Journal of Computational and Graphical Statistics*, 21, 618-637.
- Hurvich, C., and Tsai, C.L. (1989), "Regression and Time Series Model Selection in Small Samples," *Biometrika*, 76, 297-307.
- Hurvich, C., and Tsai, C.L. (1990), "The Impact of Model Selection on Inference in Linear Regression," *The American Statistician*, 44, 214-217.
- Hurvich, C.M., and Tsai, C.-L. (1991), "Bias of the Corrected AIC Criterion for Underfitted Regression and Time Series Models," *Biometrika*, 78, 499-509.
- Hyndman, R.J. (1996), "Computing and Graphing Highest Density Regions," *The American Statistician*, 50, 120-126.
- James, G., Witten, D., Hastie, T., and Tibshirani, R. (2013), *An Introduction to Statistical Learning with Applications in R*, Springer, New York, NY.
- Javanmard, A., and Montanari, A. (2014), "Confidence Intervals and Hypothesis Testing for High-Dimensional Regression," *Journal of Machine Learning Research*, 15, 2869-2909.
- Jia, J., and Yu, B. (2010), "On Model Selection Consistency of the Elastic Net When $p \gg n$," *Statistica Sinica*, 20, 595-611.
- Johnson, M.E. (1987), *Multivariate Statistical Simulation*, Wiley, New York, NY.
- Johnson, M.P., and Raven, P.H. (1973), "Species Number and Endemism, the Galápagos Archipelago Revisited," *Science*, 179, 893-895.

- Johnson, N.L., and Kotz, S. (1970), *Distributions in Statistics: Continuous Univariate Distributions-2*, Wiley, New York, NY.
- Johnson, N.L., and Kotz, S. (1972), *Distributions in Statistics: Continuous Multivariate Distributions*, Wiley, New York, NY.
- Johnson, R.A., and Wichern, D.W. (1988), *Applied Multivariate Statistical Analysis*, 2nd ed., Prentice Hall, Englewood Cliffs, NJ.
- Johnstone, I.M., and Nadler, B. (2017), "Roy's Largest Root Test Under Rank-One Alternatives," *Biometrika*, 104, 181-193.
- Jolliffe, I.T. (1983), "A Note on the Use of Principal Components in Regression," *Applied Statistics*, 31, 300-303.
- Jones, H.L. (1946), "Linear Regression Functions with Neglected Variables," *Journal of the American Statistical Association*, 41, 356-369.
- Kakizawa, Y. (2009), "Third-Order Power Comparisons for a Class of Tests for Multivariate Linear Hypothesis Under General Distributions," *Journal of Multivariate Analysis*, 100, 473-496.
- Kay, R., and Little, S. (1987), "Transformations of the Explanatory Variables in the Logistic Regression Model for Binary Data," *Biometrika*, 74, 495-501.
- Kelker, D. (1970), "Distribution Theory of Spherical Distributions and a Location Scale Parameter Generalization," *Sankhya, A*, 32, 419-430.
- Khattree, R., and Naik, D.N. (1999), *Applied Multivariate Statistics with SAS Software*, 2nd ed., SAS Institute, Cary, NC.
- Kim, J., and Pollard, D. (1990), "Cube Root Asymptotics," *The Annals of Statistics*, 18, 191-219.
- Kim, Y., Kwon, S., and Choi, H. (2012), "Consistent Model Selection Criteria on High Dimensions," *Journal of Machine Learning Research*, 13, 1037-1057.
- Klouda, K. (2015), "An Exact Polynomial Time Algorithm for Computing the Least Trimmed Squares Estimate," *Computational Statistics & Data Analysis*, 84, 27-40.
- Knight, K., and Fu, W.J. (2000), "Asymptotics for Lasso-Type Estimators," *Annals of Statistics*, 28, 1356-1378.
- Konietschke, F., Bathke, A.C., Harrar, S.W., and Pauly, M. (2015), "Parametric and Nonparametric Bootstrap Methods for General MANOVA," *Journal of Multivariate Analysis*, 140, 291-301.
- Kshirsagar, A.M. (1972), *Multivariate Analysis*, Marcel Dekker, New York, NY.
- Kuehl, R.O. (1994), *Statistical Principles of Research Design and Analysis*, Duxbury, Belmont, CA.
- Kutner, M.H., Nachtsheim, C.J., Neter, J. and Li, W. (2005), *Applied Linear Statistical Models*, 5th ed., McGraw-Hill/Irwin, Boston, MA.
- Lai, T.L., Robbins, H., and Wei, C.Z. (1979), "Strong Consistency of Least Squares Estimates in Multiple Regression II," *Journal of Multivariate Analysis*, 9, 343-361.

- Larsen, R.J., and Marx, M.L. (2017), *Introduction to Mathematical Statistics and Its Applications*, 6th ed., Pearson, Boston, MA.
- Lee, J., Sun, D., Sun, Y., and Taylor, J. (2016), “Exact Post-Selection Inference with Application to the Lasso,” *The Annals of Statistics*, 44, 907-927.
- Lee, J.D., and Taylor, J.E. (2014), “Exact Post Model Selection Inference for Marginal Screening,” in *Advances in Neural Information Processing Systems*, 136-144.
- Leeb, H., and Pötscher, B.M. (2005), “Model Selection and Inference: Facts and Fiction,” *Econometric Theory*, 21, 21-59.
- Leeb, H., and Pötscher, B.M. (2006), “Can One Estimate the Conditional Distribution of Post-Model-Selection Estimators?” *The Annals of Statistics*, 34, 2554-2591.
- Leeb, H. and Pötscher, B.M. (2008), “Can One Estimate the Unconditional Distribution of Post-Model-Selection Estimators?” *Econometric Theory*, 24, 338-376.
- Leeb, H., Pötscher, B.M., and Ewald, K. (2015), “On Various Confidence Intervals Post-Model-Selection,” *Statistical Science*, 30, 216-227.
- Lehmann, E.L. (1999), *Elements of Large-Sample Theory*, Springer, New York, NY.
- Lei, J., G’Sell, M., Rinaldo, A., Tibshirani, R.J., and Wasserman, L. (2018), “Distribution-Free Predictive Inference for Regression,” *Journal of the American Statistical Association*, 113, 1094-1111.
- Leon, S.J. (1986), *Linear Algebra with Applications*, 2nd ed., Macmillan Publishing Company, New York, NY.
- Leon, S.J. (2015), *Linear Algebra with Applications*, 9th ed., Pearson, Boston, MA.
- Li, K.-C. (1987), “Asymptotic Optimality for C_p , C_L , Cross-Validation and Generalized Cross-Validation: Discrete Index Set,” *The Annals of Statistics*, 15, 958-975.
- Li, K.-C., and Duan, N. (1989), “Regression Analysis Under Link Violation,” *The Annals of Statistics*, 17, 1009-1052.
- Lin, D., Foster, D.P., and Ungar, L.H. (2012), “VIF Regression, a Fast Regression Algorithm for Large Data,” *Journal of the American Statistical Association*, 106, 232-247.
- Lindenmayer, D.B., Cunningham, R., Tanton, M.T., Nix, H.A., and Smith, A.P. (1991), “The Conservation of Arboreal Marsupials in the Montane Ash Forests of Central Highlands of Victoria, South-East Australia: III. The Habitat Requirement’s of Leadbeater’s Possum *Gymnobelideus Leadbeateri* and Models of the Diversity and Abundance of Arboreal Marsupials,” *Biological Conservation*, 56, 295-315.
- Liu, X., and Zuo, Y. (2014), “Computing Projection Depth and Its Associated Estimators,” *Statistics and Computing*, 24, 51-63.

- Lockhart, R., Taylor, J., Tibshirani, R.J., and Tibshirani, R. (2014), "A Significance Test for the Lasso," (with discussion), *The Annals of Statistics*, 42, 413-468.
- Lopuhaä, H.P. (1999), "Asymptotics of Reweighted Estimators of Multivariate Location and Scatter," *The Annals of Statistics*, 27, 1638-1665.
- Lu, S., Liu, Y., Yin, L., and Zhang, K. (2017), "Confidence Intervals and Regions for the Lasso by Using Stochastic Variational Inequality Techniques in Optimization," *Journal of the Royal Statistical Society, B*, 79, 589-611.
- Lumley, T. (using Fortran code by Alan Miller) (2009), *leaps: Regression Subset Selection*, R package version 2.9, (<https://CRAN.R-project.org/package=leaps>).
- Luo, S., and Chen, Z. (2013), "Extended BIC for Linear Regression Models with Diverging Number of Relevant Features and High or Ultra-High Feature Spaces," *Journal of Statistical Planning and Inference*, 143, 494-504.
- Machado, J.A.F., and Parente, P. (2005), "Bootstrap Estimation of Covariance Matrices Via the Percentile Method," *Econometrics Journal*, 8, 70-78.
- MacKinnon, J.G., and White, H. (1985), "Some Heteroskedasticity-Consistent Covariance Matrix Estimators with Improved Finite Sample Properties," *Journal of Econometrics*, 29, 305-325.
- Mallows, C. (1973), "Some Comments on C_p ," *Technometrics*, 15, 661-676.
- Marden, J.I. (2017), *Mathematical Statistics: Old School*, available at (www.stat.istics.net and www.amazon.com).
- Mardia, K.V., Kent, J.T., and Bibby, J.M. (1979), *Multivariate Analysis*, Academic Press, London, UK.
- Maronna, R.A., Martin, R.D., and Yohai, V.J. (2006), *Robust Statistics: Theory and Methods*, Wiley, Hoboken, NJ.
- Maronna, R.A., and Morgenthaler, S. (1986), "Robust Regression Through Robust Covariances," *Communications in Statistics: Theory and Methods*, 15, 1347-1365.
- Maronna, R.A., and Yohai, V.J. (2002), "Comment on 'Inconsistency of Resampling Algorithms for High Breakdown Regression and a New Algorithm' by D.M. Hawkins and D.J. Olive," *Journal of the American Statistical Association*, 97, 154-155.
- Maronna, R.A., and Yohai, V.J. (2015), "High-Sample Efficiency and Robustness Based on Distance-Constrained Maximum Likelihood," *Computational Statistics & Data Analysis*, 83, 262-274.
- Maronna, R.A., and Zamar, R.H. (2002), "Robust Estimates of Location and Dispersion for High-Dimensional Datasets," *Technometrics*, 44, 307-317.
- Marquardt, D.W., and Snee, R.D. (1975), "Ridge Regression in Practice," *The American Statistician*, 29, 3-20.
- Mašiček, L. (2004), "Optimality of the Least Weighted Squares Estimator," *Kybernetika*, 40, 715-734.
- MathSoft (1999a), *S-Plus 2000 User's Guide*, Data Analysis Products Division, MathSoft, Seattle, WA.

- MathSoft (1999b), *S-Plus 2000 Guide to Statistics*, Volume 2, Data Analysis Products Division, MathSoft, Seattle, WA.
- McCullagh, P., and Nelder, J.A. (1989), *Generalized Linear Models*, 2nd ed., Chapman & Hall, London, UK.
- Meinshausen, N. (2007), "Relaxed Lasso," *Computational Statistics & Data Analysis*, 52, 374-393.
- Mevik, B.-H., Wehrens, R., and Liland, K.H. (2015), *pls: Partial Least Squares and Principal Component Regression*, R package version 2.5-0, (<https://CRAN.R-project.org/package=pls>).
- Monahan, J.F. (2008), *A Primer on Linear Models*, Chapman & Hall/CRC, Boca Rotan, FL.
- Montgomery, D.C., Peck, E.A., and Vining, G. (2001), *Introduction to Linear Regression Analysis*, 3rd ed., Wiley, Hoboken, NJ.
- Montgomery, D.C., Peck, E.A., and Vining, G. (2021), *Introduction to Linear Regression Analysis*, 6th ed., Wiley, Hoboken, NJ.
- Moore, D.S. (2007), *The Basic Practice of Statistics*, 4th ed., W.H. Freeman, New York, NY.
- Mosteller, F., and Tukey, J.W. (1977), *Data Analysis and Regression*, Addison-Wesley, Reading, MA.
- Mount, D.M., Netanyahu, N.S., Piatko, C.D., Silverman, R., and Wu, A.Y. (2014), "On the Least Trimmed Squares Estimator," *Algorithmica*, 69, 148-183.
- Muller, K.E., and Stewart, P.W. (2006), *Linear Model Theory: Univariate, Multivariate, and Mixed Models*, Wiley, Hoboken, NJ.
- Myers, R.H., and Milton, J.S. (1991), *A First Course in the Theory of Linear Statistical Models*, Duxbury, Belmont, CA.
- Myers, R.H., Montgomery, D.C., and Vining, G.G. (2002), *Generalized Linear Models with Applications in Engineering and the Sciences*, Wiley, New York, NY.
- Navarro, J. (2014), "Can the Bounds in the Multivariate Chebyshev Inequality be Attained?" *Statistics & Probability Letters*, 91, 1-5.
- Navarro, J. (2016), "A Very Simple Proof of the Multivariate Chebyshev's Inequality," *Communications in Statistics: Theory and Methods*, 45, 3458-3463.
- Nelder, J.A., and Wedderburn, R.W.M. (1972), "Generalized Linear Models," *Journal of the Royal Statistical Society, A*, 135, 370-380.
- Ning, Y., and Liu, H. (2017), "A General Theory of Hypothesis Tests and Confidence Regions for Sparse High Dimensional Models," *The Annals of Statistics*, 45, 158-195.
- Nishii, R. (1984), "Asymptotic Properties of Criteria for Selection of Variables in Multiple Regression," *The Annals of Statistics*, 12, 758-765.
- Nordhausen, K., and Tyler, D.E. (2015), "A Cautionary Note on Robust Covariance Plug-In Methods," *Biometrika*, 102, 573-588.

- Obozinski, G., Wainwright, M.J., and Jordan, M.I. (2011), "Support Union Recovery in High-Dimensional Multivariate Regression," *The Annals of Statistics*, 39, 1-47.
- Olive, D.J. (2002), "Applications of Robust Distances for Regression," *Technometrics*, 44, 64-71.
- Olive, D.J. (2004a), "A Resistant Estimator of Multivariate Location and Dispersion," *Computational Statistics & Data Analysis*, 46, 99-102.
- Olive, D.J. (2004b), "Visualizing 1D Regression," in *Theory and Applications of Recent Robust Methods*, eds. Hubert, M., Pison, G., Struyf, A., and Van Aelst, S., Birkhäuser, Basel, Switzerland, 221-233.
- Olive, D.J. (2005), "Two Simple Resistant Regression Estimators," *Computational Statistics & Data Analysis*, 49, 809-819.
- Olive, D.J. (2007), "Prediction Intervals for Regression Models," *Computational Statistics & Data Analysis*, 51, 3115-3122.
- Olive, D.J. (2008), *Applied Robust Statistics*, unpublished online text, see (<http://parker.ad.siu.edu/Olive/ol-bookp.htm>).
- Olive, D.J. (2010), *Multiple Linear and 1D Regression*, online course notes, see (<http://parker.ad.siu.edu/Olive/regbk.htm>).
- Olive, D.J. (2013a), "Asymptotically Optimal Regression Prediction Intervals and Prediction Regions for Multivariate Data," *International Journal of Statistics and Probability*, 2, 90-100.
- Olive, D.J. (2013b), "Plots for Generalized Additive Models," *Communications in Statistics: Theory and Methods*, 42, 2610-2628.
- Olive, D.J. (2014), *Statistical Theory and Inference*, Springer, New York, NY.
- Olive, D.J. (2017a), *Linear Regression*, Springer, New York, NY.
- Olive, D.J. (2017b), *Robust Multivariate Analysis*, Springer, New York, NY.
- Olive, D.J. (2018), "Applications of Hyperellipsoidal Prediction Regions," *Statistical Papers*, 59, 913-931.
- Olive, D.J. (2021a), *Prediction and Statistical Learning*, online course notes, see (<http://parker.ad.siu.edu/Olive/slearnbk.htm>).
- Olive, D.J. (2021b), *Robust Statistics*, online course notes, (<http://parker.ad.siu.edu/Olive/robbook.htm>).
- Olive, D.J., and Hawkins, D.M. (2003), "Robust Regression with High Coverage," *Statistics & Probability Letters*, 63, 259-266.
- Olive, D.J., and Hawkins, D.M. (2005), "Variable Selection for 1D Regression Models," *Technometrics*, 47, 43-50.
- Olive, D.J., and Hawkins, D.M. (2010), "Robust Multivariate Location and Dispersion," preprint, see (<http://parker.ad.siu.edu/Olive/pphbml.pdf>).
- Olive, D.J., and Hawkins, D.M. (2011), "Practical High Breakdown Regression," preprint at (<http://parker.ad.siu.edu/Olive/pphbreg.pdf>).
- Olive, D.J., Pelawa Watagoda, L.C.R., and Rupasinghe Arachchige Don, H.S. (2015), "Visualizing and Testing the Multivariate Linear Regression Model," *International Journal of Statistics and Probability*, 4, 126-137.

Olive, D.J., Rathnayake, R.C., and Haile, M.G. (2021), "Prediction Intervals for GLMs, GAMs, and Some Survival Regression Models," *Communications in Statistics: Theory and Methods*, to appear. See (<http://parker.ad.siu.edu/Olive/pppigam.pdf>).

Park, Y., Kim, D., and Kim, S. (2012), "Robust Regression Using Data Partitioning and M-Estimation," *Communications in Statistics: Simulation and Computation*, 8, 1282-1300.

Pati, Y.C., Rezaifar, R., and Krishnaprasad, P.S. (1993), "Orthogonal Matching Pursuit: Recursive Function Approximation with Applications to Wavelet Decomposition," in *Conference Record of the Twenty-Seventh Asilomar Conference on Signals, Systems and Computers*, IEEE, 40-44.

Pelawa Watagoda, L.C.R. (2017), "Inference after Variable Selection," Ph.D. Thesis, Southern Illinois University. See (<http://parker.ad.siu.edu/Olive/slasanthiphd.pdf>).

Pelawa Watagoda, L.C.R. (2019), "A Sub-Model Theorem for Ordinary Least Squares," *International Journal of Statistics and Probability*, 8, 40-43.

Pelawa Watagoda, L.C.R., and Olive, D.J. (2020), "Comparing Six Shrinkage Estimators with Large Sample Theory and Asymptotically Optimal Prediction Intervals," *Statistical Papers*, to appear. See (<http://parker.ad.siu.edu/Olive/pppicomp.pdf>).

Pelawa Watagoda, L.C.R., and Olive, D.J. (2021), "Bootstrapping Multiple Linear Regression After Variable Selection," *Statistical Papers*, 62, 681-700. See (<http://parker.ad.siu.edu/Olive/ppboottest.pdf>).

Peña, D. (2005), "A New Statistic for Influence in Regression," *Technometrics*, 47, 1-12.

Pesch, C. (1999), "Computation of the Minimum Covariance Determinant Estimator," in *Classification in the Information Age, Proceedings of the 22nd Annual GfKI Conference, Dresden 1998*, eds. Gaul, W., and Locarek-Junge, H., Springer, Berlin, 225-232.

Pratt, J.W. (1959), "On a General Concept of "in Probability"," *The Annals of Mathematical Statistics*, 30, 549-558.

Press, S.J. (2005), *Applied Multivariate Analysis: Using Bayesian and Frequentist Methods of Inference*, 2nd ed., Dover, Mineola, NY.

Qi, X., Luo, R., Carroll, R.J., and Zhao, H. (2015), "Sparse Regression by Projection and Sparse Discriminant Analysis," *Journal of Computational and Graphical Statistics*, 24, 416-438.

R Core Team (2016), "R: a Language and Environment for Statistical Computing," R Foundation for Statistical Computing, Vienna, Austria, (www.R-project.org).

Rao, C.R. (1965, 1973) *Linear Statistical Inference and Its Applications*, 1st and 2nd ed., Wiley, New York, NY.

Rao, C.R., Toutenberg, H., Shalabh, and Heunmann, C. (2008), *Linear Models and Generalizations: Least Squares and Alternatives*, 3rd ed., Springer, New York, NY.

- Rathnayake, R.C. (2019), *Inference for Some GLMs and Survival Regression Models after Variable Selection*, Ph.D. thesis, Southern Illinois University, at (<http://parker.ad.siu.edu/Olive/srasanjiphd.pdf>).
- Rathnayake, R.C., and Olive, D.J. (2021), "Bootstrapping Some GLM and Survival Regression Variable Selection Estimators," *Communications in Statistics: Theory and Methods*, to appear. (<http://parker.ad.siu.edu/Olive/ppbootglm.pdf>).
- Ravishanker, N., and Dey, D.K. (2002), *A First Course in Linear Model Theory*, Chapman & Hall/CRC, Boca Raton, FL.
- Reid, J.G., and Driscoll, M.F. (1988), "An Accessible Proof of Craig's Theorem in the Noncentral Case," *The American Statistician*, 42, 139-142.
- Rejchel, W. (2016), "Lasso with Convex Loss: Model Selection Consistency and Estimation," *Communications in Statistics: Theory and Methods*, 45, 1989-2004.
- Ren, J.-J. (1991), "On Hadamard Differentiability of Extended Statistical Functional," *Journal of Multivariate Analysis*, 39, 30-43.
- Ren, J.-J., and Sen, P.K. (1995), "Hadamard Differentiability on $D[0,1]^p$," *Journal of Multivariate Analysis*, 55, 14-28.
- Rencher, A.C., and Schaalje, G.B. (2008), *Linear Models in Statistics*, 2nd ed., Wiley, Hoboken, NJ.
- Reyen, S.S., Miller, J.J., and Wegman, E.J. (2009), "Separating a Mixture of Two Normals with Proportional Covariances," *Metrika*, 70, 297-314.
- Rinaldo, A., Wasserman, L., and G'Sell, M. (2019), "Bootstrapping and Sample Splitting for High-Dimensional, Assumption-Lean Inference," *The Annals of Statistics*, 47, 3438-3469.
- Ro, K., Zou, C., Wang, W., and Yin, G. (2015), "Outlier Detection for High-Dimensional Data," *Biometrika*, 102, 589-599.
- Rocke, D.M., and Woodruff, D.L. (1996), "Identification of Outliers in Multivariate Data," *Journal of the American Statistical Association*, 91, 1047-1061.
- Rohatgi, V.K. (1976), *An Introduction to Probability Theory and Mathematical Statistics*, Wiley, New York, NY.
- Rohatgi, V.K. (1984), *Statistical Inference*, Wiley, New York, NY.
- Rousseeuw, P.J. (1984), "Least Median of Squares Regression," *Journal of the American Statistical Association*, 79, 871-880.
- Rousseeuw, P.J., and Leroy, A.M. (1987), *Robust Regression and Outlier Detection*, Wiley, New York, NY.
- Rousseeuw, P.J., and Van Driessen, K. (1999), "A Fast Algorithm for the Minimum Covariance Determinant Estimator," *Technometrics*, 41, 212-223.
- Rupasinghe Arachchige Don, H.S. (2018), "A Relationship Between the One-Way MANOVA Test Statistic and the Hotelling Lawley Trace Test Statistic," *International Journal of Statistics and Probability*, 7, 124-131.
- Rupasinghe Arachchige Don, H.S., and Olive, D.J. (2019), "Bootstrapping Analogs of the One Way MANOVA Test," *Communications in Statistics: Theory and Methods*, 4, 5546-5558.

- Rupasinghe Arachchige Don, H.S., and Pelawa Watagoda, L.C.R. (2018), "Bootstrapping Analogs of the Two Sample Hotelling's T^2 Test," *Communications in Statistics: Theory and Methods*, 47, 2172-2182.
- SAS Institute (1985), *SAS User's Guide: Statistics*, Version 5, SAS Institute, Cary, NC.
- Schaaffhausen, H. (1878), "Die Anthropologische Sammlung Des Anatomischen Der Universitat Bonn," *Archiv fur Anthropologie*, 10, 1-65, Appendix.
- Scheffé, H. (1959), *The Analysis of Variance*, Wiley, New York, NY.
- Schomaker, M., and Heumann, C. (2014), "Model Selection and Model Averaging After Multiple Imputation," *Computational Statistics & Data Analysis*, 71, 758-770.
- Schwarz, G. (1978), "Estimating the Dimension of a Model," *The Annals of Statistics*, 6, 461-464.
- Searle, S.R. (1971), *Linear Models*, Wiley, New York, NY.
- Searle, S.R. (1982), *Matrix Algebra Useful for Statistics*, Wiley, New York, NY.
- Searle, S.R., and Gruber, M.H.J. (2017), *Linear Models*, 2nd ed., Wiley, Hoboken, NJ.
- Seber, G.A.F., and Lee, A.J. (2003), *Linear Regression Analysis*, 2nd ed., Wiley, New York, NY.
- Sen, P.K., and Singer, J.M. (1993), *Large Sample Methods in Statistics: an Introduction with Applications*, Chapman & Hall, New York, NY.
- Sengupta, D., and Jammalamadaka, S.R. (2019), *Linear Models and Regression with R: an Integrated Approach*, World Scientific, Singapore.
- Serfling, R.J. (1980), *Approximation Theorems of Mathematical Statistics*, Wiley, New York, NY.
- Severini, T.A. (1998), "Some Properties of Inferences in Misspecified Linear Models," *Statistics & Probability Letters*, 40, 149-153.
- Severini, T.A. (2005), *Elements of Distribution Theory*, Cambridge University Press, New York, NY.
- Shao, J. (1993), "Linear Model Selection by Cross-Validation," *Journal of the American Statistical Association*, 88, 486-494.
- Shao, J., and Tu, D.S. (1995), *The Jackknife and the Bootstrap*, Springer, New York, NY.
- Shibata, R. (1984), "Approximate Efficiency of a Selection Procedure for the Number of Regression Variables," *Biometrika*, 71, 43-49.
- Simonoff, J.S. (2003), *Analyzing Categorical Data*, Springer, New York, NY.
- Slawski, M., zu Castell, W., and Tutz, G. (2010), "Feature Selection Guided by Structural Information," *Annals of Applied Statistics*, 4, 1056-1080.
- Srivastava, M.S., and Khatri, C.G. (1979), *An Introduction to Multivariate Statistics*, North Holland, New York, NY.
- Stapleton, J.H. (2009), *Linear Statistical Models*, 2nd ed., Wiley, Hoboken, NJ.

- Staudte, R.G., and Sheather, S.J. (1990), *Robust Estimation and Testing*, Wiley, New York, NY.
- Steinberger, L., and Leeb, H. (2016), “Leave-One-Out Prediction Intervals in Linear Regression Models with Many Variables,” unpublished manuscript at (<https://arxiv.org/pdf/1602.05801.pdf>).
- Stewart, G.M. (1969), “On the Continuity of the Generalized Inverse,” *SIAM Journal on Applied Mathematics*, 17, 33-45.
- Su, W., Bogdan, M., and Candés, E. (2017), “False Discoveries Occur Early on the Lasso Path,” *The Annals of Statistics*, 45, 2133-2150.
- Su, Z., and Cook, R.D. (2012), “Inner Envelopes: Efficient Estimation in Multivariate Linear Regression,” *Biometrika*, 99, 687-702.
- Su, Z., Zhu, G., and Yang, Y. (2016), “Sparse Envelope Model: Efficient Estimation and Response Variable Selection in Multivariate Linear Regression,” *Biometrika*, 103, 579-593.
- Sun, T., and Zhang, C.-H. (2012), “Scaled Sparse Linear Regression,” *Biometrika*, 99, 879-898.
- Tarr, G., Müller, S., and Weber, N.C. (2016), “Robust Estimation of Precision Matrices Under Cellwise Contamination,” *Computational Statistics & Data Analysis*, 93, 404-420.
- Tibshirani, R. (1996), “Regression Shrinkage and Selection Via the Lasso,” *Journal of the Royal Statistical Society, B*, 58, 267-288.
- Tibshirani, R. (1997), “The Lasso Method for Variable Selection in the Cox Model,” *Statistics in Medicine*, 16, 385-395.
- Tibshirani, R., Bien, J., Friedman, J., Hastie, T., Simon, N., Taylor, J., and Tibshirani, R.J. (2012), “Strong Rules for Discarding Predictors in Lasso-Type Problems,” *Journal of the Royal Statistical Society, B*, 74, 245-266.
- Tibshirani, R.J. (2013) “The Lasso Problem and Uniqueness,” *Electronic Journal of Statistics*, 7, 1456-1490.
- Tibshirani, R.J. (2015), “Degrees of Freedom and Model Search,” *Statistica Sinica*, 25, 1265-1296.
- Tibshirani, R.J., Rinaldo, A., Tibshirani, R., and Wasserman, L. (2018), “Uniform Asymptotic Inference and the Bootstrap after Model Selection,” *The Annals of Statistics*, 46, 1255-1287.
- Tibshirani, R.J., and Taylor, J. (2012), “Degrees of Freedom in Lasso Problems,” *The Annals of Statistics*, 40, 1198-1232.
- Tibshirani, R.J., Taylor, J., Lockhart, R., and Tibshirani, R. (2016), “Exact Post-Selection Inference for Sequential Regression Procedures,” *Journal of the American Statistical Association*, 111, 600-620.
- Tremearne, A.J.N. (1911), “Notes on Some Nigerian Tribal Marks,” *Journal of the Royal Anthropological Institute of Great Britain and Ireland*, 41, 162-178.
- Tukey, J.W. (1957), “Comparative Anatomy of Transformations,” *Annals of Mathematical Statistics*, 28, 602-632.
- Uraibi, H.S., Midi, H., and Rana, S. (2017), “Robust Multivariate Least Angle Regression,” *Science Asia*, 43, 56-60.

- Uraibi, H.S., Midi, H., and Rana, S. (2017), "Selective Overview of Forward Selection in Terms of Robust Correlations," *Communications in Statistics: Simulations and Computation*, 46, 5479-5503.
- van de Geer, S., Bühlmann, P., Ritov, Y., and Dezeure, R. (2014), "On Asymptotically Optimal Confidence Regions and Tests for High-Dimensional Models," *The Annals of Statistics*, 42, 1166-1202.
- Venables, W.N., and Ripley, B.D. (2010), *Modern Applied Statistics with S*, 4th ed., Springer, New York, NY.
- Wackerly, D.D., Mendenhall, W., and Scheaffer, R.L. (2008), *Mathematical Statistics with Applications*, 7th ed., Thomson Brooks/Cole, Belmont, CA.
- Walpole, R.E., Myers, R.H., Myers, S.L., and Ye, K. (2016), *Probability & Statistics for Engineers & Scientists*, 9th ed., Pearson, Boston, MA.
- Wang, H. (2009), "Forward Regression for Ultra-High Dimensional Variable Screening," *Journal of the American Statistical Association*, 104, 1512-1524.
- Wang, H., and Zhou, S.Z.F. (2013), "Interval Estimation by Frequentist Model Averaging," *Communications in Statistics: Theory and Methods*, 42, 4342-4356.
- Wang, S.-G., and Chow, S.-C. (1994), *Advanced Linear Models: Theory and Applications*, Marcel Dekker, New York, NY.
- Wasserman, L. (2014), "Discussion: A Significance Test for the Lasso," *The Annals of Statistics*, 42, 501-508.
- Weisberg, S. (2014), *Applied Linear Regression*, 4th ed., Wiley, Hoboken, NJ.
- Welch, B.L. (1947), "The Generalization of Student's Problem When Several Different Population Variances Are Involved," *Biometrika*, 34, 28-35.
- Welch, B.L. (1951), "On the Comparison of Several Mean Values: an Alternative Approach," *Biometrika*, 38, 330-336.
- White, H. (1980), "A Heteroskedasticity-Consistent Covariance Matrix Estimator and a Direct Test for Heteroskedasticity," *Econometrica*, 48, 817-838.
- White, H. (1984), *Asymptotic Theory for Econometricians*, Academic Press, San Diego, CA.
- Wieczorek, J.A. (2018), *Model Selection and Stopping Rules for High-Dimensional Forward Selection*, Ph.D. thesis, Carnegie Mellon University.
- Winkelmann, R. (2000), *Econometric Analysis of Count Data*, 3rd ed., Springer, New York, NY.
- Winkelmann, R. (2008), *Econometric Analysis of Count Data*, 5th ed., Springer, New York, NY.
- Wold, H. (1975), "Soft Modelling by Latent Variables: the Nonlinear Partial Least Squares (NIPALS) Approach," in *Perspectives in Probability and Statistics, Papers in Honor of M.S. Bartlett*, ed. Gani, J., Academic Press, San Diego, CA, 117-144.
- Wold, H. (1985), "Partial Least Squares," *International Journal of Cardiology*, 147, 581-591.

- Wold, H. (2006), "Partial Least Squares," *Encyclopedia of Statistical Sciences*, Wiley, New York, NY.
- Wood, S.N. (2017), *Generalized Additive Models: an Introduction with R*, 2nd ed., Chapman & Hall/CRC, Boca Rotan, FL.
- Woodruff, D.L., and Roche, D.M. (1994), "Computable Robust Estimation of Multivariate Location and Shape in High Dimension Using Compound Estimators," *Journal of the American Statistical Association*, 89, 888-896.
- Xu, H., Caramanis, C., and Mannor, S. (2011), "Sparse Algorithms are Not Stable: a No-Free-Lunch Theorem," *IEEE Transactions on Pattern Analysis and Machine Intelligence*, PP(99), 1-9.
- Yang, Y. (2003), "Regression with Multiple Candidate Models: Selecting or Mixing?" *Statistica Sinica*, 13, 783-809.
- Zhang, J. (2020), "Consistency of MLE, LSE and M-Estimation Under Mild Conditions," *Statistical Papers*, 61, 189-199.
- Zhang, J., Olive, D.J., and Ye, P. (2012), "Robust Covariance Matrix Estimation with Canonical Correlation Analysis," *International Journal of Statistics and Probability*, 1, 119-136.
- Zhang, J.-T., and Liu, X. (2013), "A Modified Bartlett Test for Heteroscedastic One-Way MANOVA," *Metrika*, 76, 135-152.
- Zhang, P. (1992a), "On the Distributional Properties of Model Selection Criterion," *Journal of the American Statistical Association*, 87, 732-737.
- Zhang, P. (1992b), "Inference After Variable Selection in Linear Regression Models," *Biometrika*, 79, 741-746.
- Zhang, T., and Yang, B. (2017), "Box-Cox Transformation in Big Data," *Technometrics*, 59, 189-201.
- Zhang, X., and Cheng, G. (2017), "Simultaneous Inference for High-Dimensional Linear Models," *Journal of the American Statistical Association*, 112, 757-768.
- Zheng, Z., and Loh, W.-Y. (1995), "Consistent Variable Selection in Linear Models," *Journal of the American Statistical Association*, 90, 151-156.
- Zhou, M. (2001), "Understanding the Cox Regression Models with Time-Change Covariates," *The American Statistician*, 55, 153-155.
- Zimmerman, D.L. (2020a), *Linear Model Theory with Examples and Exercises*, Springer, New York, NY.
- Zimmerman, D.L. (2020b), *Linear Model Theory: Exercises and Solutions*, Springer, New York, NY.
- Zou, H., and Hastie, T. (2005), "Regularization and Variable Selection Via the Elastic Net," *Journal of the Royal Statistical Society Series, B*, 67, 301-320.
- Zuur, A.F., Ieno, E.N., Walker, N.J., Saveliev, A.A., and Smith, G.M. (2009), *Mixed Effects Models and Extensions in Ecology with R*, Springer, New York, NY.

Index

- Čížek, 317
- 1D regression, 4, 133, 266
- 1D regression model, 417

- Abraham, v, 429
- active set, 228
- additive error regression, 2, 5, 151, 418
- additive error single index model, 422
- additive predictor, 5
- AER, 3
- affine equivariant, 274, 328
- affine transformation, 274, 328
- Agresti, v, 418, 419, 433, 434, 492
- Agulló, 343
- Akaike, 134, 142, 480
- Aldrin, 488, 495
- Anderson, 103, 142, 254, 370, 447
- ANOVA, 115
- Anton, v
- AP, 3
- asymptotic distribution, 34, 37
- asymptotic theory, 34
- asymptotically optimal, 148, 155
- Atkinson, 348, 424
- attractor, 280

- Büchlmann, 170
- bagging estimator, 170
- basic resampling, 280
- Bassett, 345
- Becker, 404, 498
- Belsley, 251
- Berk, 196, 251
- Berndt, 370, 382
- Bernholt, 316, 343
- Bertsimas, 251, 253
- best linear unbiased estimator, 88

- beta-binomial regression, 418
- Bhatia, 60, 222
- Bickel, 167, 170, 193, 195
- binary regression, 418, 423
- binomial regression, 418, 423
- bivariate normal, 33
- BLUE, 3, 88, 114
- Bogdan, 254
- bootstrap, 34, 195
- Box, 12
- Box-Cox transformation, 12
- breakdown, 275, 328
- Breiman, 170
- Brillinger, 417, 488, 492
- Brown, 410
- Buckland, 196
- Budny, 161
- Burnham, 142, 254, 447
- Butler, 255, 280
- Buxton, 309, 311, 314, 318, 324, 341, 346, 348, 384

- Cameron, 466, 492, 493
- Camponovo, 252
- Candes, 269
- case, 2, 13
- Cator, 280, 285, 287
- Cauchy Schwartz inequality, 182
- cdf, 3
- centering matrix, 156
- cf, 3, 46
- Chang, 103, 197, 343, 422, 489, 491, 492
- Charkhi, 143, 147, 481
- Chatterjee, 252
- Chebyshev's Inequality, 40
- Chen, 142, 161, 163, 192, 195, 235, 254, 267, 480, 489

- Cheng, 251
- Chew, 159
- Cho, 254
- Chow, v
- Christensen, v, 74, 82
- Chun, 217, 252
- CI, 3
- Claeskens, 143, 146, 147, 196, 481, 492, 493
- Claeskens, 251
- Clarke, 195
- classical prediction region, 159
- Cleveland, 493
- CLT, 3
- CLTS, 321
- coefficient of multiple determination, 18
- Collett, 430, 466, 492
- column space, 72, 101
- concentration, 280, 283
- conditional distribution, 32
- confidence region, 162, 193
- consistent, 39
- consistent estimator, 39
- constant variance MLR model, 13
- Continuity Theorem, 46
- Continuous Mapping Theorem, 46
- converges almost everywhere, 41, 42
- converges in distribution, 37
- converges in law, 37
- converges in probability, 39
- converges in quadratic mean, 40
- Cook, v, 8, 19, 54, 55, 59, 64, 152, 180, 185, 216, 217, 252, 253, 314, 342, 357, 359, 363, 367, 376, 393, 397, 402, 432, 446, 450, 467, 474, 487, 492
- coordinatewise median, 274
- Cornish, 56
- covariance matrix, 31
- coverage, 159
- covmb2, 310, 342
- Cox, 12, 134, 267, 419
- Craig's Theorem, 78, 101
- Cramér, 18
- Crawley, 498, 500
- Croux, 56
- CV, 3

- Daniel, 140
- data splitting, 454
- Datta, 251, 278
- DD plot, 305
- degrees of freedom, 19, 256
- Delta Method, 36

- Denham, 252
- Det-MCD, 294, 298
- Devlin, 283
- Dey, v
- Dezeure, 251
- df, 19
- DGK estimator, 283
- discriminant function, 424
- dispersion matrix, 274
- DOE, 115
- dot plot, 118, 271, 403
- double bootstrap, 197
- Driscoll, 78
- Duan, 487–489, 492

- EAP, 3
- Eaton, 54
- EC, 3
- Eck, 387
- EE plot, 137, 447
- Efron, 142, 163, 169, 170, 181, 195, 221, 222, 226, 251, 252
- Efroymsen, 251
- Eicker, 103
- eigenvalue, 213
- eigenvector, 213
- elastic net, 232
- elastic net variable selection, 235
- elemental set, 275, 280, 282, 320, 323
- ellipsoidal trimming, 317
- elliptically contoured, 53, 56, 308
- elliptically contoured distribution, 158
- elliptically symmetric, 53
- empirical cdf, 164
- empirical distribution, 164
- envelope estimators, 393
- error sum of squares, 17, 30
- ESP, 3
- ESSP, 3
- estimable, 114
- estimated additive predictor, 5, 417
- estimated sufficient predictor, 4, 417
- estimated sufficient summary plot, 5, 487
- Euclidean norm, 48, 330
- Ewald, 196, 245, 251
- experimental design, 115
- exponential family, 420
- extrapolation, 152, 236

- Fahrmeir, 444
- Fan, 146, 251, 252, 254, 269
- feasible generalized least squares, 98
- Ferguson, 46, 59

- Fernholtz, 195
 Ferrari, 251
 FF plot, 23, 137, 325, 359
 Fischer, 343
 Fithian, 251
 fitted values, 14, 205, 246
 Flury, 475
 Fogel, 251
 Forsythe, 410
 Forzani, 216, 217, 252
 Fox, 498
 Frank, 253
 Freedman, v, 100, 152, 181–183
 Frey, 149, 163, 198
 Friedman, vi, 170, 253, 480, 498
 Fryzlewicz, 254
 Fu, 195, 223, 227, 251–253
 Fujikoshi, 254, 393, 408, 412
 full model, 134, 203, 246
 full rank, 73
 Furnival, 140
- GAM, 3
 Gamma regression model, 418
 Gao, 254
 Gauss Markov Theorem-Full Rank Case, 89
 Gaussian MLR model, 14
 general position, 277, 330, 337
 generalized additive model, 5, 417, 457
 Generalized Cochran's Theorem, 82
 generalized inverse, 73, 101
 generalized least squares, 97
 generalized linear model, 4, 417, 420, 421
 Gill, 195
 Gladstone, 26, 186, 292, 312, 326, 346, 349, 443, 463
 GLM, 3, 421, 447
 Golub, 331
 Grübel, 154
 Gram matrix, 220
 Graybill, v, 77, 208
 Gruber, v, 252
 Gunst, 222, 223, 251
 Guttman, v, 30
- Hössjer, 316
 Hadamard derivative, 195
 Haggstrom, 425, 493
 Haitovsky, 254
 Hall, 163, 170, 197, 252
 Hampel, 316
 Harville, v
- Hastie, 142, 146, 195, 214, 217, 219–222, 226, 227, 229, 232, 235, 251–254, 257, 265, 267, 480, 481, 492
 hat matrix, 14, 29
 Haughton, 481, 493
 Hawkins, 136, 252, 254, 255, 280, 314, 316, 323, 335, 342, 343, 348, 357, 402, 422, 448, 454, 460, 480, 489
 hbreg, 337
 He, 336, 343
 Hebbler, 209, 374
 Henderson, 366, 411
 Hesterberg, 35, 195
 Heumann, 196
 highest density region, 151, 155
 Hilbe, 457, 492
 Hinkley, 100
 Hjort, 144, 146, 196, 251, 481, 492, 493
 Hocking, v, 107
 Hoerl, 252
 Hoffman, 254, 343
 Hogg, v
 Hong, 152, 480
 Hosmer, 424, 426, 451, 492
 Huang, 254
 Huber, 97, 313, 318, 344
 Hubert, 282, 291, 344
 Hurvich, 142, 143, 192, 267, 492
 Hyndman, 155
- i, 165
 identity line, 5, 15, 188, 358, 402
 iff, 3
 iid, 3, 5, 13, 272, 273
- Jacobian matrix, 49
 James, 2, 207, 241, 251
 Jammalamadaka, v
 Javanmard, 251
 Jia, 234
 Johnson, 32, 53, 57, 103, 159, 213, 276, 279, 284, 295, 356, 360, 407, 467
 Johnstone, 394
 joint distribution, 32
 Jolliffe, 216
 Jones, 142, 254
- Kakizawa, 369, 370
 Karhunen Loeve direction, 214
 Karhunen Loeve directions, 252
 Kay, 446, 463
 Keleş, 217, 252
 Kelker, 55
 Kennard, 252

- Khatri, 66
 Khattree, 369, 370, 394
 Kim, 254, 317
 Klouda, 316
 Knight, 195, 223, 227, 251–253
 Koenker, 345
 Konietschke, 410
 Kotz, 57, 103
 Krasnicka, 78
 Kshirsagar, 369, 382
 Kuehl, 119
 Kutner, v

 ladder of powers, 8
 ladder rule, 8
 Lahiri, 252
 Lai, 89, 182, 252
 Lancelot, 493
 Larsen, v
 lasso, 3, 10, 207, 254, 393
 lasso variable selection, 252
 Law of Total Probability, 146
 least squares, 14
 least squares estimators, 355, 401
 Ledolter, v, 429
 Lee, v, 26, 33, 83, 86, 94, 97, 115, 135, 251, 253, 369
 Leeb, 143, 195, 196, 251, 255
 Lehmann, 42, 43, 59
 Lei, 153, 255
 Lemeshow, 424, 426, 451, 492
 Leon, v, 284
 Leroy, 255, 275, 283, 318, 321, 332, 344
 Lesnoff, 493
 leverage, 152, 236
 Li, 144, 146, 269, 487–489, 492
 limiting distribution, 35, 37
 Lin, 253
 Lindenmayer, 474
 linearly dependent, 72
 linearly independent, 72
 linmodpack, vi
 Little, 446, 463
 Liu, 252, 343, 410
 LMS, 316
 location family, 116
 location model, 27, 271
 Lockhart, 251, 252
 log rule, 8, 447
 logistic regression, 268, 423
 Loh, 254
 Lopuhaä, 280, 285, 287
 LR, 3, 423
 LS CLT, 92, 102

 LTA, 316
 LTS, 316
 Lu, 251
 Lumley, vi, 498
 Luo, 142, 235, 254, 267
 Lv, 251, 252, 254

 Mašiček, 317
 Machado, 167
 MacKinnon, 100
 MAD, 3, 272
 Mahalanobis distance, 54, 155, 157, 275, 305, 342
 Mallows, 140, 142, 144, 254, 318, 480
 MANOVA model, 400
 Marden, 2, 78
 Mardia, 57, 277, 408
 Markov's Inequality, 40
 Maronna, 281, 290, 343, 344, 394
 Marquardt, 221
 Marx, v
 Masking, 314
 Mason, 222, 223, 251
 Mathsoft, 498
 matrix norm, 330
 MB estimator, 284
 McCullagh, 492
 MCD, 280
 MCLT, 3
 mean, 272
 mean square error, 66
 MED, 3
 median, 272, 341
 median absolute deviation, 272, 341
 Meinshausen, 229, 253
 Mevik, vi, 217, 497
 mgf, 3, 46
 Milton, v
 minimum chi-square estimator, 433
 minimum covariance determinant, 279
 minimum volume ellipsoid, 343
 mixture distribution, 52, 59
 MLD, 3, 273
 MLR, 2, 3, 13
 MLS CLT, 367
 model averaging, 196
 model sum of squares, 30
 modified power transformation, 10
 moment generating function, 79
 Monahan, v
 Montanari, 251
 Montgomery, 445
 Moore, 121
 Morgenthaler, 394

- Mosteller, 10
 Mount, 316
 Muller, v
 multicollinearity, 24
 multiple linear regression, 2, 5, 13
 multiple linear regression model, 354
 Multivariate Central Limit Theorem, 48
 multivariate Chebyshev's inequality, 160
 Multivariate Delta Method, 49
 multivariate linear model, 354, 399
 multivariate linear regression model, 353
 multivariate location and dispersion, 280
 multivariate location and dispersion model, 273, 354
 multivariate normal, 31, 54, 305, 307
 multivariate t-distribution, 56
 MVN, 3, 32
 Myers, v, 434, 436
- Nadler, 394
 Naik, 369, 370, 394
 Navarro, 161
 Nelder, 492
 Ning, 252
 Nishii, 144
 noncentral χ^2 distribution, 78
 nonparametric bootstrap, 165, 198
 nonparametric prediction region, 159
 Nordhausen, 394
 norm, 232, 331
 normal equations, 27
 normal MLR model, 14
 null space, 73
- Obozinski, 254, 393
 observation, 2
 OD plot, 466
 Olive, v, 2, 13, 59, 100, 103, 128, 129, 136, 143, 144, 146, 147, 152, 155, 157, 159, 161, 166, 168, 172, 195, 229, 234–236, 251, 252, 254, 255, 265, 273, 280, 283, 298, 303, 316, 317, 320, 323, 335, 342, 343, 357, 359, 360, 393, 402, 404, 410, 413, 416, 422, 427, 448, 454, 460, 469, 474, 479–481, 489, 491, 492
- OLS, 3, 10, 14
 order statistics, 149, 272, 341
 outlier, 118, 271, 403
 outlier resistant regression, 310
 outliers, 7, 314
 overdispersion, 427
 overfit, 135
- Pötscher, 143, 145, 146, 195, 251
 Parente, 167
 Park, 339, 342
 Partial F Test Theorem, 94, 102
 partial least squares, 207, 393
 Pati, 269
 pdf, 3
 Peña, 314
 Pelawa Watagoda, 2, 134, 143, 146, 147, 152, 155, 168, 171, 172, 195, 229, 234, 236, 245, 251, 252, 410, 474, 480, 481
 percentile method, 163
 permutation invariant, 328
 Pesch, 343
 PI, 3
 pmf, 3
 Poisson regression, 418, 431, 492
 Pollard, 317
 pooled variance estimator, 120
 population correlation, 33
 population mean, 31
 Portnoy, 336
 positive breakdown, 277
 positive definite, 76, 213
 positive semidefinite, 76, 213
 power transformation, 10
 Pratt, 145, 281, 288, 335, 336
 predicted values, 14, 246
 prediction region, 155
 predictor variables, 353, 399
 Press, 62
 principal component direction, 214
 principal component regression, 213
 principal components regression, 207, 213
 projection matrix, 73
 Projection Matrix Theorem, 73
 pval, 19, 24, 100, 121
 pvalue, 19, 96
- Qi, 251, 254
 quadratic form, 76
 qualitative variable, 13
 quantitative variable, 13
- R, 497
 R Core Team, vi, 198, 493
 rank, 72
 Rank Nullity Theorem, 73
 Rao, v, 31
 Rathnayake, 143, 144, 195, 229, 235, 252, 469, 476, 481, 492
 Raven, 467

- Ravishanker, v
 regression equivariance, 327
 regression equivariant, 327
 regression sum of squares, 17
 regression through the origin, 29
 Reid, 78
 Rejchel, 252
 relaxed elastic net, 244
 relaxed lasso, 207, 244
 Ren, 167, 170, 193, 195
 Rencher, v
 residual plot, 5, 14, 358, 402
 residuals, 14, 205, 247
 response plot, 5, 14, 100, 137, 358, 402, 417, 488
 response transformation, 11
 response transformation model, 418, 487
 response variable, 1, 4
 response variables, 353, 399
 Reyen, 343
 RFCH estimator, 289
 Riani, 348, 424
 ridge regression, 207, 254, 393
 Riedwyl, 475
 Rinaldo, 192, 269, 492
 Ripley, vi, 493, 498
 Ro, 311
 Rocke, 280, 291
 Rohatgi, 33, 46
 Ronchetti, 97, 313, 344
 Rothman, 255
 Rousseeuw, 255, 275, 280, 283, 298, 305, 316, 318, 321, 332, 343, 344
 row space, 72
 RR plot, 23, 137, 358
 Rupasinghe Arachchige Don, 129, 409, 410, 413, 416

 S, 42
 sample correlation matrix, 156
 sample covariance matrix, 156, 341
 sample mean, 16, 34, 156, 341
 sandwich estimator, 100
 SAS Institute, 397
 Savin, 370, 382
 scale equivariant, 328
 Schaaffhausen, 346, 429, 445
 Schaalje, v
 Scheffé, v
 Schneider, 196, 245, 251
 Schomaker, 196
 Schwarz, 134, 142, 480
 score equations, 222
 SE, 3, 34

 Searle, v, 77, 81, 82, 107, 366, 394, 411
 Seber, v, 26, 33, 83, 86, 94, 97, 115, 135, 369
 selection bias, 143
 Sen, 59, 92, 195, 469
 Sengupta, v
 Serfling, 59, 165
 Severini, 32, 50, 60, 222
 Shao, 144, 472
 Sheather, 199
 Shibata, 142
 shrinkage estimator, 195
 Simonoff, 418, 432, 457, 492
 simple linear regression, 28
 Singer, 59, 92, 469
 singular value decomposition, 219
 Slawski, 234
 SLR, 28
 Slutsky's Theorem, 45, 50
 smallest extreme value distribution, 424
 smoothed bootstrap estimator, 170
 Snee, 221
 SP, 3
 span, 71, 101
 sparse model, 4
 spectral decomposition, 213
 Spectral Decomposition Theorem, 76
 spectral norm, 331
 spherical, 54
 split conformal prediction interval, 153
 square root matrix, 76, 99, 101, 214
 Srivastava, 66
 SSP, 3, 487
 Stahel-Donoho estimator, 343
 standard deviation, 272
 standard error, 34
 Stapleton, v
 STATLIB, 451
 Staudte, 199
 Steinberger, 255
 Stewart, v, 60, 222
 Su, 19, 152, 180, 252, 254, 357, 363, 367, 393
 submodel, 134
 subspace, 71
 sufficient predictor, 4, 134, 417
 sufficient summary plot, 487
 Sun, 254
 supervised learning, 2
 SVD, 219
 Swamping, 314
 symmetrically trimmed mean, 273

 Tao, 269

- Tarr, 311
- Taylor, 233, 253
- test data, 2
- Tibshirani, 143, 195, 228, 233, 251, 252, 480, 492
- Tikhonov regularization, 252
- time series, 267
- total sum of squares, 17
- trace, 66, 77, 220
- training data, 2
- transformation plot, 10, 11
- Tremearne, 5, 258, 291, 326
- trimmed views estimator, 318
- Trivedi, 466, 492, 493
- Tsai, 142, 143, 192, 267, 492
- Tu, 472
- Tukey, 10, 11
- Tutz, 444
- TV estimator, 318, 343
- Tyler, 394

- uncorrected total sum of squares, 30
- underfit, 135, 140
- underfitting, 134
- unimodal MLR model, 14
- Uraibi, 254

- van de Geer, 251
- Van Driessen, 280, 298, 305
- Van Loan, 331
- variable selection, 447
- variance, 272
- vector norm, 330
- vector space, 71
- Venables, vi, 493, 498
- von Mises differentiable statistical functions, 165

- W, 42
- Wackerly, v
- Walpole, v
- Wang, v, 196, 254, 343
- Wasserman, 255
- Wedderburn, 492
- weighted least squares, 98
- Weisberg, v, 8, 185, 357, 359, 376, 397, 402, 432, 446, 450, 467, 474, 487, 492, 498
- Welch, 410
- White, 50, 59, 100
- Wichern, 32, 159, 213, 276, 279, 284, 295, 356, 360, 407
- Wieczorek, 146, 254
- Wilcoxon rank estimator, 318
- Wilson, 140
- Winkelmann, 432, 466, 492
- Wold, 252
- Wood, vi, 140, 464, 492
- Woodruff, 280, 291

- Xu, 251

- Yang, 59, 170, 251, 254
- Yohai, 344
- Yu, 144, 170, 234

- Zamar, 290
- zero breakdown, 277
- Zhang, 59, 89, 251, 254, 343, 410, 492
- Zhao, 144
- Zheng, 254
- Zhou, 196, 492
- Zimmerman, v
- Zou, 232, 257
- Zuo, 343
- Zuur, 457, 492