

- Abuhassan, H., and Olive, D.J. (2008), "Inference for the Pareto, Half Normal and Related Distributions," unpublished manuscript, (<http://parker.ad.siu.edu/Olive/pppar.pdf>).
- Agresti, A. (2002, 2013), *Categorical Data Analysis*, 2nd and 3rd ed., Wiley, Hoboken, NJ.
- Agresti, A., and Caffo, B. (2000), "Simple and Effective Confidence Intervals for Proportions and Difference of Proportions Result by Adding Two Successes and Two Failures," *The American Statistician*, 54, 280-288.
- Agresti, A., and Coull, B.A. (1998), "Approximate is Better than Exact for Interval Estimation of Binomial Parameters," *The American Statistician*, 52, 119-126.
- Agulló, J. (1996), "Exact Iterative Computation of the Multivariate Minimum Volume Ellipsoid Estimator with a Branch and Bound Algorithm," in *Proceedings in Computational Statistics*, ed. Prat, A., Physica-Verlag, Heidelberg, 175-180.
- Agulló, J. (1998), "Computing the Minimum Covariance Determinant Estimator," unpublished manuscript, Universidad de Alicante.
- Akaike, H. (1973), "Information Theory as an Extension of the Maximum Likelihood Principle," in *Proceedings, 2nd International Symposium on Information Theory*, eds. Petrov, B.N., and Csakim, F., Akademiai Kiado, Budapest, 267-281.
- Anderson, T.W. (1971), *The Statistical Analysis of Time Series*, Wiley, New York, NY.
- Anderson, T.W. (1984), *An Introduction to Multivariate Statistical Analysis*, 2nd ed., Wiley, New York, NY.
- Ash, R.B. (1972), *Real Analysis and Probability*, Academic Press, San Diego, CA.
- Bain, L.J. (1978), *Statistical Analysis of Reliability and Life-Testing Models*, Marcel Dekker, New York, NY.
- Barker, L. (2002), "A Comparison of Nine Confidence Intervals for a Poisson Parameter When the Expected Number of Events  $\leq 5$ ," *The American Statistician*, 56, 85-89.
- Barndorff-Nielsen, O. (1982), "Exponential Families," in *Encyclopedia of Statistical Sciences*, Vol. 2, eds. Kotz, S. and Johnson, N.L., Wiley, New York, NY, 587-596.
- Bassett, G.W., and Koenker, R.W. (1978), "Asymptotic Theory of Least Absolute Error Regression," *Journal of the American Statistical Association*, 73, 618-622.
- Baszczyńska, A., and Pekasiewicz, D. (2010), "Selected Methods of Interval Estimation of the Median. The Analysis of Accuracy of Estimation," *ACTA Universitatis Lodziensis Folia Oeconomica*, 235, online.
- Becker, R.A., Chambers, J.M., and Wilks, A.R. (1988), *The New S Language: a Programming Environment for Data Analysis and Graphics*, Wadsworth and Brooks/Cole, Pacific Grove, CA.

- Berk, R. (1967), "Review 1922 of 'Invariance of Maximum Likelihood Estimators' by Peter W. Zehna," *Mathematical Reviews*, 33, 342-343.
- Berk, R.H. (1972), "Consistency and Asymptotic Normality of MLE's for Exponential Models," *The Annals of Mathematical Statistics*, 43, 193-204.
- Berndt, E.R., and Savin, N.E. (1977), "Conflict Among Criteria for Testing Hypotheses in the Multivariate Linear Regression Model," *Econometrika*, 45, 1263-1277.
- Bernholt, T. (2005), "Computing the Least Median of Squares Estimator in Time  $O(n^d)$ ," *Proceedings of ICCSA 2005*, LNCS, 3480, 697-706.
- Bernholt, T., and Fischer, P. (2004), "The Complexity of Computing the MCD-Estimator," *Theoretical Computer Science*, 326, 383-398.
- Bhatia, R., Elsner, L., and Krause, G. (1990), "Bounds for the Variation of the Roots of a Polynomial and the Eigenvalues of a Matrix," *Linear Algebra and Its Applications*, 142, 195-209.
- Bickel, P.J. (1965), "On Some Robust Estimates of Location," *The Annals of Mathematical Statistics*, 36, 847-858.
- Bickel, P.J., and Doksum, K.A. (1977), *Mathematical Statistics: Basic Ideas and Selected Topics*, 1st ed., Holden Day, Oakland, CA.
- Bickel, P.J., and Doksum, K.A. (2007), *Mathematical Statistics: Basic Ideas and Selected Topics*, Vol. 1., 2nd ed., Updated Printing, Pearson Prentice Hall, Upper Saddle River, NJ.
- Bickel, P.J., and Ren, J.-J. (2001), "The Bootstrap in Hypothesis Testing," in *State of the Art in Probability and Statistics: Festschrift for William R. van Zwet*, eds. de Gunst, M., Klaassen, C., and van der Vaart, A., The Institute of Mathematical Statistics, Hayward, CA, 91-112.
- Bloch, D.A., and Gastwirth, J.L. (1968), "On a Simple Estimate of the Reciprocal of the Density Function," *The Annals of Mathematical Statistics*, 39, 1083-1085.
- Box, G.E.P., and Jenkins, G.M. (1976), *Time Series Analysis: Forecasting and Control*, revised ed., Holden-Day, Oakland, CA.
- Breiman, L. (1996), "Bagging Predictors," *Machine Learning*, 24, 123-140.
- Brown, L.D. (1986), *Fundamentals of Statistical Exponential Families with Applications in Statistical Decision Theory*, Institute of Mathematical Statistics Lecture Notes – Monograph Series, IMS, Hayward, CA.
- Brown, L.D., Cai, T.T., and DasGupta, A. (2001), "Interval Estimation for a Binomial Proportion," (with discussion), *Statistical Science*, 16, 101-133.
- Brown, L.D., Cai, T.T., and DasGupta, A. (2002), "Confidence Intervals for a Binomial Proportion and Asymptotic Expansions," *The Annals of Statistics*, 30, 150-201.
- Brownstein, N., and Pensky, M. (2008), "Application of Transformations in Parametric Inference," *Journal of Statistical Education*, 16 (online).
- Büchlmann, P., and Yu, B. (2002), "Analyzing Bagging," *The Annals of Statistics*, 30, 927-961.
- Budny, K. (2014), "A Generalization of Chebyshev's Inequality for Hilbert-Space-Valued Random Variables," *Statistics & Probability Letters*, 88, 62-65.

- Burnham, K.P., and Anderson, D.R. (2002), *Model Selection and Multimodel Inference: a Practical Information-Theoretic Approach*, 2nd ed., Springer, New York, NY.
- Burnham, K.P., and Anderson, D.R. (2004), "Multimodel Inference Understanding AIC and BIC in Model Selection," *Sociological Methods & Research*, 33, 261-304.
- Burr, D. (1994), "A Comparison of Certain Bootstrap Confidence Intervals in the Cox Model," *Journal of the American Statistical Association*, 89, 1290-1302.
- Butler, R.W., Davies, P.L., and Jhun, M. (1993), "Asymptotics for the Minimum Covariance Determinant Estimator," *The Annals of Statistics*, 21, 1385-1400.
- Buxton, L.H.D. (1920), "The Anthropology of Cyprus," *The Journal of the Royal Anthropological Institute of Great Britain and Ireland*, 50, 183-235.
- Byrne, J., and Kabaila, P. (2005), "Comparison of Poisson Confidence Intervals," *Communications in Statistics: Theory and Methods*, 34, 545-556.
- Casella, G., and Berger, R.L. (2002), *Statistical Inference*, 2nd ed., Duxbury, Belmont, CA.
- Cator, E.A., and Lopuhaä, H.P. (2010), "Asymptotic Expansion of the Minimum Covariance Determinant Estimators," *Journal of Multivariate Analysis*, 101, 2372-2388.
- Cator, E.A., and Lopuhaä, H.P. (2012), "Central Limit Theorem and Influence Function for the MCD Estimators at General Multivariate Distributions," *Bernoulli*, 18, 520-551.
- Chang, J., and Hall, P. (2015), "Double Bootstrap Methods That Use a Single Double-Bootstrap Simulation," *Biometrika*, 102, 203-214.
- Chang, J., and Olive, D.J. (2010), "OLS for 1D Regression Models," *Communications in Statistics: Theory and Methods*, 39, 1869-1882.
- Charkhi, A., and Claeskens, G. (2018), "Asymptotic Post-Selection Inference for the Akaike Information Criterion," *Biometrika*, 105, 645-664.
- Chen, M.H., and Shao, Q.M. (1999), "Monte Carlo Estimation of Bayesian Credible and HPD Intervals," *Journal of Computational and Graphical Statistics*, 8, 69-92.
- Chen, S.X. (2016), "Peter Hall's Contributions to the Bootstrap," *The Annals of Statistics*, 44, 1821-1836.
- Chen, X. (2011), "A New Generalization of Chebyshev Inequality for Random Vectors," see arXiv:0707.0805v2.
- Chernoff, H. (1956), "Large-Sample Theory: Parametric Case," *The Annals of Mathematical Statistics*, 27, 1-22.
- Chew, V. (1966), "Confidence, Prediction and Tolerance Regions for the Multivariate Normal Distribution," *Journal of the American Statistical Association*, 61, 605-617.
- Chihara, L., and Hesterberg, T. (2011), *Mathematical Statistics with Resampling and R*, Wiley, Hoboken, NJ.

- Chun, H., and Keleş, S. (2010), “Sparse Partial Least Squares Regression for Simultaneous Dimension Reduction and Predictor Selection,” *Journal of the Royal Statistical Society, B*, 72, 3-25.
- Čížek, P. (2006), “Least Trimmed Squares Under Dependence,” *Journal of Statistical Planning and Inference*, 136, 3967-3988.
- Čížek, P. (2008), “General Trimmed Estimation: Robust Approach to Non-linear and Limited Dependent Variable Models,” *Econometric Theory*, 24, 1500-1529.
- Claeskens, G., and Hjort, N.L. (2008), *Model Selection and Model Averaging*, Cambridge University Press, New York, NY.
- Clarke, B.R. (1986), “Nonsmooth Analysis and Fréchet Differentiability of  $M$  Functionals,” *Probability Theory and Related Fields*, 73, 137-209.
- Clarke, B.R. (2000), “A Review of Differentiability in Relation to Robustness with an Application to Seismic Data Analysis,” *Proceedings of the Indian National Science Academy, A*, 66, 467-482.
- Cook, R.D. (1977), “Deletion of Influential Observations in Linear Regression,” *Technometrics*, 19, 15-18.
- Cook, R.D. (2018), *An Introduction to Envelopes: Dimension Reduction for Efficient Estimation in Multivariate Statistics*, Wiley, Hoboken, NJ.
- Cook, R.D., and Forzani, L. (2018), “Big Data and Partial Least Squares Prediction,” *The Canadian Journal of Statistics*, 46, 62-78.
- Cook, R.D., and Forzani, L. (2019), “Partial Least Squares Prediction in High-Dimensional Regression,” *The Annals of Statistics*, 47, 884-908.
- Cook, R.D., Helland, I.S., and Su, Z. (2013), “Envelopes and Partial Least Squares Regression,” *Journal of the Royal Statistical Society, B*, 75, 851-877.
- Cook, R.D., and Weisberg, S. (1999), *Applied Regression Including Computing and Graphics*, Wiley, New York, NY.
- Cox, C. (1984), “An Elementary Introduction to Maximum Likelihood Estimations for Multinomial Models: Birch’s Theorem and the Delta Method,” *The American Statistician*, 38, 283-287.
- Cox, D.R. (1972), “Regression Models and Life-Tables,” *Journal of the Royal Statistical Society, B*, 34, 187-220.
- Cox, D.R., and Hinkley, D.V. (1974), *Theoretical Statistics*, Chapman and Hall, London, UK.
- Cramér, H. (1946), *Mathematical Methods of Statistics*, Princeton University Press, Princeton, NJ.
- Crawley, M.J. (2005), *Statistics: an Introduction Using R*, Wiley, Hoboken, NJ.
- Crawley, M.J. (2013), *The R Book*, 2nd ed., Wiley, Hoboken, NJ.
- Dahiya, R.C., Staneski, P.G. and Chaganty, N.R. (2001), “Maximum Likelihood Estimation of Parameters of the Truncated Cauchy Distribution,” *Communications in Statistics: Theory and Methods*, 30, 1737-1750.
- DasGupta, A. (2008), *Asymptotic Theory of Statistics and Probability*, Springer, New York, NY.

- Datta, B.N. (1995), *Numerical Linear Algebra and Applications*, Brooks/Cole Publishing Company, Pacific Grove, CA.
- Davidson, J. (1994), *Stochastic Limit Theory*, Oxford University Press, Oxford, UK.
- DeGroot, M.H. (1975), *Probability and Statistics*, 1st ed., Addison-Wesley Publishing Company, Reading, MA.
- Devlin, S.J., Gnanadesikan, R., and Kettenring, J.R. (1975), "Robust Estimation and Outlier Detection with Correlation Coefficients," *Biometrika*, 62, 531-545.
- Devlin, S.J., Gnanadesikan, R., and Kettenring, J.R. (1981), "Robust Estimation of Dispersion Matrices and Principal Components," *Journal of the American Statistical Association*, 76, 354-362.
- Eck, D.J. (2018), "Bootstrapping for Multivariate Linear Regression Models," *Statistics & Probability Letters*, 134, 141-149.
- Efron, B. (1979), "Bootstrap Methods, Another Look at the Jackknife," *The Annals of Statistics*, 7, 1-26.
- Efron, B. (1982), *The Jackknife, the Bootstrap and Other Resampling Plans*, SIAM, Philadelphia, PA.
- Efron, B. (2014), "Estimation and Accuracy after Model Selection," (with discussion), *Journal of the American Statistical Association*, 109, 991-1007.
- Efron, B., Hastie, T., Johnstone, I., and Tibshirani, R. (2004), "Least Angle Regression," (with discussion), *The Annals of Statistics*, 32, 407-451.
- Efron, B., and Hastie, T. (2016), *Computer Age Statistical Inference*, Cambridge University Press, New York, NY.
- Efron, B., and Tibshirani, R. (1986), "Bootstrap Methods for Standard Errors, Confidence Intervals, and Other Methods of Statistical Accuracy," (with discussion), *Statistical Science*, 1, 54-77.
- Efron, B., and Tibshirani, R.J. (1993), *An Introduction to the Bootstrap*, Chapman & Hall/CRC, New York, NY.
- Efroymson, M.A. (1960), "Multiple Regression Analysis," in *Mathematical Methods for Digital Computers*, eds. Ralston, A., and Wilf, H.S., Wiley, New York, NY, 191-203.
- Eicker, F. (1963), "Asymptotic Normality and Consistency of the Least Squares Estimators for Families of Linear Regressions," *Annals of Mathematical Statistics*, 34, 447-456.
- Einmahl, J.H.J., and Mason, D.M. (1992), "Generalized Quantile Processes," *The Annals of Statistics*, 20, 1062-1078.
- Ewald, K., and Schneider, U. (2018), "Uniformly Valid Confidence Sets Based on the Lasso," *Electronic Journal of Statistics*, 12, 1358-1387.
- Falk, M. (1997), "Asymptotic Independence of Median and MAD," *Statistics & Probability Letters*, 34, 341-345.
- Fan, J., and Li, R. (2001), "Variable Selection Via Noncave Penalized Likelihood and Its Oracle Properties," *Journal of the American Statistical Association*, 96, 1348-1360.

- Ferguson, T.S. (1996), *A Course in Large Sample Theory*, Chapman & Hall, New York, NY.
- Fernholtz, L.T. (1983), *von Mises Calculus for Statistical Functionals*, Springer, New York, NY.
- Freedman, D.A. (1981), "Bootstrapping Regression Models," *The Annals of Statistics*, 9, 1218-1228.
- Frey, J. (2013), "Data-Driven Nonparametric Prediction Intervals," *Journal of Statistical Planning and Inference*, 143, 1039-1048.
- Friedman, J., Hastie, T., Hoefling, H., and Tibshirani, R. (2007), "Pathwise Coordinate Optimization," *Annals of Applied Statistics*, 1, 302-332.
- Friedman, J., Hastie, T., Simon, N., and Tibshirani, R. (2015), *glmnet: Lasso and Elastic-net Regularized Generalized Linear Models*, R Package version 2.0, (<http://cran.r-project.org/package=glmnet>).
- Friedman, J., Hastie, T., and Tibshirani, R. (2010), "Regularization Paths for Generalized Linear Models Via Coordinate Descent," *Journal of Statistical Software*, 33, 1-22.
- Friedman, J.H., and Hall, P. (2007), "On Bagging and Nonlinear Estimation," *Journal of Statistical Planning and Inference*, 137, 669-683.
- Fujikoshi, Y. (2002), "Asymptotic Expansions for the Distributions of Multivariate Basic Statistics and One-Way MANOVA Tests Under Nonnormality," *Journal of Statistical Planning and Inference*, 108, 263-282.
- Garwood, F. (1936), "Fiducial Limits for the Poisson Distribution," *Biometrika*, 28, 437-442.
- Gill, R.D. (1989), "Non- and Semi-Parametric Maximum Likelihood Estimators and the von Mises Method, Part 1," *Scandinavian Journal of Statistics*, 16, 97-128.
- Gladstone, R.J. (1905), "A Study of the Relations of the Brain to the Size of the Head," *Biometrika*, 4, 105-123.
- Golub, G.H., and Van Loan, C.F. (1989), *Matrix Computations*, 2nd ed., John Hopkins University Press, Baltimore, MD.
- Grosh, D. (1989), *A Primer of Reliability Theory*, Wiley, New York, NY.
- Grübel, R. (1988), "The Length of the Shorth," *The Annals of Statistics*, 16, 619-628.
- Gruber, M.H.J. (1998), *Improving Efficiency by Shrinkage: the James-Stein and Ridge Regression Estimators*, Marcel Dekker, New York, NY.
- Guenther, W.C. (1969), "Shortest Confidence Intervals," *The American Statistician*, 23, 22-25.
- Gunst, R.F., and Mason, R.L. (1980), *Regression Analysis and Its Application: a Data Oriented Approach*, Marcel Dekker, New York, NY.
- Haile, M.G. and Olive, D.J. (2022a), "Prediction Intervals and Regions for Some Time Series, Random Walks, and Renewal Processes" is at (<http://parker.ad.siu.edu/Olive/pptsipi.pdf>).
- Haile, M.G., and Olive, D.J. (2022b), "Bootstrapping ARMA Time Series Models after Model Selection" is at (<http://parker.ad.siu.edu/Olive/pptsboot.pdf>).

- Hall, P (1986), "On the Bootstrap and Confidence Intervals," *The Annals of Statistics*, 14, 1431-1452.
- Hall, P. (1988), "Theoretical Comparisons of Bootstrap Confidence Intervals," (with discussion), *The Annals of Statistics*, 16, 927-985.
- Hampel, F.R. (1975), "Beyond Location Parameters: Robust Concepts and Methods," *Bulletin of the International Statistical Institute*, 46, 375-382.
- Hannan, E. J. (1973), "The Asymptotic Theory of Linear Time-Series Models," *Journal of Applied Probability*, 10, 130-145.
- Hannan, E.J., and Quinn, B.G. (1979), "The Determination of the Order of an Autoregression," *Journal of the Royal Statistical Society, B*, 41, 190-195.
- Hastie, T.J., and Tibshirani, R.J. (1986), "Generalized Additive Models" (with discussion), *Statistical Science*, 1, 297-318.
- Hastie, T.J., and Tibshirani, R.J. (1990), *Generalized Additive Models*, Chapman & Hall, London, UK.
- Hastie, T., Tibshirani, R., and Friedman, J. (2009), *The Elements of Statistical Learning: Data Mining, Inference and Prediction*, 2nd ed., Springer, New York, NY.
- Hastie, T., Tibshirani, R., and Tibshirani, R. (2020), "Best Subset, Forward Stepwise or Lasso? Analysis and Recommendations Based on Extensive Comparisons," *Statistical Science*, 35, 579-592.
- Hastie, T., Tibshirani, R., and Wainwright, M. (2015), *Statistical Learning with Sparsity: the Lasso and Generalizations*, CRC Press Taylor & Francis, Boca Raton, FL.
- Hawkins, D.M., and Olive, D.J. (1999a), "Improved Feasible Solution Algorithms for High Breakdown Estimation," *Computational Statistics & Data Analysis*, 30, 1-11.
- Hawkins, D.M., and Olive, D. (1999b), "Applications and Algorithms for Least Trimmed Sum of Absolute Deviations Regression," *Computational Statistics & Data Analysis*, 32, 119-134.
- Hawkins, D.M., and Olive, D.J. (2002), "Inconsistency of Resampling Algorithms for High Breakdown Regression Estimators and a New Algorithm," (with discussion), *Journal of the American Statistical Association*, 97, 136-159.
- He, X., and Portnoy, S. (1992), "Reweighted LS Estimators Converge at the Same Rate as the Initial Estimator," *The Annals of Statistics*, 20, 2161-2167.
- He, X., and Wang, G. (1997), "Qualitative Robustness of  $S^*$ - Estimators of Multivariate Location and Dispersion," *Statistica Neerlandica*, 51, 257-268.
- Hebbler, B. (1847), "Statistics of Prussia," *Journal of the Royal Statistical Society, A*, 10, 154-186.
- Henderson, H.V., and Searle, S.R. (1979), "Vec and Vech Operators for Matrices, with Some Uses in Jacobians and Multivariate Statistics," *The Canadian Journal of Statistics*, 7, 65-81.
- Hesterberg, T., (2014), "What Teachers Should Know About the Bootstrap: Resampling in the Undergraduate Statistics Curriculum," available

- from (<http://arxiv.org/pdf/1411.5279v1.pdf>). (An abbreviated version was published (2015), *The American Statistician*, 69, 371-386.)
- Hillis, S.L., and Davis, C.S. (1994), "A Simple Justification of the Iterative Fitting Procedure for Generalized Linear Models," *The American Statistician*, 48, 288-289.
- Hoel, P.G., Port, S.C., and Stone, C.J. (1971), *Introduction to Probability Theory*, Houghton Mifflin, Boston, MA.
- Hoerl, A.E., and Kennard, R. (1970), "Ridge Regression: Biased Estimation for Nonorthogonal Problems," *Technometrics*, 12, 55-67.
- Hössjer, O. (1991), *Rank-Based Estimates in the Linear Model with High Breakdown Point*, Ph.D. Thesis, Report 1991:5, Department of Mathematics, Uppsala University, Uppsala, Sweden.
- Huber, P.J., and Ronchetti, E.M. (2009), *Robust Statistics*, 2nd ed., Wiley, Hoboken, NJ.
- Hubert, M., Rousseeuw, P.J., and Van Aelst, S. (2002), "Comment on 'Inconsistency of Resampling Algorithms for High Breakdown Regression and a New Algorithm' by D.M. Hawkins and D.J. Olive," *Journal of the American Statistical Association*, 97, 151-153.
- Hubert, M., Rousseeuw, P.J., and Van Aelst, S. (2008), "High Breakdown Multivariate Methods," *Statistical Science*, 23, 92-119.
- Hubert, M., Rousseeuw, P.J., and Verdonck, T. (2012), "A Deterministic Algorithm for Robust Location and Scatter," *Journal of Computational and Graphical Statistics*, 21, 618-637.
- Hunter, D.R. (2014), *Notes for a Graduate-Level Course in Asymptotics for Statisticians*, available from ([www.stat.psu.edu/~dhunter/asyp/lectures/](http://www.stat.psu.edu/~dhunter/asyp/lectures/)).
- Hyndman, R.J. (1996), "Computing and Graphing Highest Density Regions," *The American Statistician*, 50, 120-126.
- Hyndman, R.J., and Athanasopoulos, G. (2018), *Forecasting: Principles and Practice*, 2nd edition, OTexts: Melbourne, Australia. <https://OTexts.org/fpp2/>
- Hyndman, R.J., and Khandakar, Y. (2008), "Automatic Time Series Forecasting: the Forecast Package for R." *Journal of Statistical Software*, 26, 1-22.
- James, G., Witten, D., Hastie, T., and Tibshirani, R. (2013, 2021), *An Introduction to Statistical Learning With Applications in R*, 1st and 2nd ed., Springer, New York, NY.
- Jia, J., and Yu, B. (2010), "On Model Selection Consistency of the Elastic Net When  $p \gg n$ ," *Statistica Sinica*, 20, 595-611.
- Jiang, J. (2010), *Large Sample Techniques for Statistics*, Springer, New York, NY.
- Jin, Y., and Olive, D.J. (2022), "Large Sample Theory for Some Ridge-Type Regression Estimators," is at (<http://parker.ad.siu.edu/Olive/ppridgetype.pdf>).
- Johnson, M.E. (1987), *Multivariate Statistical Simulation*, Wiley, New York, NY.



- Johnson, N.J. (1978), "Modified t Tests and Confidence Intervals for Asymmetrical Populations," *Journal of the American Statistical Association*, 73, 536-544.
- Johnson, N.L., and Kotz, S. (1970ab), *Distributions in Statistics: Continuous Univariate Distributions*, Vol. 1-2, Houghton Mifflin Company, Boston, MA.
- Johnson, R.A., Ladella, J., and Liu, S.T. (1979), "Differential Relations, in the Original Parameters, Which Determine the First Two Moments of the Multi-Parameter Exponential Family," *The Annals of Statistics*, 7, 232-235.
- Johnson, R.A., and Wichern, D.W. (1988), *Applied Multivariate Statistical Analysis*, 2nd ed., Prentice Hall, Englewood Cliffs, NJ.
- Jones, H.L. (1946), "Linear Regression Functions with Neglected Variables," *Journal of the American Statistical Association*, 41, 356-369.
- Kakizawa, Y. (2009), "Third-Order Power Comparisons for a Class of Tests for Multivariate Linear Hypothesis Under General Distributions," *Journal of Multivariate Analysis*, 100, 473-496.
- Khattree, R., and Naik, D.N. (1999), *Applied Multivariate Statistics with SAS Software*, 2nd ed., SAS Institute, Cary, NC.
- Kim, J., and Pollard, D. (1990), "Cube Root Asymptotics," *The Annals of Statistics*, 18, 191-219.
- Klouda, K. (2015), "An Exact Polynomial Time Algorithm for Computing the Least Trimmed Squares Estimate," *Computational Statistics & Data Analysis*, 84, 27-40.
- Knight, K., and Fu, W.J. (2000), "Asymptotics for Lasso-Type Estimators," *Annals of Statistics*, 28, 1356-1378.
- Koenker, R.W. (2005), *Quantile Regression*, Cambridge University Press, Cambridge, UK.
- Kshirsagar, A.M. (1972), *Multivariate Analysis*, Marcel Dekker, New York, NY.
- Lai, T.L., Robbins, H., and Wei, C.Z. (1979), "Strong Consistency of Least Squares Estimates in Multiple Regression II," *Journal of Multivariate Analysis*, 9, 343-361.
- Leeb, H., Pötscher, B.M., and Ewald, K. (2015), "On Various Confidence Intervals Post-Model-Selection," *Statistical Science*, 30, 216-227.
- Lehmann, E.L. (1980), "Efficient Likelihood Estimators," *The American Statistician*, 34, 233-235.
- Lehmann, E.L., (1983), *Theory of Point Estimation*, 1st ed., Wiley, New York, NY.
- Lehmann, E.L. (1986), *Testing Statistical Hypotheses*, 2nd ed., Wiley, New York, NY.
- Lehmann, E.L. (1999), *Elements of Large-Sample Theory*, Springer, New York, NY.
- Lehmann, E.L., and Casella, G. (2003), *Theory of Point Estimation*, 2nd ed., Wiley, New York, NY.

- Leon, S.J. (1986), *Linear Algebra with Applications*, 2nd ed., Macmillan Publishing Company, New York, NY.
- Li, K.C., and Duan, N. (1989), "Regression Analysis Under Link Violation," *The Annals of Statistics*, 17, 1009-1052.
- Liu, K. (1993), "A New Class of Biased Estimate in Linear Regression," *Communications in Statistics: Theory and Methods* 22, 393-402.
- Liu, K. (2003), "Using Liu-Type Estimator to Combat Collinearity," *Communications in Statistics: Theory and Methods*, 32, 1009-1020.
- Liu, X., and Zuo, Y. (2014), "Computing Projection Depth and Its Associated Estimators," *Statistics and Computing*, 24, 51-63.
- Lopuhaä, H.P. (1999), "Asymptotics of Reweighted Estimators of Multivariate Location and Scatter," *The Annals of Statistics*, 27, 1638-1665.
- Machado, J.A.F., and Parente, P. (2005), "Bootstrap Estimation of Covariance Matrices Via the Percentile Method," *Econometrics Journal*, 8, 70-78.
- MacKinnon, J.G., and White, H. (1985), "Some Heteroskedasticity-Consistent Covariance Matrix Estimators with Improved Finite Sample Properties," *Journal of Econometrics*, 29, 305-325.
- Mallows, C. (1973), "Some Comments on  $C_p$ ," *Technometrics*, 15, 661-676.
- Mann, H. B., and Wald, A. (1943a), "On Stochastic Limit and Order Relationships," *The Annals of Mathematical Statistics*, 14, 217-226.
- Mann, H.B., and Wald, A. (1943b), "On the Statistical Treatment of Linear Stochastic Difference Equations," *Econometrica*, 11, 173-220.
- Mardia, K.V., Kent, J.T., and Bibby, J.M. (1979), *Multivariate Analysis*, Academic Press, London, UK.
- Maronna, R.A., Martin, R.D., and Yohai, V.J. (2006, 2019), *Robust Statistics: Theory and Methods*, 1st and 2nd ed., Wiley, Hoboken, NJ.
- Maronna, R.A., and Yohai, V.J. (2002), "Comment on 'Inconsistency of Resampling Algorithms for High Breakdown Regression and a New Algorithm' by D.M. Hawkins and D.J. Olive," *Journal of the American Statistical Association*, 97, 154-155.
- Maronna, R.A., and Yohai, V.J. (2015), "High-Sample Efficiency and Robustness Based on Distance-Constrained Maximum Likelihood," *Computational Statistics & Data Analysis*, 83, 262-274.
- Marsden, J.E., and Hoffman, M.J. (1993), *Elementary Classical Analysis*, 2nd ed., W.H. Freeman, New York, NY.
- Mašiček, L. (2004), "Optimality of the Least Weighted Squares Estimator," *Kybernetika*, 40, 715-734.
- MathSoft (1999a), *S-Plus 2000 User's Guide*, Data Analysis Products Division, MathSoft, Seattle, WA.
- MathSoft (1999b), *S-Plus 2000 Guide to Statistics*, Volume 2, Data Analysis Products Division, MathSoft, Seattle, WA.
- Mašiček, L. (2004), "Optimality of the Least Weighted Squares Estimator," *Kybernetika*, 40, 715-734.
- McCullagh, P., and Nelder, J.A. (1989), *Generalized Linear Models*, 2nd ed., Chapman & Hall, London, UK.

- McCulloch, R.E. (1988), "Information and the Likelihood Function in Exponential Families," *The American Statistician*, 42, 73-75.
- McElroy, T.S., and Politis, D.N. (2020), *Time Series: a First Course with Bootstrap Starter*, CRC Press Taylor & Francis, Boca Raton, FL.
- McKinney, D. (2021), "Some  $t$ -Type Confidence Intervals," MS paper, Southern Illinois University, at  
 ([https://opensiuc.lib.siu.edu/cgi/viewcontent.cgi?article=2403&context=gs\\_rp](https://opensiuc.lib.siu.edu/cgi/viewcontent.cgi?article=2403&context=gs_rp)).
- Meinshausen, N. (2007), "Relaxed Lasso," *Computational Statistics & Data Analysis*, 52, 374-393.
- Moore, D.S. (2007), *The Basic Practice of Statistics*, 4th ed., W.H. Freeman, New York, NY.
- Mount, D.M., Netanyahu, N.S., Piatko, C.D., Silverman, R., and Wu, A.Y. (2014), "On the Least Trimmed Squares Estimator," *Algorithmica*, 69, 148-183.
- Navarro, J. (2014), "Can the Bounds in the Multivariate Chebyshev Inequality be Attained?" *Statistics & Probability Letters*, 91, 1-5.
- Navarro, J. (2016), "A Very Simple Proof of the Multivariate Chebyshev's Inequality," *Communications in Statistics: Theory and Methods*, 45, 3458-3463.
- Nelder, J.A., and Wedderburn, R.W.M. (1972), "Generalized Linear Models," *Journal of the Royal Statistical Society, A*, 135, 370-380.
- Nishi, R. (1984), "Asymptotic Properties of Criteria for Selection of Variables in Multiple Regression," *The Annals of Statistics*, 12, 758-765.
- Olive, D.J. (2001), "High Breakdown Analogs of the Trimmed Mean," *Statistics & Probability Letters*, 51, 87-92.
- Olive, D.J. (2004a), "A Resistant Estimator of Multivariate Location and Dispersion," *Computational Statistics & Data Analysis*, 46, 99-102.
- Olive, D.J. (2004b), "Visualizing 1D Regression," in *Theory and Applications of Recent Robust Methods*, eds. Hubert, M., Pison, G., Struyf, A., and Van Aelst, S., Birkhäuser, Basel, Switzerland, 221-233.
- Olive, D.J. (2005), "Two Simple Resistant Regression Estimators," *Computational Statistics & Data Analysis*, 49, 809-819.
- Olive, D.J. (2007), "Prediction Intervals for Regression Models," *Computational Statistics & Data Analysis*, 51, 3115-3122.
- Olive, D.J. (2008), *Applied Robust Statistics*, Unpublished Online Text, see (<http://parker.ad.siu.edu/Olive/ol-bookp.htm>).
- Olive, D.J. (2013a), "Plots for Generalized Additive Models," *Communications in Statistics: Theory and Methods*, 42, 2610-2628.
- Olive, D.J. (2013b), "Asymptotically Optimal Regression Prediction Intervals and Prediction Regions for Multivariate Data," *International Journal of Statistics and Probability*, 2, 90-100.
- Olive, D.J. (2014), *Statistical Theory and Inference*, Springer, New York, NY.

- Olive, D.J. (2017a), *Linear Regression*, Springer, New York, NY.
- Olive, D.J. (2017b), *Robust Multivariate Analysis*, Springer, New York, NY.
- Olive, D.J. (2018), “Applications of Hyperellipsoidal Prediction Regions,” *Statistical Papers*, 59, 913-931.
- Olive, D.J. (2022a), *Prediction and Statistical Learning*, online course notes, see (<http://parker.ad.siu.edu/Olive/slearnbk.htm>).
- Olive, D.J. (2022b), *Theory for Linear Models*, online course notes, (<http://parker.ad.siu.edu/Olive/linmodbk.htm>).
- Olive, D.J. (2022c), *Robust Statistics*, online course notes, (<http://parker.ad.siu.edu/Olive/robbook.htm>).
- Olive, D.J. (2022d), *Survival Analysis*, online course notes, see (<http://parker.ad.siu.edu/Olive/survbk.htm>).
- Olive, D.J., and Hawkins, D.M. (2005), “Variable Selection for 1D Regression Models,” *Technometrics*, 47, 43-50.
- Olive, D.J., and Hawkins, D.M. (2010), “Robust Multivariate Location and Dispersion,” preprint, see (<http://parker.ad.siu.edu/Olive/pphbml.pdf>).
- Olive, D.J., and Hawkins, D.M. (2011), “Practical High Breakdown Regression,” preprint at (<http://parker.ad.siu.edu/Olive/pphbreg.pdf>).
- Olive, D.J., Pelawa Watagoda, L.C.R., and Rupasinghe Arachchige Don, H.S. (2015), “Visualizing and Testing the Multivariate Linear Regression Model,” *International Journal of Statistics and Probability*, 4, 126-137.
- Olive, D.J., Rathnayake, R.C., and Haile, M.G. (2021), “Prediction Intervals for GLMs, GAMs, and Some Survival Regression Models,” *Communications in Statistics: Theory and Methods*, to appear.
- Park, Y., Kim, D., and Kim, S. (2012), “Robust Regression Using Data Partitioning and M-Estimation,” *Communications in Statistics: Simulation and Computation*, 8, 1282-1300.
- Pelawa Watagoda, L.C.R., and Olive, D.J. (2021a), “Bootstrapping Multiple Linear Regression after Variable Selection,” *Statistical Papers*, 62, 681-700. See (<http://parker.ad.siu.edu/Olive/ppboottest.pdf>).
- Pelawa Watagoda, L.C.R., and Olive, D.J. (2021b), “Comparing Six Shrinkage Estimators with Large Sample Theory and Asymptotically Optimal Prediction Intervals,” *Statistical Papers*, 62, 2407-2431. See (<http://parker.ad.siu.edu/Olive/pppicomp.pdf>).
- Perlman, M.D. (1972), “Maximum Likelihood—an Introduction,” *Proceedings of the Sixth Berkeley Symposium on Mathematical Statistics and Probability*, 1, 263-281.
- Pesch, C. (1999), “Computation of the Minimum Covariance Determinant Estimator,” in *Classification in the Information Age, Proceedings of the 22nd Annual GfKl Conference, Dresden 1998*, eds. Gaul, W., and Locarek-Junge, H., Springer, Berlin, 225-232.
- Pewsey, A. (2002), “Large-Sample Inference for the Half-Normal Distribution,” *Communications in Statistics: Theory and Methods*, 31, 1045-1054.

- Pfanzagl, J. (1993), "Sequences of Optimal Unbiased Estimators Need Not Be Asymptotically Optimal," *Scandinavian Journal of Statistics*, 20, 73-76.
- Polansky, A.M. (2011), *Introduction to Statistical Limit Theory*, CRC Press, Boca Raton, FL.
- Pollard, D. (1991), "Asymptotics for Least Absolute Deviation Regression Estimators," *Econometric Theory*, 7, 186-199.
- Portnoy, S. (1977), "Asymptotic Efficiency of Minimum Variance Unbiased Estimators," *The Annals of Statistics*, 5, 522-529.
- Pötscher, B. (1991), "Effects of Model Selection on Inference," *Econometric Theory*, 7, 163-185.
- Pratt, J.W. (1959), "On a General Concept of "in Probability"," *The Annals of Mathematical Statistics*, 30, 549-558.
- Rajapaksha, K.W.G.D.H. and Olive, D.J. (2022), "Wald Type Tests with the Wrong Dispersion Matrix" is at (<http://parker.ad.siu.edu/Olive/ppwaldtype.pdf>).
- Rao, C.R. (1965, 1973), *Linear Statistical Inference and Its Applications*, 1st and 2nd ed., Wiley, New York, NY.
- Rathnayake, R.C., and Olive, D.J. (2021), "Bootstrapping Some GLM and Survival Regression Variable Selection Estimators," *Communications in Statistics: Theory and Methods*, to appear.
- R Core Team (2016), "R: a Language and Environment for Statistical Computing," R Foundation for Statistical Computing, Vienna, Austria, ([www.R-project.org](http://www.R-project.org)).
- Rejchel, W. (2016), "Lasso with Convex Loss: Model Selection Consistency and Estimation," *Communications in Statistics: Theory and Methods*, 45, 1989-2004.
- Ren, J.-J. (1991), "On Hadamard Differentiability of Extended Statistical Functional," *Journal of Multivariate Analysis*, 39, 30-43.
- Ren, J.-J., and Sen, P.K. (1995), "Hadamard Differentiability on  $D[0,1]^p$ ," *Journal of Multivariate Analysis*, 55, 14-28.
- Reyen, S.S., Miller, J.J., and Wegman, E.J. (2009), "Separating a Mixture of Two Normals with Proportional Covariances," *Metrika*, 70, 297-314.
- Rinaldo, A., Wasserman, L., and G'Sell, M. (2019), "Bootstrapping and Sample Splitting for High-Dimensional, Assumption-Learn Inference," *The Annals of Statistics*, 47, 3438-3469.
- Ro, K., Zou, C., Wang, W., and Yin, G. (2015), "Outlier Detection for High-Dimensional Data," *Biometrika*, 102, 589-599.
- Rocke, D.M., and Woodruff, D.L. (1996), "Identification of Outliers in Multivariate Data," *Journal of the American Statistical Association*, 91, 1047-1061.
- Rohatgi, V.K. (1976), *An Introduction to Probability Theory and Mathematical Statistics*, Wiley, New York, NY.
- Rohatgi, V.K. (1984), *Statistical Inference*, Wiley, New York, NY.
- Rousseeuw, P.J. (1984), "Least Median of Squares Regression," *Journal of the American Statistical Association*, 79, 871-880.

- Rousseeuw, P.J., and Leroy, A.M. (1987), *Robust Regression and Outlier Detection*, Wiley, New York, NY.
- Rousseeuw, P.J., and Van Driessen, K. (1999), "A Fast Algorithm for the Minimum Covariance Determinant Estimator," *Technometrics*, 41, 212-223.
- Rupasinghe Arachchige Don, H.S. (2018), "A Relationship Between the One-Way MANOVA Test Statistic and the Hotelling Lawley Trace Test Statistic," *International Journal of Statistics and Probability*, 7, 124-131.
- Rupasinghe Arachchige Don, H.S., and Olive, D.J. (2019), "Bootstrapping Analogs of the One Way MANOVA Test," *Communications in Statistics: Theory and Methods*, 4, 5546-5558.
- Schervish, M.J. (1995), *Theory of Statistics*, Springer, New York, NY.
- Schwarz, G. (1978), "Estimating the Dimension of a Model," *The Annals of Statistics*, 6, 461-464.
- Searle, S.R. (1982), *Matrix Algebra Useful for Statistics*, Wiley, New York, NY.
- Seber, G.A.F., and Lee, A.J. (2003), *Linear Regression Analysis*, 2nd ed., Wiley, New York, NY.
- Sen, P.K., and Singer, J.M. (1993), *Large Sample Methods in Statistics: an Introduction with Applications*, Chapman & Hall, New York, NY.
- Sen, P.K., Singer, J.M., and Pedrosa De Lima, A.C. (2010), *From Finite Sample to Asymptotic Methods in Statistics*, Cambridge University Press, New York, NY.
- Serfling, R.J. (1980), *Approximation Theorems of Mathematical Statistics*, Wiley, New York, NY.
- Severini, T.A. (1998), "Some Properties of Inferences in Misspecified Linear Models," *Statistics & Probability Letters*, 40, 149-153.
- Severini, T.A. (2005), *Elements of Distribution Theory*, Cambridge University Press, New York, NY.
- Shao, J. (1993), "Linear Model Selection by Cross-Validation," *Journal of the American Statistical Association*, 88, 486-494.
- Shao, J., and Tu, D.S. (1995), *The Jackknife and the Bootstrap*, Springer, New York, NY.
- Shibata, R. (1976), "Selection of the Order of an Autoregressive Model by Akaike's Information Criterion," *Biometrika*, 63, 117-126.
- Shorack, G.R., and Wellner, J.A. (1986), *Empirical Processes With Applications to Statistics*, Wiley, New York, NY.
- Simon, N., Friedman, J., Hastie, T., and Tibshirani, R. (2011), "Regularization Paths for Cox's Proportional Hazards Model via Coordinate Descent," *Journal of Statistical Software*, 39, 1-13.
- Simonoff, J.S. (2003), *Analyzing Categorical Data*, Springer, New York, NY.
- Slawski, M., zu Castell, W., and Tutz, G. (2010), "Feature Selection Guided by Structural Information," *Annals of Applied Statistics*, 4, 1056-1080.

- Staudte, R.G., and Sheather, S.J. (1990), *Robust Estimation and Testing*, Wiley, New York, NY.
- Stewart, G.M. (1969), "On the Continuity of the Generalized Inverse," *SIAM Journal on Applied Mathematics*, 17, 33-45.
- Stigler, S.M. (1973), "The Asymptotic Distribution of the Trimmed Mean," *The Annals of Mathematical Statistics*, 1, 472-477.
- Su, W., Bogdan, M., and Candés, E. (2017), "False Discoveries Occur Early on the Lasso Path," *The Annals of Statistics*, 45, 2133-2150.
- Su, Z., and Cook, R.D. (2012), "Inner Envelopes: Efficient Estimation in Multivariate Linear Regression," *Biometrika*, 99, 687-702.
- Sun, T., and Zhang, C.-H. (2012), "Scaled Sparse Linear Regression," *Biometrika*, 99, 879-898.
- Swift, M.B. (2009), "Comparison of Confidence Intervals for a Poisson Mean—Further Considerations," *Communications in Statistics: Theory and Methods*, 38, 748-759.
- Tardiff, R.M. (1981), "L'Hospital's Rule and the Central Limit Theorem," *The American Statistician*, 35, 43.
- Tarr, G., Müller, S., and Weber, N.C. (2016), "Robust Estimation of Precision Matrices Under Cellwise Contamination," *Computational Statistics & Data Analysis*, 93, 404-420.
- Tay, J.K., Narasimhan, B. and Hastie, T. (2021), "Elastic Net Regularization Paths for All Generalized Linear Models," *Journal of Statistical Software*, to appear.
- Thomopoulos, N.T. (2018), *Probability Distributions*, Springer, New York, NY.
- Tibshirani, R. (1996), "Regression Shrinkage and Selection via the Lasso," *Journal of the Royal Statistical Society, B*, 58, 267-288.
- Tibshirani, R. (1997), "The Lasso Method for Variable Selection in the Cox Model," *Statistics in Medicine*, 16, 385-395.
- Tibshirani, R., Bien, J., Friedman, J., Hastie, T., Simon, N., Taylor, J., and Tibshirani, R.J. (2012), "Strong Rules for Discarding Predictors in Lasso-Type Problems," *Journal of the Royal Statistical Society, B*, 74, 245-266.
- Tibshirani, R.J. (2013), "The Lasso Problem and Uniqueness," *Electronic Journal of Statistics*, 7, 1456-1490.
- Tremearne, A.J.N. (1911), "Notes on Some Nigerian Tribal Marks," *Journal of the Royal Anthropological Institute of Great Britain and Ireland*, 41, 162-178.
- van der Vaart, A.W. (1998), *Asymptotic Statistics*, Cambridge University Press, Cambridge, UK.
- Ver Hoef, J.M. (2012), "Who Invented the Delta Method?" *The American Statistician*, 66, 124-127.
- Wald, A. (1949), "Note on the Consistency of the Maximum Likelihood Estimate," *The Annals of Mathematical Statistics*, 20, 595-601.
- Wade, W.R. (2000), *Introduction to Analysis*, 2nd ed., Prentice Hall, Upper Saddle River, NJ.

- Welch, B.L. (1937), "The Significance of the Difference Between Two Means When the Population Variances are Unequal," *Biometrika*, 29, 350-362.
- White, H. (1980), "A Heteroskedasticity-Consistent Covariance Matrix Estimator and a Direct Test for Heteroskedasticity," *Econometrica*, 48, 817-838.
- White, H. (1984), *Asymptotic Theory for Econometricians*, Academic Press, San Diego, CA.
- Wieczorek, J., and Lei, J. (2021), "Model-Selection Properties of Forward Selection and Sequential Cross-Validation for High-Dimensional Regression," *Canadian Journal of Statistics*, to appear.
- Wood, S.N. (2017), *Generalized Additive Models: an Introduction with R*, 2nd ed., Chapman & Hall/CRC, Boca Rotan, FL.
- Woodruff, D.L., and Rocke, D.M. (1994), "Computable Robust Estimation of Multivariate Location and Shape in High Dimension Using Compound Estimators," *Journal of the American Statistical Association*, 89, 888-896.
- Woodroffe, M. (1975), *Probability With Applications*, McGraw-Hill, New York, NY.
- Yang, Y. (2003), "Regression with Multiple Candidate Models: Selecting or Mixing?" *Statistica Sinica*, 13, 783-809.
- Yao, Q. and Brockwell, P.J. (2006), "Gaussian Maximum Likelihood Estimation for ARMA Models I: Time Series," *Journal of Time Series Analysis*, 27, 857-875.
- Yee, T. (2015), *Vector Generalized Linear and Additive Models*, Springer, New York, NY.
- Yuen, K.K. (1974), "The Two-Sample Trimmed  $t$  for Unequal Population Variances," *Biometrika*, 61, 165-170.
- Zehna, P.W. (1966), "Invariance of Maximum Likelihood Estimators," *The Annals of Mathematical Statistics*, 37, 744.
- Zhang, J. (2020), "Consistency of MLE, LSE and M-Estimation under Mild Conditions," *Statistical Papers*, 61, 189-199.
- Zhang, J., Olive, D.J., and Ye, P. (2012), "Robust Covariance Matrix Estimation with Canonical Correlation Analysis," *International Journal of Statistics and Probability*, 1, 119-136.
- Zhang, L., and Olive, D.J. (2022), "Data Splitting Inference," is not yet online.
- Zhang, P. (1992), "Inference after Variable Selection in Linear Regression Models," *Biometrika*, 79, 741-746.
- Zhang, X., and Cheng, G. (2017), "Simultaneous Inference for High-Dimensional Linear Models," *Journal of the American Statistical Association*, 112, 757-768.
- Zhao, P., and Yu, B. (2006), "On Model Selection Consistency of Lasso," *Journal of Machine Learning Research* 7, 2541-2563.
- Zhou, M. (2001), "Understanding the Cox Regression Models with Time-Change Covariates," *The American Statistician*, 55, 153-155.



Zou, H., and Hastie, T. (2005), "Regularization and Variable Selection Via the Elastic Net," *Journal of the Royal Statistical Society Series, B*, 67, 301-320.

Zuur, A.F., Ieno, E.N., Walker, N.J., Saveliev, A.A., and Smith, G.M. (2009), *Mixed Effects Models and Extensions in Ecology with R*, Springer, New York, NY.



# Index

- Čížek, 259
- 1D regression, 149, 287
  
- Abuhassan, 144
- additive error regression, 176, 287
- additive predictor, 150
- affine equivariant, 240, 266
- affine transformation, 240, 266
- Agresti, 143, 177, 178
- Agulló, 280
- Akaike, 180
- Amado, 143
- Anderson, 197, 198, 285
- Apostol, 94
- Ash, 74
- asymptotic distribution, 49, 61
- asymptotic pivot, 114
- asymptotic relative efficiency, 58, 72
- asymptotic theory, 49
- asymptotic variance, 58, 116, 235
- asymptotically efficient, 60, 72, 87
- asymptotically optimal, 97, 102
- attractor, 246
  
- Büchlmann, 138
- bagging estimator, 138
- Bain, 86
- Barker, 144
- Barndorff-Nielsen, 53, 88
- basic resampling, 246
- Bassett, 161
- Baszczyńska, 217
- Bayesian credible interval, 109
- Bayesian credible region, 109
- Berger, v, 2, 30, 53, 74
- Berk, 74
- Berndt, 197
  
- Bernholt, 259, 280
- beta-binomial regression, 177
- Bhatia, 169
- bias, 34
- Bibby, 74
- Bickel, v, 94, 125, 135, 138, 144, 225, 235
- Billingsley, 15
- binary regression, 176
- binomial regression, 176
- bivariate normal, 24
- Bloch, 217
- Bonferroni's Inequality, 2
- Boole's Inequality, 2
- bootstrap, 144
- breakdown, 241, 266
- Breiman, 138
- Brockwell, 285
- Brown, 74, 143
- Brownstein, 144
- Budny, 108
- Burr, 180
- Butler, 245
- Buxton, 223, 261, 299
- Byrne, 122, 144
  
- Caffo, 143
- Cai, 143
- case, 149, 151
- Casella, v, 2, 30, 74
- Cator, 245, 250, 253
- Cauchy Schwartz inequality, 153
- cdf, 3, 73
- centering matrix, 104
- central limit theorem, 58, 235
- cf, 17
- Chaganty, 234
- Chang, 144

- characteristic function, 15, 17, 73
- Charkhi, 182, 183, 185
- Chebyshev's Inequality, 63
- Chen, 108, 109, 130, 144
- Cheng, 209
- Chernoff, v
- Chew, 106
- Chun, 208
- CI, 113, 116
- Claeskens, 182–185
- Clarke, 144
- classical prediction region, 106
- CLTS, 263
- concentration, 246, 248
- conditional distribution, 24
- conditional probability, 3
- confidence interval, 113
- confidence region, 129
- consistent, 63
- consistent estimator, 58, 63, 72, 73, 235
- constant variance MLR model, 151
- Continuity Theorem, 67
- Continuous Mapping Theorem, 66
- converges almost everywhere, 65
- converges in distribution, 61
- converges in law, 61
- converges in probability, 62
- converges in quadratic mean, 63
- Cook, 109, 153, 162, 194, 207, 208
- coordinatewise median, 239
- Coull, 143
- covariance, 13
- covariance matrix, 13
- coverage, 108
- covmb2, 258, 279
- Cox, 53, 74, 178, 180
- Craig's Theorem, 155
- Cramér, v, 224
- Cramér Rao lower bound, 36
- CRLB, 36
- cumulant generating function, 14
- cumulative distribution function, 3, 73
- Dahiya, 234
- DasGupta, v, 57, 124, 126, 143
- Datta, 244
- Davidson, v
- DD plot, 295
- degrees of freedom, 209
- Delta Method, 51
- DeMorgan's Laws, 2
- Det-MCD, 255
- Devlin, 249
- DGK estimator, 249
- disjoint, 2
- dispersion matrix, 239
- Doksum, v, 94, 125
- double bootstrap, 144
- EE plot, 291
- Efron, 130, 138, 144, 163, 171, 180, 181
- Efroymsen, 208
- Einmahl, 109
- elastic net, 172
- elemental set, 241, 246, 248, 263
- ellipsoidal trimming, 260
- elliptically contoured, 41, 298
- elliptically contoured distribution, 106
- elliptically symmetric, 41
- empirical cdf, 131
- empirical distribution, 131
- equivariant, 235
- estimated additive predictor, 150
- estimated sufficient predictor, 150, 287
- estimated sufficient summary plot, 287
- Euclidean norm, 85, 268
- event, 1
- expected value, 4, 10, 13
- exponential family, 26
- Falk, 227
- Fan, 181
- FCRLB, 36
- Ferguson, v, 67
- Fernholtz, 144
- FF plot, 291
- Fischer, 280
- Fisher Information, 35
- fitted values, 152
- Forzani, 208
- Fréchet Cramér Rao lower bound, 36
- Freedman, 153, 163–165, 180
- Frey, 100, 109, 111
- Friedman, 138, 181
- Fu, 170, 172, 183
- full exponential family, 29
- gamma function, 41
- Gamma regression model, 176
- Garwood, 144
- Gastwirth, 217
- Gaussian MLR model, 151
- general position, 243, 268, 275
- generalized additive model, 150, 176
- generalized linear model, 150
- Gill, 144
- Golub, 269
- Grübel, 100, 109

- Grosh, 122  
 Gruber, 208  
 Guenther, 143  
 Gunst, 168, 169  
  
 Hössjer, 259  
 Hadamard derivative, 144  
 Haile, 109, 184, 189  
 half normal, 120  
 Hall, 130, 138, 144  
 Hampel, 259  
 Hannan, 285  
 Hastie, 144, 168, 171–173, 181, 185, 209  
 hat matrix, 152  
 Hawkins, 181, 183, 209, 246, 259, 264, 273, 280, 290  
 hblog, 275  
 He, 274, 280  
 Hebbler, 202  
 Henderson, 194  
 Hesterberg, 144  
 highest density region, 101, 102  
 Hinckley, 53  
 Hjort, 182, 184  
 Hoel, v  
 Hoerl, 208  
 Hoffman, 94  
 Huber, 261, 280, 281  
 Hubert, 248, 255, 281  
 Hunter, v  
 Hyndman, 103  
  
 i, 132  
 identity line, 287, 288  
 iid, 18, 150, 151, 213, 239  
 independent, 9  
 independent random vectors, 14  
 indicator function, 6, 232  
 Information Inequality, 36  
 information matrix, 87  
 information number, 35  
 interquartile range, 229  
  
 Jacobian matrix, 86  
 James, 150  
 Jia, 174  
 Jiang, v  
 Jin, 175  
 Johnson, 23, 33, 41, 106, 128, 203, 232, 234, 242, 244, 250  
 joint cdf, 7  
 joint distribution, 24  
 joint pdf, 7  
 joint pmf, 7  
  
 Kabaila, 122, 144  
 Kakizawa, 196, 197  
 Keleş, 208  
 Kennard, 208  
 Kent, 74  
 kernel, 28  
 Khattree, 197, 198  
 Kim, 259  
 KKT conditions, 209  
 Klouda, 259  
 Knight, 170, 172, 183  
 Koenker, 161, 209  
 Kotz, 232, 234  
 Kshirsagar, 197  
 kurtosis, 125  
  
 l, 161  
 Ladella, 33  
 Lai, 164, 208  
 Law of Total Probability, 3  
 least squares, 152  
 least squares estimators, 191  
 Lee, 156, 159, 197, 290  
 Lehmann, v, 32, 36, 53, 58, 60, 69, 70, 87–89, 235  
 Lei, 185  
 Leon, 249  
 Leroy, 240, 249, 261, 270, 281  
 Li, 181  
 limiting distribution, 50, 61  
 linearity constraint, 28  
 Liu, 33, 280  
 LMS, 259  
 location family, 215  
 location model, 213  
 location–scale family, 215, 234  
 Lopuhaä, 237, 245, 250, 251, 253  
 LTA, 259  
 LTS, 259  
  
 Mašiček, 259  
 Machado, 135, 138  
 MAD, 213, 214  
 mad, 228  
 Mahalanobis distance, 41, 103, 104, 240, 279, 295  
 Mallows, 183, 261  
 Mann, 74  
 Mardia, 74, 242  
 marginal pdf, 8  
 marginal pmf, 7  
 Markov's Inequality, 63  
 Maronna, 247, 280, 281  
 Marsden, 94

- Mason, 109, 168, 169
- matrix norm, 268
- maximum likelihood estimator, 37
- MB estimator, 249
- McCulloch, 74
- MCD, 245
- mean, 214
- mean squared error, 34
- median, 214, 278
- median absolute deviation, 214, 279
- Meinshausen, 181
- method of moments, 216
- method of moments estimator, 39
- metrically trimmed mean, 219
- mgf, 14, 17, 73
- minimum covariance determinant, 245
- minimum volume ellipsoid, 280
- mixture distribution, 39, 224
- MLD, 238
- MLE, 37, 59
- MLR, 150
- MLS CLT, 194
- moment generating function, 14, 17, 73
- Moore, 119
- Mount, 259
- MSE, 34
- multiple linear regression, 150
- multiple linear regression model, 189
- Multivariate Central Limit Theorem, 86
- Multivariate Chebyshev's Inequality, 108
- Multivariate Delta Method, 86
- multivariate linear model, 189
- multivariate linear regression model, 189
- multivariate location and dispersion, 246
- multivariate location and dispersion model, 190, 239
- multivariate normal, 23, 41, 295, 297
- mutually exclusive, 2
  
- Naik, 197, 198
- Narasimhan, 209
- Navarro, 108
- Nelder, 180
- nonparametric bootstrap, 132
- nonparametric prediction region, 106
- norm, 172, 269
- normal distribution, 117
- normal MLR model, 151
  
- observation, 149
- Olive, v, 1, 30, 49, 55, 74, 85, 103, 106, 108, 109, 113, 120, 132, 135, 140, 144, 175, 176, 181–185, 187, 189, 198, 203, 208, 239, 246, 249, 257, 259, 260, 263, 264, 273, 280, 290
- OLS, 152
- OLS CLT, 153
- order statistics, 98, 214, 278
- outlier, 213
- Outlier resistant regression, 257, 259
- outliers, 289
  
- p-value, 119
- Pötscher, 184, 185
- parameter space, 6
- Parente, 135, 138
- Partial F Test Theorem, 156
- pdf, 4
- Pedrosa De Lima, v
- Pekasiewicz, 217
- Pelawa Watagoda, 135, 138, 140, 175, 182, 185, 187, 208
- Pelawa Watogoda, 183
- Pensky, 144
- percentile method, 130
- percentile prediction interval, 99
- Perlman, 74
- permutation invariant, 266
- Pesch, 280
- Pewsey, 120
- Pfanzagl, 74
- Pires, 143
- pivot, 114
- pmf, 4
- Poisson regression, 176
- Polansky, v
- Pollard, 161, 259
- population correlation, 25
- population mean, 13
- population median, 214, 228
- population median absolute deviation, 214
- population shorth, 97
- Port, v
- Portnoy, 74, 274
- positive breakdown, 243
- Pratt, 184, 247, 254, 273, 274
- predicted values, 152
- prediction region, 102
- predictor variables, 189
- probability density function, 4
- probability mass function, 4
- projection matrix, 155
- pval, 154
- pvalue, 154
  
- qualitative variable, 149

- quantile function, 224
- quantitative variable, 149
- R Core Team, 111
- Rajapaksha, 144, 176
- random sample, 18
- random variable, 3
- random vector, 13
- randomly trimmed mean, 219
- Rao, 23
- Rathnayake, 109, 182, 184, 189, 208
- REF, 29
- regression equivariance, 265
- regression equivariant, 265
- regular exponential family, 29
- Ren, 135, 138, 144
- residual plot, 287
- residuals, 152
- response plot, 287, 291
- response transformation model, 176
- response variable, 149
- response variables, 189
- Reyen, 280
- RFCH estimator, 254
- Robbins, 208
- robust confidence interval, 223
- robust point estimators, 216
- Rocke, 245
- Rohatgi, v, 25, 67, 74
- Ronchetti, 280, 281
- Rousseeuw, 240, 246, 249, 259, 261, 270, 280, 281, 295
- RR plot, 291
- Rupasinghe Arachchige Don, 208
- sample correlation matrix, 103
- sample covariance matrix, 103, 279
- sample mean, 49, 103, 279
- sample space, 1, 6, 7
- Savin, 197
- scale equivariant, 266
- scale family, 215
- scaled asymptotic length, 114
- scaled Winsorized variance, 221, 225
- Schervish, 53, 74
- Schwarz, 180
- SE, 49
- Searle, 89, 193, 194
- Seber, 156, 159, 197, 290
- Sen, v, 74, 144, 152, 179
- Serfling, v, 92, 132, 226
- Severini, 26, 92, 169
- Shao, 109, 180, 183
- shape, 109
- Sheather, 58, 111, 235
- Shorack, 225, 226
- Simon, 181
- Simonoff, 177
- Singer, v, 74, 152, 179
- Slawski, 175
- SLLN, 65
- Slutsky's Theorem, 65, 92
- smoothed bootstrap estimator, 138
- spectral norm, 269
- spherical, 41
- Stahel-Donoho estimator, 280
- standard deviation, 5, 214
- standard error, 49, 58, 235
- Staneski, 234
- Staudte, 58, 111, 235
- Stewart, 169
- Stigler, 225
- Stone, v
- Strong Law of Large Numbers, 65
- Su, 153, 162, 194, 207
- sufficient predictor, 149, 287
- Sun, 209
- support, 6, 7
- Swift, 144
- symmetrically trimmed mean, 217
- Tardiff, 67
- Tay, 209
- Taylor, 174
- test data, 149
- Tibshirani, 144, 174, 180, 181, 185, 209
- Tikhonov regularization, 208
- trace, 155
- training data, 149
- Tremearne, 288
- trimmed mean, 219, 236
- trimmed views estimator, 261
- truncated Cauchy, 234
- truncated double exponential, 231
- truncated exponential, 230
- truncated normal, 232
- truncated random variable, 223, 229
- Tu, 180
- TV estimator, 261
- two sample procedures, 117
- two stage trimmed means, 234
- UMVUE, 35
- unbiased estimator, 35
- uniformly minimum variance unbiased estimator, 35
- unimodal MLR model, 151

- V, 74
- van der Vaart, v
- Van Driessen, 246, 295
- Van Loan, 269
- variance, 5, 213, 214
- vector norm, 268
- von Mises differentiable statistical functions, 132
  
- Wade, 94
- Wainwright, 181, 185
- Wald, 74
- Wang, 280
- Weak Law of Large Numbers, 65
- Wedderburn, 180
- Wei, 208
- Weibull distribution, 86
- Weisberg, 109
- Welch, 118
- Welch intervals, 118
- Wellner, 225, 226
- White, v, 91, 209
  
- Wichern, 23, 106, 203, 242, 244, 250
- Wieczorek, 185
- Wilcoxon rank estimator, 261
- Winsorized mean, 219
- Winsorized random variable, 224, 229
- WLLN, 65
- Woodroffe, v
- Woodruff, 245
  
- Yang, 138
- Yao, 285
- Yee, 209
- Yohai, 281
- Yu, 138, 174, 182
- Yuen, 118
  
- zero breakdown, 243
- Zhang, 189, 209, 280
- Zhao, 182
- Zou, 173, 181
- Zuo, 280