

Agulló, J. (1996), "Exact Iterative Computation of the Multivariate Minimum Volume Ellipsoid Estimator with a Branch and Bound Algorithm," In *Proceedings in Computational Statistics*, Prat, A., Physica-Verlag, Heidelberg, 175-180.

Agulló, J., (1998), "Computing the Minimum Covariance Determinant Estimator," unpublished manuscript, Universidad de Alicante.

Aldrin, M., Bølviken, E., and Schweder, T. (1993), "Projection Pursuit Regression for Moderate Non-linearities," *Computational Statistics and Data Analysis*, 16, 379-403.

Alkenani, A., and Yu, K. (2012), "A Comparative Study for Robust Canonical Correlation Methods" *Journal of Statistical Computation and Simulation*, to appear.

Alqallaf, F.A. Konis, K.P., Martin, R.D., and Zamar, R.H. (2002), "Scalable Robust Covariance and Correlation Estimates for Data Mining," In *Proceedings of the Seventh ACM SIGKDD International Conference on Knowledge Discovery and Data Mining*, ACM, Edmonton.

American Society of Civil Engineers (1950), "So You're Going to Present a Paper," *The American Statistician* 4, 6-8.

Anderson, M.J. (2001), "A New Method for Non-parametric Multivariate Analysis of Variance," *Austral Ecology*, 26, 32-46.

Anderson, T.W. (1984, 2003), *An Introduction to Multivariate Statistical Analysis*, 2nd and 3rd ed., Wiley, New York, NY.

Arcones, M.A. (1995), "Asymptotic Normality of Multivariate Trimmed Means," *Statistics and Probability Letters*, 25, 43-53.

Ash, R.B. (1972), *Real Analysis and Probability*, Academic Press, San Diego, CA.

Atkinson, A., Riani, R., and Cerioli, A. (2004), *Exploring Multivariate Data with the Forward Search*, Springer-Verlag, New York, NY.

Bali, J.L., Boente, G., Tyler, D.E. and Wang, J.L. (2011), "Robust Functional Principal Components: a Projection-Pursuit Approach," *The Annals of Statistics*, 39, 2852-2882.

Barndorff-Nielsen, O. (1982), "Exponential Families," in *Encyclopedia of Statistical Sciences*, Vol. 2, eds. Kotz, S. and Johnson, N.L., Wiley, New York, NY, 587-596.

Becker, R.A., Chambers, J.M., and Wilks, A.R. (1988), *The New S Language A Programming Environment for Data Analysis and Graphics*, Wadsworth and Brooks/Cole, Pacific Grove, CA.

- Becker, R.A., and Keller-McNulty, S. (1996), "Presentation Myths," *The American Statistician*, 50, 112-115.
- Bentler, P.M., and Yuan, K.H. (1998), "Tests for Linear Trend in the Smallest Eigenvalues of the Correlation Matrix," *Psychometrika*, 63, 131-144.
- Berk, K.N. (1978), "Comparing Subset Regression Procedures," *Technometrics*, 20, 1-6.
- Bernholt, T., and Fischer, P. (2004), "The Complexity of Computing the MCD-Estimator," *Theoretical Computer Science*, 326, 383-398.
- Bhatia, R., Elsner, L., and Krause, G. (1990), "Bounds for the Variation of the Roots of a Polynomial and the Eigenvalues of a Matrix," *Linear Algebra and Its Applications*, 142, 195-209.
- Billor, N., Hadi, A., and Velleman, P. (2000), "Bacon: Blocked Adaptive Computationally Efficient Outlier Nominators," *Computational Statistics & Data Analysis*, 34, 279-298.
- Bishop, C.M. (2006), *Pattern Recognition and Machine Learning*, Springer Science, New York, NY.
- Boente, G. (1987), "Asymptotic Theory for Robust Principal Components," *Journal of Multivariate Analysis*, 21, 67-78.
- Boente, G., and Fraiman, R. (1999), "Discussion of 'Robust Principal Component Analysis for Functional Data' by Locantore et al.," *Test*, 8, 28-35.
- Bogdan, M. (1999), "Data Driven Smooth Tests for Bivariate Normality," *Journal of Multivariate Analysis*, 68, 26-53.
- Box, G.E.P. (1990), "Commentary on 'Communications between Statisticians and Engineers/Physical Scientists' by H.B. Hoagly and J.R. Kettenring," *Technometrics*, 32, 251-252.
- Box, G.E.P., and Cox, D.R. (1964), "An Analysis of Transformations," *Journal of the Royal Statistical Society, B*, 26, 211-246.
- Box, G.E.P., Hunter, J.S., and Hunter, W.G. (2005), *Statistics for Experimenters*, 2nd ed., Wiley, New York, NY.
- Braun, W.J., and Murdoch, D.J. (2007), *A First Course in Statistical Programming with R*, Cambridge University Press, New York, NY.
- Brillinger, D.R. (1977), "The Identification of a Particular Nonlinear Time Series," *Biometrika*, 64, 509-515.
- Brillinger, D.R. (1983), "A Generalized Linear Model with "Gaussian" Regressor Variables," in *A Festschrift for Erich L. Lehmann*, eds. Bickel,

P.J., Doksum, K.A., and Hodges, J.L., Wadsworth, Pacific Grove, CA, 97-114.

Brown, M.B., and Forsythe, A.B. (1974a), "The ANOVA and Multiple Comparisons for Data with Heterogeneous Variances," *Biometrics*, 30, 719-724.

Brown, M.B., and Forsythe, A.B. (1974b), "The Small Sample Behavior of Some Statistics Which Test the Equality of Several Means," *Technometrics*, 16, 129-132.

Butler, R.W., Davies, P.L., and Jhun, M. (1993), "Asymptotics for the Minimum Covariance Determinant Estimator," *The Annals of Statistics*, 21, 1385-1400.

Buxton, L.H.D. (1920), "The Anthropology of Cyprus," *The Journal of the Royal Anthropological Institute of Great Britain and Ireland*, 50, 183-235.

Cai, T., and Liu, W. (2011), "A Direct Approach to Sparse Linear Discriminant Analysis," *Journal of the American Statistical Association*, 106, 1566-1577.

Cambanis, S., Huang, S., and Simons, G. (1981), "On the Theory of Elliptically Contoured Distributions," *Journal of Multivariate Analysis*, 11, 368-385.

Carroll, R.J., and Pederson, S. (1993), "On Robustness in the Logistic Regression Model," *Journal of the Royal Statistical Society, B*, 55, 693-706.

Casella, G., and Berger, R.L. (2002), *Statistical Inference*, 2nd ed., Duxbury, Belmont, CA.

Cator, E.A., and Lopuhaä, H.P. (2009), "Central Limit Theorem and Influence Function for the MCD Estimators at General Multivariate Distributions," preprint. See (<http://arxiv.org/abs/0907.0079>).

Cator, E.A., and Lopuhaä, H.P. (2010), "Asymptotic Expansion of the Minimum Covariance Determinant Estimators," *Journal of Multivariate Analysis*, 101, 2372-2388.

Cattell, R.B. (1966), "The Scree Test for the Number of Factors," *Multivariate Behavioral Research*, 1, 245-276.

Chambers, J.M., Cleveland, W.S., Kleiner, B., and Tukey, P. (1983), *Graphical Methods for Data Analysis*, Duxbury Press, Boston, MA.

Chang, J., and Olive, D.J. (2007), *Resistant Dimension Reduction*, Preprint, see (www.math.siu.edu/olive/preprints.htm).

Chang, J., and Olive, D.J. (2010), "OLS for 1D Regression Models," *Communications in Statistics: Theory and Methods*, 39, 1869-1882.

Chmielewski, M.A. (1981), "Elliptically Symmetric Distributions: a Review and Bibliography," *International Statistical Review*, 49, 67-74.

Cobb, G.W. (1998), *Introduction to Design and Analysis of Experiments*, Key College Publishing, Emeryville, CA.

Cook, R.D. (1998), *Regression Graphics: Ideas for Studying Regression Through Graphics*, Wiley, New York, NY.

Cook, R.D., and Hawkins, D.M. (1990), "Comment on 'Unmasking Multivariate Outliers and Leverage Points' by P.J. Rousseeuw and B.C. van Zomeren," *Journal of the American Statistical Association*, 85, 640-644.

Cook, R.D., Hawkins, D.M., and Weisberg, S. (1992), "Comparison of Model Misspecification Diagnostics Using Residuals from Least Mean of Squares and Least Median of Squares," *Journal of the American Statistical Association*, 87, 419-424.

Cook, R.D., Hawkins, D.M., and Weisberg, S. (1993), "Exact Iterative Computation of the Robust Multivariate Minimum Volume Ellipsoid Estimator," *Statistics and Probability Letters*, 16, 213-218.

Cook, R.D., and Li, B. (2002), "Dimension Reduction for Conditional Mean in Regression," *The Annals of Statistics*, 30, 455-474.

Cook, R.D., and Nachtsheim, C.J. (1994), "Reweighting to Achieve Elliptically Contoured Covariates in Regression," *Journal of the American Statistical Association*, 89, 592-599.

Cook, R.D., and Olive, D.J. (2001), "A Note on Visualizing Response Transformations in Regression," *Technometrics*, 43, 443-449.

Cook, R.D., and Setodji, C.M. (2003), "A Model-Free Test for Reduced Rank in Multivariate Regression," *Journal of the American Statistical Association*, 98, 340351.

Cook, R.D., and Weisberg, S. (1999a), *Applied Regression Including Computing and Graphics*, Wiley, New York, NY.

Cook, R.D., and Weisberg, S. (1999b), "Graphs in Statistical Analysis: is the Medium the Message?" *The American Statistician*, 53, 29-37.

Copas, J.B. (1983), "Regression Prediction and Shrinkage," (with discussion), *Journal of the Royal Statistical Society, B*, 45, 311-354.

Cornish, E.A. (1954), "The Multivariate t-Distribution Associated with a Set of Normal Sample Deviates," *Australian Journal of Physics*, 7, 531-542.

Cramér, H. (1946), *Mathematical Methods of Statistics*, Princeton University Press, Princeton, NJ.

Crawley, M.J. (2005), *Statistics an Introduction Using R*, Wiley, Hoboken, NJ.

- Crawley, M.J. (2007), *The R Book*, Wiley, Hoboken, NJ.
- Croux, C., Dehon, C., Rousseeuw, P.J., and Van Aelst, S. (2001), "Robust Estimation of the Conditional Median Function at Elliptical Models," *Statistics and Probability Letters*, 51, 361-368.
- Croux, C., Dehon, C., and Yadine, A. (2010), "The k-step Spatial Sign Covariance Matrix," *Advances in Data Analysis and Classification*, 4, 137-150.
- Croux, C., and Van Aelst, S. (2002), "Comment on 'Nearest-Neighbor Variance Estimation (NNVE): Robust Covariance Estimation via Nearest-Neighbor Cleaning' by N. Wang and A.E. Raftery," *Journal of the American Statistical Association*, 97, 1006-1009.
- Czörgö, S. (1986), "Testing for Normality in Arbitrary Dimension," *The Annals of Statistics*, 14, 708-723.
- DasGupta, A. (2008), *Asymptotic Theory of Statistics and Probability*, Springer-Verlag, New York, NY.
- Datta, B.N. (1995), *Numerical Linear Algebra and Applications*, Brooks/Cole Publishing Company, Pacific Grove, CA.
- Davidson, J. (1994), *Stochastic Limit Theory*, Oxford University Press, Oxford, UK.
- Davies, P.L. (1992), "Asymptotics of Rousseeuw's Minimum Volume Ellipsoid Estimator," *The Annals of Statistics*, 20, 1828-1843.
- Devlin, S.J., Gnanadesikan, R., and Kettenring, J.R. (1975), "Robust Estimation and Outlier Detection with Correlation Coefficients," *Biometrika*, 62, 531-545.
- Devlin, S.J., Gnanadesikan, R., and Kettenring, J.R. (1981), "Robust Estimation of Dispersion Matrices and Principal Components," *Journal of the American Statistical Association*, 76, 354-362.
- Duda, R.O., Hart, P.E., and Stork, D.G. (2000), *Pattern Classification*, 2nd ed., Wiley, New York, NY.
- Easton, G.S., and McCulloch, R.E. (1990), "A Multivariate Generalization of Quantile Quantile Plots," *Journal of the American Statistical Association*, 85, 376-386.
- Eaton, M.L. (1986), "A Characterization of Spherical Distributions," *Journal of Multivariate Analysis*, 20, 272-276.
- Eaton, M.L., and Tyler, D.E. (1991), "On Wielands's Inequality and its Application to the Asymptotic Distribution of the Eigenvalues of a Random Symmetric Matrix," *The Annals of Statistics*, 19, 260-271.

- Ehrenberg, A.S.C. (1982), "Writing Technical Papers or Reports," *The American Statistician*, 36, 326-329.
- Ernst, M.D. (2009), "Teaching Inference for Randomized Experiments," *Journal of Statistical Education*, 17, (online).
- Fang, K.T., and Anderson, T.W. (editors) (1990), *Statistical Inference in Elliptically Contoured and Related Distributions*, Allerton Press, New York, NY.
- Fang, K.T., Kotz, S., and Ng, K.W. (1990), *Symmetric Multivariate and Related Distributions*, Chapman & Hall, New York, NY.
- Ferguson, T.S. (1996), *A Course in Large Sample Theory*, Chapman & Hall, New York, NY.
- Flury, B., and Riedwyl, H. (1988), *Multivariate Statistics: a Practical Approach*, Chapman & Hall, London, UK.
- Fox, J. (1991), *Regression Diagnostics*, Sage Publications, Newbury Park, CA.
- Freeman, D.H., Gonzalez, M.E., Hoaglin, D.C., and Kilss, B.A. (1983), "Presenting Statistical Papers," *The American Statistician*, 37, 106-110.
- Furnival, G., and Wilson, R. (1974), "Regression by Leaps and Bounds," *Technometrics*, 16, 499-511.
- García-Escudero, L.A., and Gordaliza, A. (2005), "Generalized Radius Processes for Elliptically Contoured Distributions," *Journal of the American Statistical Association*, 100, 1036-1045.
- Gladstone, R.J. (1905), "A Study of the Relations of the Brain to the Size of the Head," *Biometrika*, 4, 105-123.
- Gnanadesikan, R. (1977, 1997), *Methods for Statistical Data Analysis of Multivariate Observations*, 1st and 2nd ed., Wiley, New York, NY.
- Gnanadesikan, R., and Kettenring, J.R. (1972), "Robust Estimates, Residuals, and Outlier Detection with Multiresponse Data," *Biometrics*, 28, 81-124.
- Good, P.I. (2012), *A Practitioner's Guide to Resampling for Data Analysis, Data Mining, and Modeling*, Chapman & Hall/CRC, Boca Raton, FL.
- Grimm, L.G., and Yarnold, P.R. (Eds.) (1995), *Reading and Understanding Multivariate Statistics*, American Psychological Association, Washington, D.C.
- Grimm, L.G., and Yarnold, P.R. (Eds.) (2000), *Reading and Understanding More Multivariate Statistics*, American Psychological Association, Washington, D.C.

Grofman, B. (1981), "Fair Apportionment and the Banzhaf Index," *The American Mathematical Monthly*, 88, 1-5.

Gupta, A.K., and Varga, T. (1993), *Elliptically Contoured Models in Statistics*, Kluwer Academic Publishers, Dordrecht, The Netherlands.

Hair, J.F., Black, B., Anderson, R.E., and Tatham, R.L. (2005), *Multivariate Data Analysis*, 6th ed., Prentice Hall, Upper Saddle River, NJ.

Hamada, M., and Sitter, R. (2004), "Statistical Research: Some Advice for Beginners," *The American Statistician*, 58, 93-101.

Hand, D.J. (2006), "Classifier Technology and the Illusion of Progress," (with discussion), *Statistical Science*, 21, 1-34.

Hawkins, D.M. (1993), "A Feasible Solution Algorithm for the Minimum Volume Ellipsoid Estimator in Multivariate Data," *Computational Statistics*, 9, 95-107.

Hawkins, D.M. (1994), "The Feasible Solution Algorithm for the Minimum Covariance Determinant Estimator in Multivariate Data," *Computational Statistics and Data Analysis*, 17, 197-210.

Hawkins, D.M., and Olive, D.J. (1999a), "Improved Feasible Solution Algorithms for High Breakdown Estimation," *Computational Statistics and Data Analysis*, 30, 1-11.

Hawkins, D.M., and Olive, D. (1999b), "Applications and Algorithms for Least Trimmed Sum of Absolute Deviations Regression," *Computational Statistics and Data Analysis*, 32, 119-134.

Hawkins, D.M., and Olive, D.J. (2002), "Inconsistency of Resampling Algorithms for High Breakdown Regression Estimators and a New Algorithm," (with discussion), *Journal of the American Statistical Association*, 97, 136-159.

Hawkins, D.M., and Simonoff, J.S. (1993), "High Breakdown Regression and Multivariate Estimation," *Applied Statistics*, 42, 423-432.

He, X., and Wang, G. (1996), "Cross-Checking Using the Minimum Volume Ellipsoid Estimator," *Statistica Sinica*, 6, 367-374.

He, X., and Wang, G. (1997), "Qualitative Robustness of S*- Estimators of Multivariate Location and Dispersion," *Statistica Neerlandica*, 51, 257-268.

Henderson, H.V., and Searle, S.R. (1977), "Vec and Vech Operators for Matrices, with Some Uses in Jacobians and Multivariate Statistics," *The Canadian Journal of Statistics*, 7, 65-81.

Hoaglin, D.C., Mosteller, F., and Tukey, J.W. (eds.) (1991), *Fundamentals of Exploratory Analysis of Variance*, Wiley, New York, NY.

Hoeffding, W. (1952), "The Large Sample Power of Tests Based on Permutations of Observations," *The Annals of Mathematical Statistics*, 23, 169-192.

Hosmer, D.W., and Lemeshow, S. (2000), *Applied Logistic Regression*, 2nd ed., Wiley, New York, NY.

Huber, P.J. (1981), *Robust Statistics*, Wiley, New York, NY.

Huber, P.J., and Ronchetti, E.M. (2009), *Robust Statistics*, 2nd ed., Wiley, Hoboken, NJ.

Hubert, M. (2001), "Discussion of 'Multivariate Outlier Detection and Robust Covariance Matrix Estimation' by D. Peña and F.J. Prieto," *Technometrics*, 43, 303-306.

Hubert, M., Rousseeuw, P.J., and Van Aelst, S. (2002), "Comment on 'Inconsistency of Resampling Algorithms for High Breakdown Regression and a New Algorithm' by D.M. Hawkins and D.J. Olive," *Journal of the American Statistical Association*, 97, 151-153.

Hubert, M., Rousseeuw, P.J., and Van Aelst, S. (2008), "High Breakdown Multivariate Methods," *Statistical Science*, 23, 92-119.

Hubert, M., Rousseeuw, P.J., and Verdonck, T. (2012), "A Deterministic Algorithm for Robust Location and Scatter," *Journal of Computational and Graphical Statistics*, 21, 618-637.

Huberty, C.J., and Olejnik, S. (2006), *Applied MANOVA and Discriminant Analysis*, 2nd ed., Wiley, Hoboken, NJ.

Jiang, J. (2010) *Large Sample Techniques for Statistics*, Springer, New York, NY.

Johnson, M.E. (1987), *Multivariate Statistical Simulation*, Wiley, New York, NY.

Johnson, N.L., and Kotz, S. (1972), *Distributions in Statistics: Continuous Multivariate Distributions*, Wiley, New York, NY.

Johnson, R.A., and Wichern, D.W. (1988, 2007), *Applied Multivariate Statistical Analysis*, 2nd and 6th ed., Prentice Hall, Englewood Cliffs, NJ.

Jolliffe, I.T. (2010), *Principal Component Analysis*, 2nd ed., Springer, New York, NY.

Jones, H.L., (1946), "Linear Regression Functions with Neglected Variables," *Journal of the American Statistical Association*, 41, 356-369.

Kachigan, S.K. (1991), *Multivariate Statistical Analysis: A Conceptual Introduction*, 2nd ed., Radius Press, New York, NY.

Kelker, D. (1970), "Distribution Theory of Spherical Distributions and a Location Scale Parameter Generalization," *Sankhya, A*, 32, 419-430.

Kendall, M. (1980), *Multivariate Analysis*, 2nd ed., Macmillan Publishing, New York, NY.

Khattree, R., and Naik, D.N. (1999), *Applied Multivariate Statistics with SAS Software*, 2nd ed., SAS Institute, Cary, NC.

Kim, J. (2000), "Rate of Convergence of Depth Contours: with Application to a Multivariate Metrically Trimmed Mean," *Statistics and Probability Letters*, 49, 393-400.

Kirk, R.E. (1982), *Experimental Design: Procedures for the Behavioral Sciences*, 2nd ed., Brooks/Cole Publishing Company, Belmont, CA.

Koltchinskii, V.I., and Li, L. (1998), "Testing for Spherical Symmetry of a Multivariate Distribution," *Journal of Multivariate Analysis*, 65, 228-244.

Kosfeld, R. (1996), "Robust Exploratory Factor Analysis," *Statistical Papers*, 37 (2): 105-122.

Kowalski, C.J. (1973), "Non-normal Bivariate Distributions with Normal Marginals," *The American Statistician*, 27, 103-106.

Kuehl, R.O. (1994), *Statistical Principles of Research Design and Analysis*, Duxbury Press, Belmont, CA.

Ledolter, J., and Swersey, A.J. (2007), *Testing 1-2-3 Experimental Design with Applications in Marketing and Service Operations*, Stanford University Press, Stanford, CA.

Lehmann, E.L. (1983), *Theory of Point Estimation*, Wiley, New York, NY.

Lehmann, E.L. (1999), *Elements of Large-Sample Theory*, Springer-Verlag, New York, NY.

Leon, S.J. (1986), *Linear Algebra with Applications*, 2nd ed., Macmillan Publishing Company, New York, NY.

Li, K.C., and Duan, N. (1989), "Regression Analysis Under Link Violation," *The Annals of Statistics*, 17, 1009-1052.

Li, R., Fang, K., and Zhu, L. (1997), "Some Q-Q Probability Plots to Test Spherical and Elliptical Symmetry," *Journal of Computational and Graphical Statistics*, 6, 435-450.

Little, R.J.A., and Rubin, D.B. (2002), *Statistical Analysis with Missing Data*, 2nd ed., Wiley, New York, NY.

Liu, R.Y., Parelius, J.M., and Singh, K. (1999), "Multivariate Analysis by Data Depth: Descriptive Statistics, Graphics, and Inference," *The Annals of Statistics*, 27, 783-858.

Locantore, N., Marron, J.S., Simpson, D.G., Tripoli, N., Zhang, J.T., and Cohen, K.L. (1999), "Robust Principal Component Analysis for Functional

Data,” (with discussion), *Test*, 8, 1-73.

Lopuhaä, H.P. (1999), “Asymptotics of Reweighted Estimators of Multivariate Location and Scatter,” *The Annals of Statistics*, 27, 1638-1665.

Mai, Q., Zou, H., and Yuan, M. (2012), “A Direct Approach to Sparse Discriminant Analysis in Ultra-High Dimensions,” *Biometrika*, 99, 29-42.

Mallows, C. (1973), “Some Comments on C_p ,” *Technometrics*, 15, 661-676.

Manzotti, A., Pérez, F.J., and Quiroz, A.J. (2002), “A Statistic for Testing the Null Hypothesis of Elliptical Symmetry,” *Journal of Multivariate Analysis*, 81, 274-285.

Mardia, K.V. (1971), “The Effect of Nonnormality on Some Multivariate Tests of Robustness to Nonnormality in the Linear Model,” *Biometrika*, 58, 105-121.

Mardia, K.V., Kent, J.T., and Bibby, J.M. (1979), *Multivariate Analysis*, Academic Press, London.

Maronna, R.A., Martin, R.D., and Yohai, V.J. (2006), *Robust Statistics: Theory and Methods*, Wiley, Hoboken, NJ.

Maronna, R.A., and Yohai, V.J. (2002), “Comment on ‘Inconsistency of Resampling Algorithms for High Breakdown Regression and a New Algorithm’ by D.M. Hawkins and D.J. Olive,” *Journal of the American Statistical Association*, 97, 154-155.

Maronna, R.A., and Zamar, R.H. (2002), “Robust Estimates of Location and Dispersion for High-Dimensional Datasets,” *Technometrics*, 44, 307-317.

MathSoft (1999a), *S-Plus 2000 User’s Guide*, Data Analysis Products Division, MathSoft, Seattle, WA. (Mathsoft is now Insightful.)

MathSoft (1999b), *S-Plus 2000 Guide to Statistics*, Volume 2, Data Analysis Products Division, MathSoft, Seattle, WA. (Mathsoft is now Insightful.)

McDonald, G.C., and Schwing, R.C. (1973), “Instabilities of Regression Estimates Relating Air Pollution to Mortality,” *Technometrics*, 15, 463-482.

McLachlan, G.J. (2004), *Discriminant Analysis and Statistical Pattern Recognition*, Wiley, Hoboken, NJ.

Mehrotra, D.V. (1995), “Robust Elementwise Estimation of a Dispersion Matrix,” *Biometrics*, 51, 1344-1351.

Miller, D.M. (1984), “Reducing Transformation Bias in Curve Fitting,” *The American Statistician*, 38, 124-126.

Møller, S.F., von Frese, J., and Bro, R. (2005), “Robust Methods for Multivariate Data Analysis,” *Journal of Chemometrics*, 19, 549-563.

Montgomery, D.C. (1984), *Design and Analysis of Experiments*, 2nd ed., Wiley, New York, NY.

Moore, D.S. (2000), *The Basic Practice of Statistics*, 2nd ed., W.H. Freeman, New York, NY.

Mosteller, F., and Tukey, J.W. (1977), *Data Analysis and Regression*, Addison-Wesley, Reading, MA.

Muirhead, R.J. (1982), *Aspects of Multivariate Statistical Theory*, Wiley, New York, NY.

Muirhead, R.J., and Waternaux, C.M. (1980), "Asymptotic Distribution in Canonical Correlation Analysis and Other Multivariate Procedures for Nonnormal Populations," *Biometrika*, 67, 31-43.

Olive, D.J. (2002), "Applications of Robust Distances for Regression," *Technometrics*, 44, 64-71.

Olive, D.J. (2004a), "A Resistant Estimator of Multivariate Location and Dispersion," *Computational Statistics and Data Analysis*, 46, 99-102.

Olive, D.J. (2004b), "Visualizing 1D Regression," in *Theory and Applications of Recent Robust Methods*, eds. Hubert, M., Pison, G., Struyf, A., and Van Aelst, S., Series: Statistics for Industry and Technology, Birkhäuser, Basel, Switzerland, 221-233.

Olive, D.J. (2005), "Two Simple Resistant Regression Estimators," *Computational Statistics and Data Analysis*, 49, 809-819.

Olive, D.J. (2007), "Prediction Intervals for Regression Models," *Computational Statistics and Data Analysis*, 51, 3115-3122.

Olive, D.J. (2010), *Multiple Linear and 1D Regression Models*, Unpublished Online Text available from (www.math.siu.edu/olive/regbk.htm).

Olive, D.J. (2011b), *The Number of Samples for Resampling Algorithms*, Preprint, see (www.math.siu.edu/olive/).

Olive, D.J. (2012a), "Why the Rousseeuw Yohai Paradigm is One of the Largest and Longest Running Scientific Hoaxes in History," unpublished manuscript available from (www.math.siu.edu/olive/).

Olive, D.J. (2012b), *A Course in Statistical Theory*, Unpublished manuscript available from (www.math.siu.edu/olive/).

Olive, D.J. (2013a), "Asymptotically Optimal Regression Prediction Intervals and Prediction Regions for Multivariate Data," *International Journal of Statistics and Probability*, 2, 90-100.

Olive, D.J. (2013b), "Plots for Generalized Additive Models," *Communications in Statistics: Theory and Methods*, 41, to appear.

Olive, D.J. (2014), *Robust Statistics*, To Appear.

Olive, D.J., and Hawkins, D.M. (2003), "Robust Regression with High Coverage," *Statistics and Probability Letters*, 63, 259-266.

Olive, D.J., and Hawkins, D.M. (2005), "Variable Selection for 1D Regression Models," *Technometrics*, 47, 43-50.

Olive, D.J., and Hawkins, D.M. (2007), "Robustifying Robust Estimators," Preprint, see (www.math.siu.edu/olive/preprints.htm).

Olive, D.J., and Hawkins, D.M. (2008), "High Breakdown Multivariate Estimators," Preprint, see (www.math.siu.edu/olive/preprints.htm).

Olive, D.J., and Hawkins, D.M. (2010), "Robust Multivariate Location and Dispersion," Preprint, see (www.math.siu.edu/olive/preprints.htm).

Olive, D.J., and Hawkins, D.M. (2011), "Practical High Breakdown Regression," Preprint, see (www.math.siu.edu/olive/preprints.htm).

Peña, D., and Prieto, F.J. (2001), "Multivariate Outlier Detection and Robust Covariance Matrix Estimation," *Technometrics*, 286-299.

Pesch, C. (1999), "Computation of the Minimum Covariance Determinant Estimator," in *Classification in the Information Age, Proceedings of the 22nd Annual GfKl Conference, Dresden 1998*, eds. Gaul W., and Locarek-Junge, H., Springer, Berlin, 225-232.

Polansky, A.M. (2011), *Introduction to Statistical Limit Theory*, CRC Press, Boca Rotan, FL.

Poor, H.V. (1988), *An Introduction to Signal Detection and Estimation*, Springer-Verlag, New York, NY.

Pratt, J.W. (1959), "On a General Concept of 'in Probability'," *The Annals of Mathematical Statistics*, 30, 549-558.

Press, S.J. (2005), *Applied Multivariate Analysis: Using Bayesian and Frequentist Methods of Inference*, 2nd ed., Dover Publications, Mineola, NY.

R Development Core Team (2011), "R: a Language and Environment for Statistical Computing," R Foundation for Statistical Computing, Vienna, Austria, (www.R-project.org).

Rao, C.R. (1965, 1973), *Linear Statistical Inference and Its Applications*, 1st and 2nd ed., Wiley, New York, NY.

Raveh, A. (1989), "A Nonparametric Approach to Linear Discriminant Analysis," *Journal of the American Statistical Association*, 84, 176-183.

Rencher, A., and Pun, F. (1980), "Inflation of R^2 in Best Subset Regression," *Technometrics*, 22, 49-53.

Rencher, A.C. (2002), *Methods of Multivariate Analysis*, 2nd ed., Wiley, New York, NY.

Reyen, S.S., Miller, J.J., and Wegman, E.J. (2009), "Separating a Mixture of Two Normals with Proportional Covariances," *Metrika*, 70, 297-314.

Riani, M., Atkinson, A.C., and Cerioli, A. (2009), "Finding an Unknown Number of Outliers," *Journal of the Royal Statistical Society, B*, 71, 447-466.

Rocke, D.M., and Woodruff, D.L. (1996), "Identification of Outliers in Multivariate Data," *Journal of the American Statistical Association*, 91, 1047-1061.

Rocke, D.M., and Woodruff, D.L. (2001), "Discussion of 'Multivariate Outlier Detection and Robust Covariance Matrix Estimation' by D. Peña and F.J. Prieto," *Technometrics*, 43, 300-303.

Rohatgi, V.K. (1976), *An Introduction to Probability Theory and Mathematical Statistics*, Wiley, New York, NY.

Rohatgi, V.K. (1984), *Statistical Inference*, Wiley, New York, NY.

Ross, S.M. (1989), *Introduction to Probability Models*, 4th ed., Academic Press, San Diego, CA.

Rousseeuw, P.J. (1984), "Least Median of Squares Regression," *Journal of the American Statistical Association*, 79, 871-880.

Rousseeuw, P.J., and Leroy, A.M. (1987), *Robust Regression and Outlier Detection*, Wiley, New York, NY.

Rousseeuw, P.J., and Van Driessen, K. (1999), "A Fast Algorithm for the Minimum Covariance Determinant Estimator," *Technometrics*, 41, 212-223.

Rousseeuw, P.J., and van Zomeren, B.C. (1990), "Unmasking Multivariate Outliers and Leverage Points," (with discussion), *Journal of the American Statistical Association*, 85, 633-651.

Rousseeuw, P.J., and van Zomeren, B.C. (1992), "A Comparison of Some Quick Algorithms for Robust Regression," *Computational Statistics and Data Analysis*, 14, 107-116.

Rubin, D.B. (2004), "On Advice for Beginners in Statistical Research," *The American Statistician*, 58, 196-197.

Ruppert, D. (1992), "Computing S-Estimators for Regression and Multivariate Location/Dispersion," *Journal of Computational and Graphical Statistics*, 1, 253-270.

SAS Institute (1985), *SAS User's Guide: Statistics*, Version 5, SAS Institute, Cary, NC.

Schaaffhausen, H. (1878), "Die Anthropologische Sammlung Des Anatomischen Der Universitat Bonn," *Archiv fur Anthropologie*, 10, 1-65, Appendix.

Searle, S.R. (1982), *Matrix Algebra Useful for Statistics*, New York, NY.

Seber, G.A.F., and Lee, A.J. (2003), *Linear Regression Analysis*, 2nd ed., Wiley, New York, NY.

Sen, P.K., and Singer, J.M. (1993), *Large Sample Methods in Statistics: An Introduction with Applications*, Chapman & Hall, New York, NY.

Sen, P.K., Singer, J.M., and Pedrosa De Lima, A.C. (2010), *From Finite Sample to Asymptotic Methods in Statistics*, Cambridge University Press, New York, NY.

Serfling, R.J. (1980), *Approximation Theorems of Mathematical Statistics*, Wiley, New York, NY.

Severini, T.A. (2005), *Elements of Distribution Theory*, Cambridge University Press, New York, NY.

Silverman, B.A. (1986), *Density Estimation for Statistics and Data Analysis*, Chapman and Hall, New York, NY.

Smith, W.B. (1997), "Publication is as Easy as C-C-C," *Communications in Statistics Theory and Methods*, 26, vii-xii.

Snedecor, G.W., and Cochran, W.G. (1967), *Statistical Methods*, 6th ed., Iowa State College Press, Ames, Iowa.

Srivastava, D.K., and Mudholkar, G.S. (2001), "Trimmed \tilde{T}^2 : A Robust Analog of Hotelling's T^2 ," *Journal of Statistical Planning and Inference*, 97, 343-358.

Staudte, R.G., and Sheather, S.J. (1990), *Robust Estimation and Testing*, Wiley, New York, NY.

Stavig, V. (2004), "Bread and Peace," *Minnesota*, 35-42. See (www.minnesotaalumni.org/s/1118/content.aspx?sid=1118&gid=1&pgid=1664).

Stewart, G.M. (1969), "On the Continuity of the Generalized Inverse," *SIAM Journal on Applied Mathematics*, 17, 33-45.

Stigler, S.M. (2010), "The Changing History of Robustness," *The American Statistician*, 64, 271-281.

Su, Z., and Cook, R.D. (2012), "Inner Envelopes: Efficient Estimation in Multivariate Linear Regression," *Biometrika*, 99, 687-702.

Tabachnick, B.G., and Fidell, L.S. (2006), *Using Multivariate Statistics*, 5th ed., Pearson Education, Boston, MA.

Tallis, G.M. (1963), "Elliptical and Radial Truncation in Normal Populations," *The Annals of Mathematical Statistics*, 34, 940-944.

Taskinen, S., Koch, I., and Oja, H. (2012), "Robustifying Principal Component Analysis with Spatial Sign Vectors," *Statistics & Probability Letters*, 82, 765-774.

Thode, H.C. (2002), *Testing for Normality*, Marcel Dekker, New York, NY.

Tremearne, A.J.N. (1911), "Notes on Some Nigerian Tribal Marks," *Journal of the Royal Anthropological Institute of Great Britain and Ireland*, 41, 162-178.

Tukey, J.W. (1957), "Comparative Anatomy of Transformations," *Annals of Mathematical Statistics*, 28, 602-632.

Tukey, J.W. (1977), *Exploratory Data Analysis*, Addison-Wesley Publishing Company, Reading, MA.

Tyler, D.E. (1983), "The Asymptotic Distribution of Principal Component Roots Under Local Alternatives to Multiple Roots," *The Annals of Statistics*, 11, 1232-1242.

van der Vaart, A.W. (1998), *Asymptotic Statistics*, Cambridge University Press, Cambridge, UK.

Velilla, S. (1993), "A Note on the Multivariate Box-Cox Transformation to Normality," *Statistics and Probability Letters*, 17, 259-263.

Venables, W.N., and Ripley, B.D. (2003), *Modern Applied Statistics with S*, 4th ed., Springer-Verlag, New York, NY.

Wackerly, D.D., Mendenhall, W., and Scheaffer, R.L., (2008), *Mathematical Statistics with Applications*, 7th ed., Thomson Brooks/Cole, Belmont, CA.

Waternaux, C.M. (1976), "Asymptotic Distribution of the Sample Roots for a Nonnormal Population," *Biometrika*, 63, 639-645.

Weisberg, S. (2002), "Dimension Reduction Regression in R," *Journal of Statistical Software*, 7, webpage (www.jstatsoft.org).

Welch, B.L. (1947), "The Generalization of Student's Problem When Several Different Population Variances are Involved," *Biometrika*, 34, 28-35.

Welch, B.L. (1951), "On the Comparison of Several Mean Values: an Alternative Approach," *Biometrika*, 38, 330-336.

Welsh, A.H. (1986), "Bahadur Representations for Robust Scale Estimators Based on Regression Residuals," *The Annals of Statistics*, 14, 1246-1251.

White, H. (1984), *Asymptotic Theory for Econometricians*, Academic Press, San Diego, CA.

Wilcox, R.R. (2009), "Robust Multivariate Regression When There is Heteroscedasticity," *Communications in Statistics-Simulation and Computation*, 38, 1-13.

Wilcox, R.R. (2012), *Introduction to Robust Estimation and Hypothesis Testing*, 3rd ed., Academic Press Elsevier, New York, NY.

Wilk, M.B., Gnanadesikan, R., Huyett, M.J., and Lauh, E. (1962), "A Study of Alternative Compounding Matrices Used in a Graphical Internal Comparisons Procedure," Bell Laboratories Memorandum.

Willems, G., Pison, G., Rousseeuw, P.J., and Van Aelst, S. (2002), "A Robust Hotelling Test," *Metrika*, 55, 125-138.

Wisnowski, J.W., Simpson J.R., and Montgomery D.C. (2002), "A Performance Study for Multivariate Location and Shape Estimators," *Quality and Reliability Engineering International*, 18, 117-129.

Wissemann, S.U., Hopke, P.K., and Schindler-Kaudelka, E. (1987), "Multielemental and Multivariate Analysis of Italian Terra Sigillata in the World Heritage Museum, University of Illinois at Urbana-Champaign," *Archeomaterials*, 1, 101-107.

Woodruff, D.L., and Rocke, D.M. (1993), "Heuristic Search Algorithms for the Minimum Volume Ellipsoid," *Journal of Computational and Graphical Statistics*, 2, 69-95.

Woodruff, D.L., and Rocke, D.M. (1994), "Computable Robust Estimation of Multivariate Location and Shape in High Dimension Using Compound Estimators," *Journal of the American Statistical Association*, 89, 888-896.

Yao, Y. (1965), "An Approximate Degrees of Freedom Solution to the Multivariate Behrens Fisher Problem," *Biometrika*, 52, 139-147.

Yeo, I.K., and Johnson, R. (2000), "A New Family of Power Transformations to Improve Normality or Symmetry," *Biometrika*, 87, 954-959.

Zhang, J. (2011), *Applications of a Robust Dispersion Estimator*, Ph.D. Thesis, Southern Illinois University, online at (www.math.siu.edu/olive/szhang.pdf).

Zhang, Z., and Olive, D.J. (2008), "Robust Covariance Matrix Estimation," online at (www.math.siu.edu/olive/pprcovm.pdf).

Zhang, J., Olive, D.J., and Ye, P. (2012), "Robust Covariance Matrix Estimation With Canonical Correlation Analysis," *International Journal of Statistics and Probability*, 1, 119-136.

Index

- M*-estimators, 111
- 1D regression, 313, 315
- affine equivariant, 73
- affine transformation, 73
- Aldrin, 318, 331
- Alkenani, 172
- Alqallaf, 109
- Anderson, ix, 64, 244
- ANOVA, 214
- Arc, 341
- Arcones, 106
- Ash, 65
- asymptotic distribution, 42, 45
- asymptotic theory, 42
- Atkinson, vii, 106, 308
- attractor, 77
- B, 342
- Bølviken, 318, 331
- Bali, 156
- basic resampling, 77
- Becker, 340, 342
- Bentler, 156, 349
- Berger, x
- Berk, 301
- Bernholdt, 110
- Bernholt, 112
- Bhatia, 144, 158
- Bibby, ix, 40, 64, 142
- Billor, 110
- biplot, 163
- Bishop, viii
- bivariate normal, 34
- Black, ix
- Boente, 156
- Bogdan, 133
- Box, vi, 218, 228, 239–241, 263
- Box–Cox transformation, 125, 265
- breakdown, 74
- Brillinger, 318
- Bro, 156
- Brown, 242, 243
- bulging rule, 21
- Butler, 77, 85
- Buxton, 115, 125, 128, 145, 164, 310
- Cai, 194
- Cambanis, 64
- canonical correlation analysis, 350
- Carroll, 352
- case, 11
- Casella, x
- Cator, 77, 83, 85
- Cattell, 143, 156, 349
- cdf, 5
- centering matrix, 15, 27
- Ceroli, vii, 106, 308
- Chambers, 117, 342
- Chang, 330
- Chebyshev’s Inequality, 48
- Chmielewski, 64

- Cleveland, 117
Cobb, 218, 228, 239
Cochran, 225
Cohen, 156
Collett, 195
concentration, 77, 81, 120, 338
conditional distribution, 34
consistent, 47
consistent estimator, 47
Continuity Theorem, 55
Continuous Mapping Theorem:, 55
continuous random variable, 7
converges almost everywhere, 50
converges in distribution, 45
converges in law, 45
converges in probability, 47
converges in quadratic mean, 48
Cook, 18, 22, 24, 29, 37, 38, 68, 111,
125, 241, 265, 301, 304, 313,
314, 318, 319, 321, 326, 330,
341
Copas, 301
Cornish, 40
covariance matrix, 13, 26, 33
Cox, 241, 263
Cramér, 64
Crawley, 342
cross checking, 109, 353
Croux, 39, 108, 110
cube root rule, 22
Czörgö, 133
DasGupta, 64
Datta, 76, 156
Davidson, 64
Davies, 77, 85, 110
DD plot, 117
Dehon, 39, 110
Delta Method, 43
determinant, 17
Devlin, 81, 338
DGK estimator, 81
diagnostic for linearity, 326
discrete random variable, 7
discriminant analysis, 350
discriminant function, 193
DOE, 214
dot plot, 221
Duan, 313, 315
Duda, viii
Easton, 120
Eaton, 37, 64, 144
EC, 107
Ehrenberg, 340
eigenvalue, 16
eigenvector, 16
elemental set, 77
ellipsoidal trimming, 309, 319
elliptically contoured, 36, 40, 64, 123,
133
elliptically contoured distribution, 14
elliptically symmetric, 36
Elsner, 144, 158
Ernst, 242
ESP, 318
ESSP, 318
estimated sufficient predictor, 318
estimated sufficient summary plot, 315,
318
Euclidean norm, 57
expected value, 7
experimental design, 214
factor analysis, 350
Fang, 64, 120

- Ferguson, 55, 64
 FF plot, 259, 268
 Fidell, ix
 Fischer, 112
 Fisher, 110
 Flury, ix
 Forsythe, 242, 243
 Fox, 241
 Fraiman, 156
 Freeman, 340
 full model, 268
 Furnival, 271

 García-Escudero, 111
 general position, 74
 generalized correlation matrix, 138
 generalized linear model, 313
 generalized sample variance, 18, 27
 Gladstone, 91, 115, 251, 273
 Gnanadesikan, 81, 108, 109, 338
 Gonzalez, 340
 Good, 211
 Gordaliza, 111
 Grimm, ix
 Gupta, 64

 Hadi, 110
 Hair, ix
 Hamada, 340
 Hand, 3, 194
 Hart, viii
 Hawkins, 78, 108, 111–113, 267, 279,
 318, 339, 352, 353
 He, 109, 111, 112, 353
 Hebbler, 250, 294
 Helmreich, 241
 Henderson, 289
 heteroscedastic, 314

 high median, 6
 highest density region, 17, 141
 Hoaglin, 241, 340
 Hoeffding, 242
 Hopke, 197
 Hosmer, 193
 Hotelling's t test, 350
 Huang, 64
 Huber, 111, 113, 278
 Hubert, x, 80, 110–113
 Huberty, 194, 244
 Hunter, 218, 228, 239–241
 Huyett, 108
 hyperellipsoid, 17

 identity line, 258, 269

 Jacobian matrix, 58
 Jhun, 77, 85
 Jiang, 64
 Johnson, ix, 4, 12, 16–18, 33, 36, 40,
 64, 76, 82, 87, 143, 160, 167,
 201, 233, 245, 257
 joint distribution, 34
 Jolliffe, 156
 Jones, 269

 Kachigan, ix
 Kelker, 38
 Keller-McNulty, 340
 Kendall, 142
 Kent, ix, 40, 64, 142
 Kettenring, 81, 108, 109, 338
 Khattree, 159, 244, 286, 301
 Kilss, 340
 Kim, 106
 Kirk, 242
 Kleiner, 117
 Koch, 156

- Koltchinskii, 134
 Konis, 109
 Kosfeld, 249
 Kotz, 40, 64
 Kowalski, 35
 Krause, 144, 158
 Kuehl, 222, 231, 239

 ladder of powers, 19
 ladder rule, 22
 Lauh, 108
 least squares estimators, 256
 Ledolter, 239
 Lee, 35
 Lehmann, 51, 52, 64
 Lemeshow, 193
 Leon, 82
 Leroy, xii, 73, 81, 111, 279, 352
 Li, 120, 134, 313, 315, 326
 limiting distribution, 42, 45
 Little, 352
 Liu, 120, 194
 Locantore, 156
 location family, 218
 location model, 4
 log rule, 21, 231
 Lopuhaä, 77, 83, 85, 94
 low median, 6
 lowess, 316

 M, 156, 342
 Møller, 156
 mad, 5, 6
 Mahalanobis distance, 15, 32, 36, 40,
 41, 73, 117, 125, 319
 Mai, 194
 Mallows, 269
 MANOVA model, 213, 216

 Manzotti, 134
 Mardia, ix, 40, 64, 142, 244
 Markov's Inequality, 48
 Maronna, vii, x, 78, 89, 109, 112, 113,
 150, 156
 Marron, 156
 Martin, vii, x, 78, 109, 112, 113, 156
 Mathsoft, 341, 342
 MB estimator, 81
 McCulloch, 120
 MCD, 77
 McDonald, 30
 McLachlan, 194
 mean, 5
 median, 5, 6
 median absolute deviation, 6
 Mehrotra, 109
 Mendenhall, x
 Miller, 112, 301
 minimum covariance determinant, 76
 minimum volume ellipsoid, 110
 Minor, 196
 missing values, 352
 mixture distribution, 7
 MLD, vi
 modified power transformation, 262
 monotonicity, 326
 Montgomery, 111, 243
 Moore, 224
 Mosteller, 241, 262
 mpack, ix, 341
 Mudholkar, 199, 339
 Muirhead, 64, 172
 multiple linear regression, 254, 267,
 314
 Multivariate Central Limit Theorem,
 58
 Multivariate Delta Method, 58

- multivariate linear regression model, 253, 255
- multivariate location and dispersion, 11, 77
- multivariate normal, 32, 37, 64, 117, 120, 126
- MVN, 32, 107
- Nachtsheim, 125, 338
- Naik, 159, 244, 286, 301
- Ng, 64
- Oja, 156
- Olejnik, 194, 244
- Olive, vi, vii, x, 64, 78, 81, 98, 106, 108, 111–113, 133, 172, 194, 239, 241, 242, 267, 279, 280, 301, 318, 330, 339, 352, 353
- OLS view, 318
- order statistics, 5
- outlier, 221
- Pérez, 134
- Parelius, 120
- partitioning, 80, 109
- Peña, 111
- Pederson, 352
- Pedrosa De Lima, 64
- Pison, 211
- Polansky, 64
- pooled variance estimator, 224
- Poor, x
- population correlation, 35
- population correlation matrix, 13, 26
- population mean, 12, 33
- positive breakdown, 74
- positive definite, 16
- positive semidefinite, 16
- power transformation, 230, 262
- Pratt, 79, 87, 310
- predictor variables, 213, 253
- Press, ix, 293
- Prieto, 111
- principal component regression, 350
- principal components, 349, 350
- Pruzek, 241
- Pun, 301
- Quiroz, 134
- R, 341
- r, 242
- random vector, 11
- range rule, 21
- Rao, 32
- Raveh, 194
- Rencher, ix, 301
- residual plot, 258, 268
- response plot, 258, 268, 315
- response transformation, 263
- response transformation model, 314
- response variables, 213, 253
- Reyen, 112
- RFCH estimator, 88, 120
- Riani, vii, 106, 308
- Riedwyl, ix
- Ripley, 162, 342
- Rocke, 77, 90, 109, 111
- Rohatgi, 35, 56
- Ronchetti, 111, 113
- Rousseeuw, x, xii, 39, 73, 78, 80, 81, 85, 98, 109, 110, 112, 113, 117, 120, 211, 279, 330, 338, 352
- RR plot, 259, 268
- Rubin, 340, 352
- rule of thumb, 21, 258
- Ruppert, 111

- S, 50
- sample correlation matrix, 15, 27
- sample covariance matrix, 14, 26
- sample mean, 14, 26, 42
- SAS Institute, 227, 244, 304
- scatterplot, 19
- scatterplot matrix, 19, 24
- Schaaffhausen, 115
- Scheaffer, x
- Schindler-Kaudelka, 197
- Schweder, 318, 331
- Schwing, 30
- scree plot, 142
- scree plots, 349
- SE, 42
- Searle, 289, 302
- Seber, 35
- seemingly unrelated regressions model, 293
- Sen, 64, 65
- Serfling, 64
- Setodji, 301
- Severini, 60, 158
- shape, 17, 18
- Sheather, 10
- Silverman, 183, 184, 194
- Simonoff, 111
- Simons, 64
- Simpson, 111, 156
- Singer, 64, 65
- Singh, 120
- single index model, 313, 317
- Sitter, 340
- Slutsky's Theorem, 54, 60
- Smith, 340
- Snedecor, 225
- spectral decomposition, 16
- spherical, 37
- square root matrix, 16, 27
- Srivastava, 199, 339
- SSP, 314
- standard deviation, 6
- standard error, 42
- STATLIB, 340
- Staudte, 10
- Stewart, 158
- Stork, viii
- Su, 301
- submodel, 268
- sufficient predictor, 268
- sufficient summary plot, 314
- supervised classification, 178
- Swersey, 239
- Tabachnick, ix
- Tallis, 106
- Taskinen, 156
- Tatham, ix
- Thode, 133
- transformation plot, 231, 262, 263
- Tremearne, 90, 259
- trimmed view, 321
- Tripoli, 156
- Tukey, 22, 117, 241, 262, 263
- TV estimator, 310, 330
- Tyler, 144, 156
- unit rule, 21
- Van Aelst, x, 39, 80, 108, 112, 113, 211
- van der Vaart, 64
- Van Driessen, xii, 78, 80, 85, 98, 109, 111, 112, 117, 120, 338
- van Zomeren, xii, 111, 330
- Varga, 64
- variable selection, 267

- variance, 5, 6
Velilla, 125
Velleman, 110
Venables, 162, 342
Verdonck, 110
von Frese, 156
- W, 50
Wackerly, x
Wang, 109, 111, 112, 156, 353
Waternaux, 156, 172
Wegman, 112
weighted least squares, 312
Weisberg, 18, 22, 24, 29, 111, 265,
304, 313, 314, 318, 319, 321,
330, 341, 348, 352
Welch, 242, 243
Welsh, 279
White, x, 59, 64, 293
Wichern, ix, 4, 12, 16–18, 33, 64, 76,
82, 87, 143, 160, 167, 201, 233,
245, 257
Wilcox, vii, 301
Wilk, 108
Wilks, 342
Willems, 211
Wilson, 271
Winsor's principle, 319
Wisnowski, 111
Wisseman, 197
Woodruff, 77, 90, 109, 111
- Yadine, 110
Yao, 211
Yarnold, ix
Ye, 172
Yohai, vii, x, 78, 112, 113, 156
Yu, 172
Yuan, 156, 194, 349
Zamar, 89, 109, 150
zero breakdown, 74
Zhang, 101, 156, 157, 172, 203, 211
Zhu, 120
Zou, 194