

- Abraham, B., and Ledolter, J. (2006), *Introduction to Regression Modeling*, Thomson Brooks/Cole, Belmont, CA.
- Abuhassan, H., and Olive, D.J. (2008), "Inference for the Pareto, Half Normal and Related Distributions," unpublished manuscript, (<http://parker.ad.siu.edu/Olive/pppar.pdf>).
- Adell, J.A., and Jodrá, P. (2005), "Sharp Estimates for the Median of the  $\Gamma(n + 1, 1)$  Distribution," *Statistics & Probability Letters*, 71, 185-191.
- Aggarwal, C.C. (2017), *Outlier Analysis*, 2nd ed. Springer, New York, NY.
- Agresti, A. (2002, 2012), *Categorical Data Analysis*, 2nd and 3rd ed., Wiley, Hoboken, NJ.
- Agulló, J. (1997), "Exact Algorithms to Compute the Least Median of Squares Estimate in Multiple Linear Regression," in *L<sub>1</sub>-Statistical Procedures and Related Topics*, ed. Dodge, Y., Institute of Mathematical Statistics, Hayward, CA, 133-146.
- Agulló, J. (2001), "New Algorithms for Computing the Least Trimmed Squares Regression Estimator," *Computational Statistics & Data Analysis*, 36, 425-439.
- Akaike, H. (1973), "Information Theory and an Extension of the Maximum Likelihood Principle," in *Proceedings, 2nd International Symposium on Information Theory*, eds. Petrov, B.N., and Csakim, F., Akademiai Kiado, Budapest, 267-281.
- Akaike, H. (1977), "On Entropy Maximization Principle," in *Applications of Statistics*, ed. Krishnaiah, P.R, North Holland, Amsterdam, 27-41.
- Akaike, H. (1978), "A New Look at the Bayes Procedure," *Biometrics*, 65, 53-59.
- Albert, A., and Andersen, J.A. (1984), "On the Existence of Maximum Likelihood Estimators in Logistic Models," *Biometrika*, 71, 1-10.
- Aldrin, M., Bølviken, E., and Schweder, T. (1993), "Projection Pursuit Regression for Moderate Non-linearities," *Computational Statistics & Data Analysis*, 16, 379-403.
- American Society of Civil Engineers (1950), "So You're Going to Present a Paper," *The American Statistician* 4, 6-8.
- Andersen, P.K., and Skovgaard, L.T. (2010), *Regression with Linear Predictors*, Springer, New York, NY.
- Anderson-Sprecher, R. (1994), "Model Comparisons and  $R^2$ ," *The American Statistician*, 48, 113-117.
- Andrews, D.F., Bickel, P.J., Hampel, F.R., Huber, P.J., Rogers, W.H., and Tukey, J.W. (1972), *Robust Estimates of Location*, Princeton University Press, Princeton, NJ.
- Appa, G.M., and Land, A.H. (1993), "Comment on 'A Cautionary Note on the Method of Least Median of Squares' by Hettmansperger, T.P. and Sheather, S.J.," *The American Statistician*, 47, 160-162.
- Arcones, M.A. (1995), "Asymptotic Normality of Multivariate Trimmed Means," *Statistics & Probability Letters*, 25, 43-53.

- Ashworth, H. (1842), "Statistical Illustrations of the Past and Present State of Lancashire," *Journal of the Royal Statistical Society, A*, 5, 245-256.
- Atkinson, A.C. (1986), "Diagnostic Tests for Transformations," *Technometrics*, 28, 29-37.
- Atkinson, A., and Riani, R. (2000), *Robust Diagnostic Regression Analysis*, Springer, New York, NY.
- Bai, Z.D., and He, X. (1999), "Asymptotic Distributions of the Maximal Depth Estimators for Regression and Multivariate Location," *The Annals of Statistics*, 27, 1616-1637.
- Barnett, V., and Lewis, T. (1994), *Outliers in Statistical Data*, 3rd ed., Wiley, New York, NY.
- Baszczyńska, A., and Pekasiewicz, D. (2010), "Selected Methods of Interval Estimation of the Median. The Analysis of Accuracy of Estimation," *ACTA Universitatis Lodzianensis Folia Oeconomica*, 235, online.
- Bassett, G.W. (1991), "Equivariant, Monotonic, 50% Breakdown Estimators," *The American Statistician*, 45, 135-137.
- Bassett, G.W., and Koenker, R.W. (1978), "Asymptotic Theory of Least Absolute Error Regression," *Journal of the American Statistical Association*, 73, 618-622.
- Becker, R.A., Chambers, J.M., and Wilks, A.R. (1988), *The New S Language: a Programming Environment for Data Analysis and Graphics*, Wadsworth and Brooks/Cole, Pacific Grove, CA.
- Becker, R.A., and Keller-McNulty, S. (1996), "Presentation Myths," *The American Statistician*, 50, 112-115.
- Beckman, R.J., and Cook, R.D. (1983), "Outlier.....s," *Technometrics*, 25, 119-114.
- Berk, R., Brown, L., Buja, A., Zhang, K., and Zhao, L. (2013), "Valid Post-Selection Inference," *The Annals of Statistics*, 41, 802-837.
- Bernholt, T. (2005), "Computing the Least Median of Squares Estimator in Time  $O(n^d)$ ," *Proceedings of ICCSA 2005*, LNCS, 3480, 697-706.
- Bernholt, T. (2006), "Robust Estimators are Hard to Compute," technical report available from (<http://ls2-www.cs.uni-dortmund.de/~bernholt/ps/tr52-05.pdf>).
- Bernholt, T., and Fischer, P. (2004), "The Complexity of Computing the MCD-Estimator," *Theoretical Computer Science*, 326, 383-398.
- Bertsimas, D., and Mazumder, R. (2014), "Least Quantile Regression Via Modern Optimization," *The Annals of Statistics*, 42, 2494-2525.
- Besbeas, P., and Morgan, B.J.T. (2004), "Efficient and Robust Estimation for the One-Sided Stable Distribution of Index 1/2," *Statistics & Probability Letters*, 66, 251-257.
- Bhatia, R., Elsner, L., and Krause, G. (1990), "Bounds for the Variation of the Roots of a Polynomial and the Eigenvalues of a Matrix," *Linear Algebra and Its Applications*, 142, 195-209.
- Bickel, P.J. (1965), "On Some Robust Estimates of Location," *The Annals of Mathematical Statistics*, 36, 847-858.

- Bickel, P.J. (1975), "One-Step Huber Estimates in the Linear Model," *Journal of the American Statistical Association*, 70, 428-434.
- Bloch, D.A., and Gastwirth, J.L. (1968), "On a Simple Estimate of the Reciprocal of the Density Function," *The Annals of Mathematical Statistics*, 39, 1083-1085.
- Blum, M., Floyd, R., Watt, V., Rive, R., and Tarjun, R. (1973), "Time Bounds for Selection," *Journal of Computer and System Sciences*, 7, 448-461.
- Bondell, H.D., and Stefanski, L.A. (2013), "Efficient Robust Regression Via Generalized Empirical Likelihood," *Journal of the American Statistical Association*, 108, 644-655.
- Boudt, K., Rousseeuw, P.J., Vanduffel, S., and Verdonck, T. (2020), "The Minimum Regularized Covariance Determinant Estimator," *Statistics and Computing*, 30, 113-128.
- Box, G.E.P. (1979), "Robustness in the Strategy of Scientific Model Building," in *Robustness in Statistics*, eds. Launer, R., and Wilkinson, G., Academic Press, New York, NY, 201-235.
- Box, G.E.P. (1990), "Commentary on 'Communications between Statisticians and Engineers/Physical Scientists' by H.B. Hoadley and J.R. Kettenring," *Technometrics*, 32, 251-252.
- Box, G.E.P., and Cox, D.R. (1964), "An Analysis of Transformations," *Journal of the Royal Statistical Society, B*, 26, 211-246.
- Braun, W.J., and Murdoch, D.J. (2007), *A First Course in Statistical Programming with R*, Cambridge University Press, New York, NY.
- Breiman, L. (1996), "Bagging Predictors," *Machine Learning*, 24, 123-140.
- Brillinger, D.R. (1977), "The Identification of a Particular Nonlinear Time Series," *Biometrika*, 64, 509-515.
- Brillinger, D.R. (1983), "A Generalized Linear Model with "Gaussian" Regressor Variables," in *A Festschrift for Erich L. Lehmann*, eds. Bickel, P.J., Doksum, K.A., and Hodges, J.L., Wadsworth, Pacific Grove, CA, 97-114.
- Brillinger, D.R. (1991), "Comment on 'Sliced Inverse Regression for Dimension Reduction' by K.C. Li," *Journal of the American Statistical Association*, 86, 333.
- Brockwell, P.J., and Davis, R.A. (1991), *Time Series: Theory and Methods*, Springer, New York, NY.
- Broffitt, J.D. (1974), "An Example of the Large Sample Behavior of the Midrange," *The American Statistician*, 28, 69-70.
- Büchlmann, P., and Yu, B. (2002), "Analyzing Bagging," *The Annals of Statistics*, 30, 927-961.
- Buckland, S.T. (1984), "Monte Carlo Confidence Intervals," *Biometrics*, 40, 811-817.
- Buckland, S.T., Burnham, K.P., and Augustin, N.H. (1997), "Model Selection: an Integral Part of Inference," *Biometrics*, 53, 603-618.
- Budny, K. (2014), "A Generalization of Chebyshev's Inequality for Hilbert-Space-Valued Random Variables," *Statistics & Probability Letters*, 88, 62-65.

Burman, P., and Nolan D. (1995), "A General Akaike-Type Criterion for Model Selection in Robust Regression," *Biometrika*, 82, 877-886.

Burnham, K.P., and Anderson, D.R. (2004), "Multimodel Inference Understanding AIC and BIC in Model Selection," *Sociological Methods & Research*, 33, 261-304.

Butler, R.W. (1982), "Nonparametric Interval and Point Prediction Using Data Trimming by a Grubbs-Type Outlier Rule," *The Annals of Statistics*, 10, 197-204.

Butler, R.W., Davies, P.L., and Jhun, M. (1993), "Asymptotics for the Minimum Covariance Determinant Estimator," *The Annals of Statistics*, 21, 1385-1400.

Buxton, L.H.D. (1920), "The Anthropology of Cyprus," *The Journal of the Royal Anthropological Institute of Great Britain and Ireland*, 50, 183-235.

Cai, T., Tian, L., Solomon, S.D., and Wei, L.J. (2008), "Predicting Future Responses Based on Possibly Misspecified Working Models," *Biometrika*, 95, 75-92.

Cambanis, S., Huang, S., and Simons, G. (1981), "On the Theory of Elliptically Contoured Distributions," *Journal of Multivariate Analysis*, 11, 368-385.

Cameron, A.C., and Trivedi, P.K. (1998, 2013), *Regression Analysis of Count Data*, 1st and 2nd ed., Cambridge University Press, Cambridge, UK.

Carroll, R.J., and Welsh, A.H. (1988), "A Note on Asymmetry and Robustness in Linear Regression," *The American Statistician*, 42, 285-287.

Casella, G., and Berger, R.L. (2002), *Statistical Inference*, 2nd ed., Duxbury, Belmont, CA.

Cator, E.A., and Lopuhaä, H.P. (2010), "Asymptotic Expansion of the Minimum Covariance Determinant Estimators," *Journal of Multivariate Analysis*, 101, 2372-2388.

Cator, E.A., and Lopuhaä, H.P. (2012), "Central Limit Theorem and Influence Function for the MCD Estimators at General Multivariate Distributions," *Bernoulli*, 18, 520-551.

Chambers, J.M. (2008), *Software for Data Analysis: Programming With R*, Springer, New York, NY.

Chambers, J.M., Cleveland, W.S., Kleiner, B., and Tukey, P. (1983), *Graphical Methods for Data Analysis*, Duxbury Press, Boston, MA.

Chambers, J.M., and Hastie, T.J. (editors) (1993), *Statistical Models in S*, Chapman & Hall, New York, NY.

Chang, J. (2006), *Resistant Dimension Reduction*, Ph.D. Thesis, Southern Illinois University, online at (<http://parker.ad.siu.edu/Olive/sjingth.pdf>).

Chang, J., and Olive, D.J. (2007), *Resistant Dimension Reduction*, Preprint, see (<http://parker.ad.siu.edu/Olive/preprints.htm>).

Chang, J., and Olive, D.J. (2010), "OLS for 1D Regression Models," *Communications in Statistics: Theory and Methods*, 39, 1869-1882.

Charkhi, A., and Claeskens, G. (2018), "Asymptotic Post-Selection Inference for the Akaike Information Criterion," *Biometrika*, 105, 645-664.

- Chatterjee, S., and Hadi, A.S. (1988), *Sensitivity Analysis in Linear Regression*, Wiley, New York, NY.
- Chen, C.H., and Li, K.C. (1998), "Can SIR be as Popular as Multiple Linear Regression?," *Statistica Sinica*, 8, 289-316.
- Chen, J., and Chen, Z. (2008), "Extended Bayesian Information Criterion for Model Selection With Large Model Spaces," *Biometrika*, 95, 759-771.
- Chen, J., and Rubin, H. (1986), "Bounds for the Difference Between Median and Mean of Gamma and Poisson Distributions," *Statistics & Probability Letters*, 4, 281-283.
- Chen, M.H., and Shao, Q.M. (1999), "Monte Carlo Estimation of Bayesian Credible and HPD Intervals. *Journal of Computational and Graphical Statistics* 8, 69-92.
- Chen, S.X. (2016), "Peter Hall's Contributions to the Bootstrap," *The Annals of Statistics*, 44, 1821-1836.
- Chen, X. (2011), "A New Generalization of Chebyshev Inequality for Random Vectors," see arXiv:0707.0805v2.
- Chen, Z. (1998), "A Note on Bias Robustness of the Median," *Statistics & Probability Letters*, 38, 363-368.
- Chew, V. (1966), "Confidence, Prediction and Tolerance Regions for the Multivariate Normal Distribution," *Journal of the American Statistical Association*, 61, 605-617.
- Chmielewski, M.A. (1981), "Elliptically Symmetric Distributions: a Review and Bibliography," *International Statistical Review*, 49, 67-74.
- Christmann, A., and Rousseeuw, P.J. (2001), "Measuring Overlap in Binary Regression," *Computational Statistics & Data Analysis*, 37, 65-75.
- Čížek, P. (2006), "Least Trimmed Squares Under Dependence," *Journal of Statistical Planning and Inference*, 136, 3967-3988.
- Čížek, P., (2008), "General Trimmed Estimation: Robust Approach to Nonlinear and Limited Dependent Variable Models," *Econometric Theory*, 24, 1500-1529.
- Čížek, P., and Härdle, W. (2006), "Robust Estimation of Dimension Reduction Space," *Computational Statistics & Data Analysis*, 51, 545-555.
- Claeskens, G., and Hjort, N.L. (2008), *Model Selection and Model Averaging*, Cambridge University Press, New York, NY.
- Clarke, B.R. (1986a), "Asymptotic Theory for Description of Regions in Which Newton-Raphson Iterations Converge to Location M-Estimators," *Journal of Statistical Planning and Inference*, 15, 71-85.
- Clarke, B.R. (1986b), "Nonsmooth Analysis and Fréchet Differentiability of  $M$  Functionals," *Probability Theory and Related Fields*, 73, 137-209.
- Clarke, B.R. (2000), "A Review of Differentiability in Relation to Robustness With an Application to Seismic Data Analysis," *Proceedings of the Indian National Science Academy, A*, 66, 467-482.
- Cleveland, W. (1979), "Robust Locally Weighted Regression and Smoothing Scatterplots," *Journal of the American Statistical Association*, 74, 829-836.

- Cohen, A.C., and Whitten, B.J. (1988), *Parameter Estimation in Reliability and Life Span Models*, Marcel Dekker, New York, NY.
- Collett, D. (1999, 2003), *Modelling Binary Data*, 1st and 2nd ed., Chapman & Hall/CRC, Boca Raton, FL.
- Cook, R.D. (1977), "Deletion of Influential Observations in Linear Regression," *Technometrics*, 19, 15-18.
- Cook, R.D. (1986), "Assessment of Local Influence," *Journal of the Royal Statistical Society, B*, 48, 133-169.
- Cook, R.D. (1998a), *Regression Graphics: Ideas for Studying Regression Through Graphics*, Wiley, New York, NY.
- Cook, R.D. (1998b), "Principal Hessian Directions Revisited," *Journal of the American Statistical Association*, 93, 84-100.
- Cook, R.D. (2004), "Testing Predictor Contributions in Sufficient Dimension Reduction," *The Annals of Statistics*, 32, 1062-1092.
- Cook, R.D., and Critchley, F. (2000), "Identifying Outliers and Regression Mixtures Graphically," *Journal of the American Statistical Association*, 95, 781-794.
- Cook, R.D., and Hawkins, D.M. (1990), "Comment on 'Unmasking Multivariate Outliers and Leverage Points' by P.J. Rousseeuw and B.C. van Zomeren," *Journal of the American Statistical Association*, 85, 640-644.
- Cook, R.D., Hawkins, D.M., and Weisberg, S. (1992), "Comparison of Model Misspecification Diagnostics Using Residuals from Least Mean of Squares and Least Median of Squares," *Journal of the American Statistical Association*, 87, 419-424.
- Cook, R.D., Hawkins, D.M., and Weisberg, S. (1993), "Exact Iterative Computation of the Robust Multivariate Minimum Volume Ellipsoid Estimator," *Statistics & Probability Letters*, 16, 213-218.
- Cook, R.D., and Li, B. (2002), "Dimension Reduction for Conditional Mean in Regression," *The Annals of Statistics*, 30, 455-474.
- Cook, R.D., and Nachtsheim, C.J. (1994), "Reweighting to Achieve Elliptically Contoured Covariates in Regression," *Journal of the American Statistical Association*, 89, 592-599.
- Cook, R.D., and Ni, L. (2005), "Sufficient Dimension Reduction Via Inverse Regression: a Minimum Discrepancy Approach," *Journal of the American Statistical Association*, 100, 410-428.
- Cook, R.D., and Olive, D.J. (2001), "A Note on Visualizing Response Transformations in Regression," *Technometrics*, 43, 443-449.
- Cook, R.D., and Weisberg, S. (1991), "Comment on 'Sliced Inverse Regression for Dimension Reduction' by K.C. Li," *Journal of the American Statistical Association*, 86, 328-332.
- Cook, R.D., and Weisberg, S. (1997), "Graphics for Assessing the Adequacy of Regression Models," *Journal of the American Statistical Association*, 92, 490-499.
- Cook, R.D., and Weisberg, S. (1999a), *Applied Regression Including Computing and Graphics*, Wiley, New York, NY.

- Cook, R.D., and Weisberg, S. (1999b), "Graphs in Statistical Analysis: is the Medium the Message?" *The American Statistician*, 53, 29-37.
- Cornish, E.A. (1954), "The Multivariate t-Distribution Associated with a Set of Normal Sample Deviates," *Australian Journal of Physics*, 7, 531-542.
- Cox, D.R. (1972), "Regression Models and Life-Tables," *Journal of the Royal Statistical Society, B*, 34, 187-220.
- Cox, D.R., and Snell, E.J. (1968), "A General Definition of Residuals," *Journal of the Royal Statistical Society, B*, 30, 248-275.
- Cramér, H. (1946), *Mathematical Methods of Statistics*, Princeton University Press, Princeton, NJ.
- Crawley, M.J. (2005), *Statistics an Introduction Using R*, Wiley, Hoboken, NJ.
- Crawley, M.J. (2013), *The R Book*, 2nd ed., Wiley, Hoboken, NJ.
- Croux, C., Dehon, C., Rousseeuw, P.J., and Van Aelst, S. (2001), "Robust Estimation of the Conditional Median Function at Elliptical Models," *Statistics & Probability Letters*, 51, 361-368.
- Croux, C., Dehon, C., and Yadine, A. (2010), "The k-step Spatial Sign Covariance Matrix," *Advances in Data Analysis and Classification*, 4, 137-150.
- Croux, C., Rousseeuw, P.J., and Hössjer, O. (1994), "Generalized S-Estimators," *Journal of the American Statistical Association*, 89, 1271-1281.
- Croux, C., and Van Aelst, S. (2002), "Comment on 'Nearest-Neighbor Variance Estimation (NNVE): Robust Covariance Estimation via Nearest-Neighbor Cleaning' by N. Wang and A.E. Raftery," *Journal of the American Statistical Association*, 97, 1006-1009.
- Dahiya, R.C., Staneski, P.G. and Chaganty, N.R. (2001), "Maximum Likelihood Estimation of Parameters of the Truncated Cauchy Distribution," *Communications in Statistics: Theory and Methods*, 30, 1737-1750.
- Daniel, C., and Wood, F.S. (1980), *Fitting Equations to Data*, 2nd ed., Wiley, New York, NY.
- DasGupta, A. (2008), *Asymptotic Theory of Statistics and Probability*, Springer, New York, NY.
- Datta, B.N. (1995), *Numerical Linear Algebra and Applications*, Brooks/Cole Publishing Company, Pacific Grove, CA.
- David, H.A. (1981), *Order Statistics*, 2nd ed., Wiley, New York, NY.
- David, H.A. (1995), "First (?) Occurrences of Common Terms in Mathematical Statistics," *The American Statistician*, 49, 121-133.
- David, H.A. (1998), "Early Sample Measures of Variability," *Statistical Science*, 13, 368-377.
- Davies, P.L. (1990), "The Asymptotics of S-Estimators in the Linear Regression Model," *The Annals of Statistics*, 18, 1651-1675.
- Davies, P.L. (1992), "Asymptotics of Rousseeuw's Minimum Volume Ellipsoid Estimator," *The Annals of Statistics*, 20, 1828-1843.
- Davies, P.L. (1993), "Aspects of Robust Linear Regression," *The Annals of Statistics*, 21, 1843-1899.

- Devlin, S.J., Gnanadesikan, R., and Kettenring, J.R. (1975), "Robust Estimation and Outlier Detection with Correlation Coefficients," *Biometrika*, 62, 531-545.
- Devlin, S.J., Gnanadesikan, R., and Kettenring, J.R. (1981), "Robust Estimation of Dispersion Matrices and Principal Components," *Journal of the American Statistical Association*, 76, 354-362.
- Di Bucchianico, A., Einmahl, J.H.J., and Mushkudiani, N.A. (2001), "Smallest Nonparametric Tolerance Regions," *The Annals of Statistics*, 29, 1320-1343.
- Dixon, W.J., and Tukey, J.W. (1968), "Approximate Behavior of Winsorized  $t$  (trimming/Winsorization 2)," *Technometrics*, 10, 83-98.
- Dollinger, M.B., and Staudte, R.G. (1991), "Influence Functions of Iteratively Reweighted Least Squares Estimators," *Journal of the American Statistical Association*, 86, 709-716.
- Donoho, D.L., and Huber, P.J. (1983), "The Notion of Breakdown Point," in *A Festschrift for Erich L. Lehmann*, eds. Bickel, P.J., Doksum, K.A., and Hodges, J.L., Wadsworth, Pacific Grove, CA, 157-184.
- Draper, N.R., and Smith, H. (1981), *Applied Regression Analysis*, 2nd ed., Wiley, New York, NY.
- Dunn, O.J., and Clark, V.A. (1974), *Applied Statistics: Analysis of Variance and Regression*, Wiley, New York, NY.
- Eaton, M.L. (1986), "A Characterization of Spherical Distributions," *Journal of Multivariate Analysis*, 20, 272-276.
- Easton, G.S., and McCulloch, R.E. (1990), "A Multivariate Generalization of Quantile Quantile Plots," *Journal of the American Statistical Association*, 85, 376-386.
- Efron, B. (1979), "Bootstrap Methods, Another Look at the Jackknife," *The Annals of Statistics*, 7, 1-26.
- Efron, B. (1982), *The Jackknife, the Bootstrap and Other Resampling Plans*, SIAM, Philadelphia, PA.
- Efron, B. (2014), "Estimation and Accuracy After Model Selection," (with discussion), *Journal of the American Statistical Association*, 109, 991-1007.
- Efron, B., and Hastie, T. (2016), *Computer Age Statistical Inference*, Cambridge University Press, New York, NY.
- Efron, B., Hastie, T., Johnstone, I., and Tibshirani, R. (2004), "Least Angle Regression," (with discussion), *The Annals of Statistics* 32, 407-451.
- Efron, B., and Tibshirani, R.J. (1993), *An Introduction to the Bootstrap*, Chapman & Hall/CRC, New York, NY.
- Ehrenberg, A.S.C. (1982), "Writing Technical Papers or Reports," *The American Statistician*, 36, 326-329.
- Einmahl, J.H.J., and Mason, D.M. (1992), "Generalized Quantile Processes," *The Annals of Statistics*, 20, 1062-1078.
- Ewald, K., and Schneider, U. (2018), "Uniformly Valid Confidence Sets Based on the Lasso," *Electronic Journal of Statistics*, 12, 1358-1387.



- Fahrmeir, L. and Tutz, G. (2001), *Multivariate Statistical Modelling based on Generalized Linear Models*, 2nd ed., Springer-Verlag, New York, NY.
- Falk, M. (1997), "Asymptotic Independence of Median and MAD," *Statistics & Probability Letters*, 34, 341-345.
- Fan, J., and Li, R. (2001), "Variable Selection Via Noncave Penalized Likelihood and Its Oracle Properties," *Journal of the American Statistical Association*, 96, 1348-1360.
- Fang, K.T., and Anderson, T.W. (eds.) (1990), *Statistical Inference in Elliptically Contoured and Related Distributions*, Allerton Press, New York, NY.
- Fang, K.T., Kotz, S., and Ng, K.W. (1990), *Symmetric Multivariate and Related Distributions*, Chapman & Hall, New York, NY.
- Farebrother, R.W. (1997), "Notes on the Early History of Elemental Set Methods," in *L<sub>1</sub>-Statistical Procedures and Related Topics*, ed. Dodge, Y., Institute of Mathematical Statistics, Hayward, CA, 161-170.
- Feller, W. (1957), *An Introduction to Probability Theory and Its Applications*, Vol. 1, 2nd ed., Wiley, New York, NY.
- Feller, W. (1971), *An Introduction to Probability Theory and Its Applications*, Vol. II, 2nd ed., Wiley, New York, NY.
- Fernholtz, L.T. (1983), *von Mises Calculus for Statistical Functionals*, Springer, New York, NY.
- Ferguson, T.S. (1967), *Mathematical Statistics: a Decision Theoretic Approach*, Academic Press, New York, NY.
- Ferguson, T.S. (1996), *A Course in Large Sample Theory*, Chapman & Hall, New York, NY.
- Field, C. (1985), "Concepts of Robustness," in *A Celebration of Statistics*, eds. Atkinson, A.C., and Feinberg, S.E., Springer-Verlag, New York, NY, 369-375.
- Filsover, P., Maronna, R., and Werner, M. (2008), "Outlier Identification in High Dimensions," *Computational Statistics & Data Analysis*, 52, 1694-1711.
- Forbes, C., Evans, M., Hastings, N., and Peacock, B. (2011), *Statistical Distributions*, 4th ed., Wiley, Hoboken, NJ.
- Fox, J. (1991), *Regression Diagnostics*, Sage, Newbury Park, CA.
- Fox, J., and Weisberg, S. (2019), *An R Companion to Applied Regression*, 3rd ed., Sage Publications, Thousand Oaks, CA.
- Freedman, D.A. (1981), "Bootstrapping Regression Models," *The Annals of Statistics*, 9, 1218-1228.
- Freedman, D.A., and Diaconis, P. (1982), "On Inconsistent M Estimators," *The Annals of Statistics*, 10, 454-461.
- Freeman, D.H., Gonzalez, M.E., Hoaglin, D.C., and Kilss, B.A. (1983), "Presenting Statistical Papers," *The American Statistician*, 37, 106-110.
- Frey, J. (2013), "Data-Driven Nonparametric Prediction Intervals," *Journal of Statistical Planning and Inference*, 143, 1039-1048.

- Friedman, J., Hastie, T., Simon, N., and Tibshirani, R. (2015), *glmnet: Lasso and Elastic-net Regularized Generalized Linear Models*, R Package version 2.0, (<http://cran.r-project.org/package=glmnet>).
- Friedman, J.H., and Hall, P. (2007), "On Bagging and Nonlinear Estimation," *Journal of Statistical Planning and Inference*, 137, 669-683.
- Friedman, J.H., and Stuetzle, W. (1981), "Projection Pursuit Regression," *Journal of the American Statistical Association*, 76, 817-823.
- Furnival, G., and Wilson, R. (1974), "Regression by Leaps and Bounds," *Technometrics*, 16, 499-511.
- Gao, J. and Liang, H. (1997), "Statistical Inference in Single-Index and Partially Nonlinear Models," *The Statistician*, 19, 493-517.
- García-Escudero, L.A., and Gordaliza, A. (2005), "Generalized Radius Processes for Elliptically Contoured Distributions," *Journal of the American Statistical Association*, 100, 1036-1045.
- Gather, U., Hilker, T., and Becker, C. (2001), "A Robustified Version of Sliced Inverse Regression," in *Statistics in Genetics and in the Environmental Sciences*, eds. Fernholtz, T.L., Morgenthaler, S., and Stahel, W., Birkhäuser, Basel, Switzerland, 145-157.
- Gather, U., Hilker, T., and Becker, C. (2002), "A Note on Outlier Sensitivity of Sliced Inverse Regression," *Statistics*, 36, 271-281.
- Gill, R.D. (1989), "Non- and Semi-Parametric Maximum Likelihood Estimators and the von Mises Method, Part 1," *Scandinavian Journal of Statistics*, 16, 97-128.
- Giummolè, F., and Ventura, L. (2006), "Robust Prediction Limits Based on M-estimators," *Statistics & Probability Letters*, 76, 1725-1740.
- Gladstone, R.J. (1905), "A Study of the Relations of the Brain to the Size of the Head," *Biometrika*, 4, 105-123.
- Gnanadesikan, R., and Kettenring, J.R. (1972), "Robust Estimates, Residuals, and Outlier Detection with Multiresponse Data," *Biometrics*, 28, 81-124.
- Golub, G.H., and Van Loan, C.F. (1989), *Matrix Computations*, 2nd ed., John Hopkins University Press, Baltimore, MD.
- Graybill, F.A. (1983), *Matrices With Applications to Statistics*, 2nd ed., Wadsworth, Belmont, CA.
- Gross, A.M. (1976), "Confidence Interval Robustness with Long-Tailed Symmetric Distributions," *Journal of the American Statistical Association*, 71, 409-417.
- Grübel, R. (1988), "The Length of the Shorth," *The Annals of Statistics*, 16, 619-628.
- Guenther, W.C. (1969), "Shortest Confidence Intervals," *The American Statistician*, 23, 22-25.
- Gunst, R.F., and Mason, R.L. (1980), *Regression Analysis and Its Application: a Data Oriented Approach*, Marcel Dekker, New York, NY.
- Gupta, A.K., Varga, T., and Bodnar, T. (2013), *Elliptically Contoured Models in Statistics and Portfolio Theory*, 2nd ed., Springer, New York, NY.

- Haggstrom, G.W. (1983), "Logistic Regression and Discriminant Analysis by Ordinary Least Squares," *Journal of Business & Economic Statistics*, 1, 229-238.
- Hahn, G.H., Mason, D.M., and Weiner, D.C. (editors) (1991), *Sums, Trimmed Sums, and Extremes*, Birkhäuser, Boston, MA.
- Hall, P., and Welsh, A.H. (1985), "Limit Theorems for the Median Deviation," *Annals of the Institute of Statistical Mathematics*, Part A, 37, 27-36.
- Haile, M.G., and Olive, D.J. (2021), "Prediction Intervals and Regions for Some Time Series, Random Walks, and Renewal Processes," unpublished manuscript in preparation.
- Hall, P. (1988), "Theoretical Comparisons of Bootstrap Confidence Intervals," (with discussion), *The Annals of Statistics*, 16, 927-985.
- Hamada, M., and Sitter, R. (2004), "Statistical Research: Some Advice for Beginners," *The American Statistician*, 58, 93-101.
- Hampel, F.R. (1975), "Beyond Location Parameters: Robust Concepts and Methods," *Bulletin of the International Statistical Institute*, 46, 375-382.
- Hampel, F.R. (1985), "The Breakdown Points of the Mean Combined with Some Rejection Rules," *Technometrics*, 27, 95-107.
- Hampel, F.R., Ronchetti, E.M., Rousseeuw, P.J., and Stahel, W.A. (1986), *Robust Statistics*, Wiley, New York, NY.
- Hamza, K. (1995), "The Smallest Uniform Upper Bound on the Distance Between the Mean and the Median of the Binomial and Poisson Distributions," *Statistics & Probability Letters*, 23, 21-25.
- Harrison, D., and Rubinfeld, D.L. (1978), "Hedonic Prices and the Demand for Clean Air," *Journal of Environmental Economics and Management*, 5, 81-102.
- Hastie, T.J., and Tibshirani, R.J. (1990), *Generalized Additive Models*, Chapman & Hall, London, UK.
- Hastie, T., Tibshirani, R., and Friedman, J. (2009), *The Elements of Statistical Learning: Data Mining, Inference, and Prediction*, 2nd ed., Springer, New York, NY.
- Hastie, T., Tibshirani, R., and Wainwright, M. (2015), *Statistical Learning with Sparsity: the Lasso and Generalizations*, CRC Press Taylor & Francis, Boca Raton, FL.
- Hawkins, D.M., Bradu, D., and Kass, G.V. (1984), "Location of Several Outliers in Multiple Regression Data Using Elemental Sets," *Technometrics*, 26, 197-208.
- Hawkins, D.M., and Olive, D.J. (1999a), "Improved Feasible Solution Algorithms for High Breakdown Estimation," *Computational Statistics & Data Analysis*, 30, 1-11.
- Hawkins, D.M., and Olive, D. (1999b), "Applications and Algorithms for Least Trimmed Sum of Absolute Deviations Regression," *Computational Statistics & Data Analysis*, 32, 119-134.
- Hawkins, D.M., and Olive, D.J. (2002), "Inconsistency of Resampling Algorithms for High Breakdown Regression Estimators and a New Algorithm,"

- (with discussion), *Journal of the American Statistical Association*, 97, 136-159.
- He, X., and Fung, W.K. (1999), "Method of Medians for Lifetime Data with Weibull Models," *Statistics in Medicine*, 18, 1993-2009.
- He, X., and Portnoy, S. (1992), "Reweighted LS Estimators Converge at the Same Rate as the Initial Estimator," *The Annals of Statistics*, 20, 2161-2167.
- He, X., and Wang, G. (1996), "Cross-Checking Using the Minimum Volume Ellipsoid Estimator," *Statistica Sinica*, 6, 367-374.
- He, X., and Wang, G. (1997), "Qualitative Robustness of S\*- Estimators of Multivariate Location and Dispersion," *Statistica Neerlandica*, 51, 257-268.
- Hebbler, B. (1847), "Statistics of Prussia," *Journal of the Royal Statistical Society, A*, 10, 154-186.
- Heng-Hui, L. (2001), "A Study of Sensitivity Analysis on the Method of Principal Hessian Directions," *Computational Statistics*, 16, 109-130.
- Hesterberg, T., (2014), "What Teachers Should Know About the Bootstrap: Resampling in the Undergraduate Statistics Curriculum," available from (<http://arxiv.org/pdf/1411.5279v1.pdf>). (An abbreviated version was published (2015), *The American Statistician*, 69, 371-386.)
- Hettmansperger, T.P., and McKean, J.W. (2010), *Robust Nonparametric Statistical Methods*, 2nd ed., Chapman & Hall/CRC, Boca Rotan, FL.
- Hettmansperger, T.P., and Sheather, S.J. (1992), "A Cautionary Note on the Method of Least Median Squares," *The American Statistician*, 46, 79-83.
- Hilbe, J.M. (2011), *Negative Binomial Regression*, Cambridge University Press, 2nd ed., Cambridge, UK.
- Hinich, M.J., and Talwar, P.P. (1975), "A Simple Method for Robust Regression," *Journal of the American Statistical Association*, 70, 113-119.
- Hjort, G., and Claeskens, N.L. (2003), "The Focused Information Criterion," *Journal of the American Statistical Association*, 98, 900-945.
- Hoaglin, D.C., and Welsh, R. (1978), "The Hat Matrix in Regression and ANOVA," *The American Statistician*, 32, 17-22.
- Hoffman, I., Serneels, S., Filzmoser, P., and Croux, C. (2015), "Sparse Partial Robust M Regression," *Chemometrics and Intelligent Laboratory Systems*, 149, Part A, 50-59.
- Hofmann, M., Gatu, C., and Kontoghiorghes, E.J. (2010), "An Exact Least Trimmed Squares Algorithm for a Range of Coverage Values," *Journal of Computational and Graphical Statistics*, 19, 191-204.
- Hosmer, D.W., and Lemeshow, S. (2000), *Applied Logistic Regression*, 2nd ed., Wiley, New York, NY.
- Hong, L., Kuffner, T.A., and Martin, R. (2018), "On Overfitting and Post-Selection Uncertainty Assessments," *Biometrika*, 105, 221-224.
- Hössjer, O. (1991), *Rank-Based Estimates in the Linear Model with High Breakdown Point*, Ph.D. Thesis, Report 1991:5, Department of Mathematics, Uppsala University, Uppsala, Sweden.

- Hössjer, O. (1994), "Rank-Based Estimates in the Linear Model with High Breakdown Point," *Journal of the American Statistical Association*, 89, 149-158.
- Huber, P.J., and Ronchetti, E.M. (2009), *Robust Statistics*, 2nd ed., Wiley, Hoboken, NJ.
- Hubert, M., Rousseeuw, P.J., and Van Aelst, S. (2002), "Comment on 'Inconsistency of Resampling Algorithms for High Breakdown Regression and a New Algorithm' by D.M. Hawkins and D.J. Olive," *Journal of the American Statistical Association*, 97, 151-153.
- Hubert, M., Rousseeuw, P.J., and Van Aelst, S. (2008), "High Breakdown Multivariate Methods," *Statistical Science*, 23, 92-119.
- Hubert, M., Rousseeuw, P.J., and Verdonck, T. (2012), "A Deterministic Algorithm for Robust Location and Scatter," *Journal of Computational and Graphical Statistics*, 21, 618-637.
- Hurvich, C., and Tsai, C.L. (1989), "Regression and Time Series Model Selection in Small Samples," *Biometrika*, 76, 297-307.
- Hurvich, C., and Tsai, C.L. (1990), "The Impact of Model Selection on Inference in Linear Regression," *The American Statistician*, 44, 214-217.
- Hurvich, C.M., and Tsai, C.-L. (1991), "Bias of the Corrected AIC Criterion for Underfitted Regression and Time Series Models," *Biometrika*, 78, 499-509.
- Hyndman, R.J. (1996), "Computing and Graphing Highest Density Regions," *The American Statistician*, 50, 120-126.
- James, G., Witten, D., Hastie, T., and Tibshirani, R. (2013), *An Introduction to Statistical Learning With Applications in R*, Springer, New York, NY.
- Jia, J., and Yu, B. (2010), "On Model Selection Consistency of the Elastic Net When  $p \gg n$ ," *Statistica Sinica*, 20, 595-611.
- Jiang, Y., Wang, Y.-G., Fu, L., and Wang, X. (2019), "Robust Estimation Using Modified Hubers Functions With New Tails," *Technometrics*, 69, 111-122.
- Jöckel, K.H. (1986), "Finite Sample Properties and Asymptotic Efficiency of Monte Carlo Tests," *The Annals of Statistics*, 14, 336-347.
- Johnson, M.E. (1987), *Multivariate Statistical Simulation*, Wiley, New York, NY.
- Johnson, M.P., and Raven, P.H. (1973), "Species Number and Endemism, the Galápagos Archipelago Revisited," *Science*, 179, 893-895.
- Johnson, N.L., and Kotz, S. (1970ab), *Distributions in Statistics: Continuous Univariate Distributions*, Vol. 1-2, Houghton Mifflin Company, Boston, MA.
- Johnson, N.L., and Kotz, S. (1972), *Distributions in Statistics: Continuous Multivariate Distributions*, Wiley, New York, NY.
- Johnson, R.A., and Wichern, D.W. (1988), *Applied Multivariate Statistical Analysis*, 2nd ed., Prentice Hall, Englewood Cliffs, NJ.

- Johnson, R.W. (1996), "Fitting Percentage of Body Fat to Simple Body Measurements," *Journal of Statistics Education*, 4 (1). Available from ([www.amstat.org/publications/jse/](http://www.amstat.org/publications/jse/)).
- Joiner, B.L., and Hall, D.L. (1983), "The Ubiquitous Role of  $f'/f$  in Efficient Estimation of Location," *The American Statistician*, 37, 128-133.
- Jones, H.L., (1946), "Linear Regression Functions with Neglected Variables," *Journal of the American Statistical Association*, 41, 356-369.
- Jureckova, J., and Portnoy, S. (1987), "Asymptotics for One-step M-Estimators in Regression with Application to Combining Efficiency and High Breakdown Point," *Communications in Statistics: Theory and Methods*, 16, 2187-2199.
- Jureckova, J., and Sen, P.K. (1996), *Robust Statistical Procedures: Asymptotics and Interrelations*, Wiley, New York, NY.
- Kay, R., and Little, S. (1987), "Transformations of the Explanatory Variables in the Logistic Regression Model for Binary Data," *Biometrika*, 74, 495-501.
- Kelker, D. (1970), "Distribution Theory of Spherical Distributions and a Location Scale Parameter Generalization," *Sankhya, A*, 32, 419-430.
- Kiefer, J. (1961), "On Large Deviations of the Empiric D. F. of a Vector of Chance Variables and a Law of Iterated Logarithm," *Pacific Journal of Mathematics*, 11, 649-660.
- Kim, J. (2000), "Rate of Convergence of Depth Contours: with Application to a Multivariate Metrically Trimmed Mean," *Statistics & Probability Letters*, 49, 393-400.
- Kim, J., and Pollard, D. (1990), "Cube Root Asymptotics," *The Annals of Statistics*, 18, 191-219.
- Kim, S. (1992), "The Metrically Trimmed Mean as a Robust Estimator of Location," *The Annals of Statistics*, 20, 1534-1547.
- Klouda, K. (2015), "An Exact Polynomial Time Algorithm for Computing the Least Trimmed Squares Estimate," *Computational Statistics & Data Analysis*, 84, 27-40.
- Knight, K., and Fu, W.J. (2000), "Asymptotics for Lasso-Type Estimators," *Annals of Statistics*, 28, 1356-1378.
- Koenker, R.W., and Bassett, G. (1978), "Regression Quantiles," *Econometrica*, 46, 33-50.
- Koltchinskii, V.I., and Li, L. (1998), "Testing for Spherical Symmetry of a Multivariate Distribution," *Journal of Multivariate Analysis*, 65, 228-244.
- Kong, E., and Xia, Y. (2007), "Variable Selection for the Single-Index Model," *Biometrika*, 94, 217-229.
- Klugman, S.A., Panjer, H.H., and Wilmot, G.E. (2008), *Loss Models: from Data to Decisions*, 3rd ed., Wiley, New York, NY.
- Laforgue, P., Cléménçon, S., and Bertail, P. (2019), "On Medians of (Randomized) Pairwise Means," *Proceedings of Machine Learning Research*, 97, 1272-1281.

- Larocque, D. and Randles, R.H. (2008), "Confidence Intervals for a Discrete Population Median," *The American Statistician*, 62, 32-39.
- Lax, D.A. (1985), "Robust Estimators of Scale: Finite Sample Performance in Long-Tailed Symmetric Distributions," *Journal of the American Statistical Association*, 80, 736-741.
- Leeb, H., and Pötscher, B.M. (2006), "Can One Estimate the Conditional Distribution of Post-Model-Selection Estimators?" *The Annals of Statistics*, 34, 2554-2591.
- Leeb, H. and Pötscher, B.M. (2008), "Can One Estimate the Unconditional Distribution of Post-Model-Selection Estimators?" *Econometric Theory*, 24, 338-376.
- Leeb, H., Pötscher, B.M., and Ewald, K. (2015), "On Various Confidence Intervals Post-Model-Selection," *Statistical Science*, 30, 216-227.
- Leemis, L.M., and McQueston, J.T. (2008), "Univariate Distribution Relationships," *The American Statistician*, 62, 45-53.
- Lehmann, E.L. (1999), *Elements of Large-Sample Theory*, Springer-Verlag, New York, NY.
- Lei, J., G'Sell, M., Rinaldo, A., Tibshirani, R.J., and Wasserman, L. (2018), "Distribution-Free Predictive Inference for Regression," *Journal of the American Statistical Association*, 113, 1094-1111.
- Lei, J., Robins, J., and Wasserman, L. (2013), "Distribution Free Prediction Sets," *Journal of the American Statistical Association*, 108, 278-287.
- Leon, S.J. (1986), *Linear Algebra with Applications*, 2nd ed., Macmillan Publishing Company, New York, NY.
- Lesnoff, M., and Lancelot, R. (2010), "aod: Analysis of Overdispersed Data," R package version 1.2, (<http://cran.r-project.org/package=aod>).
- Li, K.-C. (1987), "Asymptotic Optimality for  $C_p$ ,  $C_L$ , Cross-Validation and Generalized Cross-Validation: Discrete Index Set," *The Annals of Statistics*, 15, 958-975.
- Li, K.C. (1991), "Sliced Inverse Regression for Dimension Reduction," *Journal of the American Statistical Association*, 86, 316-342.
- Li, K.C. (1992), "On Principal Hessian Directions for Data Visualization and Dimension Reduction: Another Application of Stein's Lemma," *Journal of the American Statistical Association*, 87, 1025-1040.
- Li, K.C. (1997), "Nonlinear Confounding in High-Dimensional Regression," *The Annals of Statistics*, 25, 577-612.
- Li, K.C. (2000), *High Dimensional Data Analysis Via the SIR/PHD Approach*, Unpublished Manuscript Available from ([www.stat.ucla.edu/~kcli/](http://www.stat.ucla.edu/~kcli/)).
- Li, K.C., and Duan, N. (1989), "Regression Analysis Under Link Violation," *The Annals of Statistics*, 17, 1009-1052.
- Li, R., Fang, K., and Zhu, L. (1997), "Some Q-Q Probability Plots to Test Spherical and Elliptical Symmetry," *Journal of Computational and Graphical Statistics*, 6, 435-450.
- Li, Y., and Zhu, L.-X. (2007), "Asymptotics for Sliced Average Variance Estimation," *The Annals of Statistics*, 35, 41-69.

- Lin, T.C., and Pourahmadi, M. (1998), "Nonparametric and Nonlinear Models and Data Mining in Time Series: a Case-Study on the Canadian Lynx Data," *Journal of the Royal Statistical Society, C*, 47, 187-201.
- Liu, R.Y., Parelius, J.M., and Singh, K. (1999), "Multivariate Analysis by Data Depth: Descriptive Statistics, Graphics, and Inference," *The Annals of Statistics*, 27, 783-858.
- Liu, X., and Zuo, Y. (2014), "Computing Projection Depth and Its Associated Estimators," *Statistics and Computing*, 24, 51-63.
- Lopuhaä, H.P. (1999), "Asymptotics of Reweighted Estimators of Multivariate Location and Scatter," *The Annals of Statistics*, 27, 1638-1665.
- Lumley, T. (using Fortran code by Alan Miller) (2009), *leaps: Regression Subset Selection*, R package version 2.9, (<https://CRAN.R-project.org/package=leaps>).
- Luo, S., and Chen, Z. (2013), "Extended BIC for Linear Regression Models With Diverging Number of Relevant Features and High or Ultra-High Feature Spaces," *Journal of Statistical Planning and Inference*, 143, 494-504.
- Machado, J.A.F., and Parente, P. (2005), "Bootstrap Estimation of Covariance Matrices Via the Percentile Method," *Econometrics Journal*, 8, 70-78.
- Maguluri, G., and Singh, K. (1997), "On the Fundamentals of Data Analysis," in *Robust Inference*, eds. Maddela, G.S., and Rao, C.R., Elsevier Science, Amsterdam, 537-549.
- Mallows, C. (1973), "Some Comments on  $C_p$ ," *Technometrics*, 15, 661-676.
- Marazzi, A., and Ruffieux, C. (1996), "Implementing M-Estimators of the Gamma Distribution," in *Robust Statistics, Data Analysis, and Computer Intensive Methods*, ed. Rieder, H., Springer-Verlag, New York, NY, 277-298.
- Mardia, K.V., Kent, J.T., and Bibby, J.M. (1979), *Multivariate Analysis*, Academic Press, London.
- Maronna, R.A., Martin, R.D., and Yohai, V.J. (2006), *Robust Statistics: Theory and Methods*, Wiley, Hoboken, NJ.
- Maronna, R.A., Martin, R.D., Yohai, V.J., and Salibián-Barrera, M. (2019), *Robust Statistics: Theory and Methods (with R)*, 2nd ed., Wiley, Hoboken, NJ.
- Maronna, R.A., and Yohai, V.J. (2002), "Comment on 'Inconsistency of Resampling Algorithms for High Breakdown Regression and a New Algorithm' by D.M. Hawkins and D.J. Olive," *Journal of the American Statistical Association*, 97, 154-155.
- Maronna, R.A., and Yohai, V.J. (2015), "High-Sample Efficiency and Robustness Based on Distance-Constrained Maximum Likelihood," *Computational Statistics & Data Analysis*, 83, 262-274.
- Maronna, R.A., and Zamar, R.H. (2002), "Robust Estimates of Location and Dispersion for High-Dimensional Datasets," *Technometrics*, 44, 307-317.
- Marquardt, D.W., and Snee, R.D. (1975), "Ridge Regression in Practice," *The American Statistician*, 29, 3-20.
- Mašiček, L. (2004), "Optimality of the Least Weighted Squares Estimator," *Kybernetika*, 40, 715-734.



- Massart, P. (1990), "The Tight Constant in the Dvoretzky-Kiefer-Wolfowitz Inequality," *The Annals of Probability*, 3, 1269-1283.
- MathSoft (1999a), *S-Plus 2000 User's Guide*, Data Analysis Products Division, MathSoft, Seattle, WA.
- MathSoft (1999b), *S-Plus 2000 Guide to Statistics*, Volume II, Data Analysis Products Division, MathSoft, Seattle, WA.
- Mayo, M.S., and Gray, J.B. (1997), "Elemental Subsets: the Building Blocks of Regression," *The American Statistician*, 51, 122-129.
- McCullagh, P., and Nelder, J.A. (1989), *Generalized Linear Models*, 2nd ed., Chapman & Hall, London.
- McDonald, G.C., and Schwing, R.C. (1973), "Instabilities of Regression Estimates Relating Air Pollution to Mortality," *Technometrics*, 15, 463-482.
- McKean, J.W., and Schrader, R.M. (1984), "A Comparison of Methods for Studentizing the Sample Median," *Communications in Statistics: Simulation and Computation*, 13, 751-773.
- Meinshausen, N. (2007), "Relaxed Lasso," *Computational Statistics & Data Analysis*, 52, 374-393.
- Moore, D.S. (2007), *The Basic Practice of Statistics*, 4th ed., W.H. Freeman, New York, NY.
- Moran, P.A.P (1953), "The Statistical Analysis of the Sunspot and Lynx Cycles," *Journal of Animal Ecology*, 18, 115-116.
- Morgenthaler, S. (1989), "Comment on Yohai and Zamar," *Journal of the American Statistical Association*, 84, 636.
- Mosteller, F., and Tukey, J.W. (1977), *Data Analysis and Regression*, Addison-Wesley, Reading, MA.
- Muirhead, R.J. (1982), *Aspects of Multivariate Statistical Theory*, Wiley, New York, NY.
- Müller, U.U., Schick, A., and Wefelmeyer, W. (2012), "Estimating the Error Distribution Function in Semiparametric Additive Regression Models," *Journal of Statistical Planning and Inference*, 142, 552-566.
- Myers, R.H., Montgomery, D.C., and Vining, G.G. (2002), *Generalized Linear Models with Applications in Engineering and the Sciences*, Wiley, New York, NY.
- Mykland, P.A. (2003), "Financial Options and Statistical Prediction Intervals," *The Annals of Statistics*, 31, 1413-1438.
- Naik, P.A., and Tsai, C. (2001), "Single-Index Model Selections," *Biometrika*, 88, 821-832.
- Navarro, J. (2014), "Can the Bounds in the Multivariate Chebyshev Inequality be Attained?" *Statistics & Probability Letters*, 91, 1-5.
- Navarro, J. (2016), "A Very Simple Proof of the Multivariate Chebyshev's Inequality," *Communications in Statistics: Theory and Methods*, 45, 3458-3463.
- Nelder, J.A., and Wedderburn, R.W.M. (1972), "Generalized Linear Models," *Journal of the Royal Statistical Society, A*, 135, 370-380.

- Ng, M., and Wilcox, R.R. (2010), "The Small-Sample Efficiency of Some Recently Proposed Multivariate Measures of Location," *Journal of Modern Applied Statistical Methods*, 9, 28-42.
- Nishii, R. (1984), "Asymptotic Properties of Criteria for Selection of Variables in Multiple Regression," *The Annals of Statistics*, 12, 758-765.
- Norman, G.R., and Streiner, D.L. (1986), *PDQ Statistics*, B.C. Decker, Philadelphia, PA.
- Oldford, R.W. (1983), "A Note on High Breakdown Regression Estimators," Technical Report, Massachusetts Institute of Technology, Alfred P. Sloan School of Management.
- Olive, D.J. (1998), *Applied Robust Statistics*, Ph.D. Thesis, University of Minnesota. See (<http://parker.ad.siu.edu/Olive/OlivePhDDiss.pdf>).
- Olive, D.J. (2001), "High Breakdown Analogs of the Trimmed Mean," *Statistics & Probability Letters*, 51, 87-92.
- Olive, D.J. (2002), "Applications of Robust Distances for Regression," *Technometrics*, 44, 64-71.
- Olive, D.J. (2004a), "A Resistant Estimator of Multivariate Location and Dispersion," *Computational Statistics & Data Analysis*, 46, 99-102.
- Olive, D.J. (2004b), "Visualizing 1D Regression," in *Theory and Applications of Recent Robust Methods*, eds. Hubert, M., Pison, G., Struyf, A., and Van Aelst, S., Birkhäuser, Basel, Switzerland, 221-233.
- Olive, D.J. (2005a), "Two Simple Resistant Regression Estimators," *Computational Statistics & Data Analysis*, 49, 809-819.
- Olive, D.J. (2005b), "A Simple Confidence Interval for the Median," Unpublished manuscript available from (<http://parker.ad.siu.edu/Olive/ppmedci.pdf>).
- Olive, D.J. (2006), "Robust Estimators for Transformed Location-Scale Families," Unpublishable manuscript available from (<http://parker.ad.siu.edu/Olive/preprints.htm>).
- Olive, D.J. (2007), "Prediction Intervals for Regression Models," *Computational Statistics & Data Analysis*, 51, 3115-3122.
- Olive, D.J. (2008a), *Applied Robust Statistics*, Unpublished Online Text available from (<http://parker.ad.siu.edu/Olive/ol-bookp.htm>).
- Olive, D.J. (2008b), *A Course in Statistical Theory*, Unpublished manuscript available from (<http://parker.ad.siu.edu/Olive/infbook.htm>). Preprint of Olive (2014).
- Olive, D.J. (2010), *Multiple Linear and 1D Regression Models*, Unpublished Online Text available from (<http://parker.ad.siu.edu/Olive/regbk.htm>).
- Olive, D.J. (2013a), "Asymptotically Optimal Regression Prediction Intervals and Prediction Regions for Multivariate Data," *International Journal of Statistics and Probability*, 2, 90-100.
- Olive, D.J. (2013b), "Plots for Generalized Additive Models," *Communications in Statistics: Theory and Methods*, 41, 2610-2628.
- Olive, D.J. (2014), *Statistical Theory and Inference*, Springer, New York, NY.
- Olive, D.J. (2017a), *Linear Regression*, Springer, New York, NY.

- Olive, D.J. (2017b), *Robust Multivariate Analysis*, Springer, New York, NY.
- Olive, D.J. (2018), “Applications of Hyperellipsoidal Prediction Regions,” *Statistical Papers*, 59, 913-931.
- Olive, D.J. (2020), *Prediction and Statistical Learning*, online course notes, see (<http://parker.ad.siu.edu/Olive/slearnbk.htm>).
- Olive, D.J. (2021a), *Theory for Linear Models*, online course notes, see (<http://parker.ad.siu.edu/Olive/linmodbk.htm>).
- Olive, D.J. (2021b), *Survival Analysis*, online course notes, see (<http://parker.ad.siu.edu/Olive/survbk.htm>).
- Olive, D.J., and Hawkins, D.M. (1999), “Comment on ‘Regression Depth’ by P.J. Rousseeuw and M. Hubert,” *Journal of the American Statistical Association*, 94, 416-417.
- Olive, D.J., and Hawkins, D.M. (2003), “Robust Regression with High Coverage,” *Statistics & Probability Letters*, 63, 259-266.
- Olive, D.J., and Hawkins, D.M. (2005), “Variable Selection for 1D Regression Models,” *Technometrics*, 47, 43-50.
- Olive, D.J., and Hawkins, D.M. (2007a), “Behavior of Elemental Sets in Regression,” *Statistics & Probability Letters*, 77, 621-624.
- Olive, D.J., and Hawkins, D.M. (2007b), “Robustifying Robust Estimators,” Preprint, see (<http://parker.ad.siu.edu/Olive/preprints.htm>).
- Olive, D.J., and Hawkins, D.M. (2008), “High Breakdown Multivariate Estimators,” Preprint, see (<http://parker.ad.siu.edu/Olive/preprints.htm>).
- Olive, D.J., and Hawkins, D.M. (2010), “Robust Multivariate Location and Dispersion,” Preprint, see (<http://parker.ad.siu.edu/Olive/pphbml.pdf>).
- Olive, D.J., and Hawkins, D.M. (2011), “Practical High Breakdown Regression,” Preprint, see (<http://parker.ad.siu.edu/Olive/pphbreg.pdf>).
- Olive, D.J., Rathnayake, R.C., and Haile, M.G. (2020), “Prediction Intervals for GLMs, GAMs, and Some Survival Regression Models,” preprint at (<http://parker.ad.siu.edu/Olive/pppigam.pdf>).
- Oosterhoff, J. (1994), “Trimmed Mean or Sample Median?” *Statistics & Probability Letters*, 20, 401-409.
- Park, Y., Kim, D., and Kim, S. (2012), “Robust Regression Using Data Partitioning and M-Estimation,” *Communications in Statistics: Simulation and Computation*, 8, 1282-1300.
- Parzen, E. (1979), “Nonparametric Statistical Data Modeling,” *Journal of the American Statistical Association*, 74, 105-131.
- Patel, J.K. (1989), “Prediction Intervals – a Review,” *Communications in Statistics: Theory and Methods*, 18, 2393-2465.
- Patel, J.K., Kapadia, C.H., and Owen, D.B. (1976), *Handbook of Statistical Distributions*, Marcel Dekker, New York, NY.
- Pelawa Watagoda, L.C.R. (2017a), “Inference After Variable Selection,” Ph.D. Thesis, Southern Illinois University. See (<http://parker.ad.siu.edu/Olive/slasanthiphd.pdf>).

Pelawa Watagoda, L.C.R. (2017b), "Simulation for Inference After Variable Selection," unpublished manuscript online at (<http://parker.ad.siu.edu/Olive/slanthisim.pdf>).

Pelawa Watagoda, L.C.R. (2019), "A Sub-Model Theorem for Ordinary Least Squares," *International Journal of Statistics and Probability*, 8, 40-43.

Pelawa Watagoda, L.C.R., and Olive, D.J. (2019), "Bootstrapping Multiple Linear Regression After Variable Selection," *Statistical Papers*, to appear. See (<http://parker.ad.siu.edu/Olive/ppboottest.pdf>).

Pelawa Watagoda, L.C.R., and Olive, D.J. (2020), "Comparing Six Shrinkage Estimators With Large Sample Theory and Asymptotically Optimal Prediction Intervals," *Statistical Papers*, to appear. See (<http://parker.ad.siu.edu/Olive/pppicomp.pdf>).

Peña, D. (2005), "A New Statistic for Influence in Regression," *Technometrics*, 47, 1-12.

Portnoy, S. (1987), "Using Regression Quantiles to Identify Outliers," in *Statistical Data Analysis Based on the  $L_1$  Norm and Related Methods*, ed. Y. Dodge, North Holland, Amsterdam, 345-356.

Portnoy, S., and Mizera, I. (1999), "Comment on 'Regression Depth' by P.J. Rousseeuw and M. Hubert," *Journal of the American Statistical Association*, 94, 417-419.

Pötscher, B. (1991), "Effects of Model Selection on Inference," *Econometric Theory*, 7, 163-185.

Pratt, J.W. (1959), "On a General Concept of 'in Probability'," *The Annals of Mathematical Statistics*, 30, 549-558.

Pratt, J.W. (1968), "A Normal Approximation for Binomial, F, Beta, and Other Common, Related Tail Probabilities, II," *Journal of the American Statistical Association*, 63, 1457-1483.

Prescott, P. (1978), "Selection of Trimming Proportions for Robust Adaptive Trimmed Means," *Journal of the American Statistical Association*, 73, 133-140.

Press, S.J. (2005), *Applied Multivariate Analysis: Using Bayesian and Frequentist Methods of Inference*, 2nd ed., Dover Publications, Mineola, NY.

Preston, S. (2000), "Teaching Prediction Intervals," *Journal of Statistical Education*, 3, available from ([www.amstat.org/publications/jse/secure/v8n3/preston.cfm](http://www.amstat.org/publications/jse/secure/v8n3/preston.cfm)).

Quang, P.X. (1985), "Robust Sequential Testing," *The Annals of Statistics*, 13, 638-649.

R Core Team (2016), "R: a Language and Environment for Statistical Computing," R Foundation for Statistical Computing, Vienna, Austria, ([www.R-project.org](http://www.R-project.org)).

Rao, C.R. (1965, 1973), *Linear Statistical Inference and Its Applications*, 1st and 2nd ed., Wiley, New York, NY.

Rajapaksha, K.W.G.D.H., and Olive, D.J. (2021), "Wald Type Tests With the Wrong Dispersion Matrix," not yet online.

- Rathnayake, R.C. (2019), *Inference For Some GLMs and Survival Regression Models After Variable Selection*, Ph.D. thesis, Southern Illinois University, at (<http://parker.ad.siu.edu/Olive/srasanjiphd.pdf>).
- Rathnayake, R.C., and Olive, D.J. (2020), "Bootstrapping Some GLMs and Survival Regression Models After Variable Selection," preprint at (<http://parker.ad.siu.edu/Olive/ppbootglm.pdf>).
- Ren, J.-J. (1991), "On Hadamard Differentiability of Extended Statistical Functional," *Journal of Multivariate Analysis*, 39, 30-43.
- Ren, J.-J., and Sen, P.K. (1995), "Hadamard Differentiability on  $D[0,1]^p$ ," *Journal of Multivariate Analysis*, 55, 14-28.
- Reyen, S.S., Miller, J.J., and Wegman, E.J. (2009), "Separating a Mixture of Two Normals with Proportional Covariances," *Metrika*, 70, 297-314.
- Riani, M., Atkinson, A.C., and Cerioli, A. (2009), "Finding an Unknown Number of Outliers," *Journal of the Royal Statistical Society, B*, 71, 447-466.
- Rinaldo, A., Wasserman, L., and G'Sell, M. (2019), "Bootstrapping and Sample Splitting for High-Dimensional, Assumption-Lean Inference," *The Annals of Statistics*, 47, 3438-3469.
- Ro, K., Zou, C., Wang, W., and Yin, G. (2015), "Outlier Detection for High-Dimensional Data," *Biometrika*, 102, 589-599.
- Robinson, J. (1988), "Discussion of 'Theoretical Comparison of Bootstrap Confidence Intervals' by P. Hall," *The Annals of Statistics*, 16, 962-965.
- Rocke, D.M. (1998), "Constructive Statistics: Estimators, Algorithms, and Asymptotics," in *Computing Science and Statistics*, 30, ed. Weisberg, S., Interface Foundation of North America, Fairfax Station, VA, 1-14.
- Rocke, D.M., and Woodruff, D.L. (1996), "Identification of Outliers in Multivariate Data," *Journal of the American Statistical Association*, 91, 1047-1061.
- Rohatgi, V.K. (1976), *An Introduction to Probability Theory and Mathematical Statistics*, Wiley, New York, NY.
- Rohatgi, V.K. (1984), *Statistical Inference*, Wiley, New York, NY.
- Ronchetti, E., and Staudte, R.G. (1994), "A Robust Version of Mallows's  $C_p$ ," *Journal of the American Statistical Association*, 89, 550-559.
- Rouncefield, M. (1995), "The Statistics of Poverty and Inequality," *Journal of Statistics and Education*, 3(2), online at ([www.amstat.org/publications/jse/](http://www.amstat.org/publications/jse/)).
- Rousseeuw, P.J. (1984), "Least Median of Squares Regression," *Journal of the American Statistical Association*, 79, 871-880.
- Rousseeuw, P.J. (1993), "A Resampling Design for Computing High-Breakdown Regression," *Statistics & Probability Letters*, 18, 125-128.
- Rousseeuw, P.J., and Bassett, G.W. (1990), "The Remedial: a Robust Averaging Method for Large Data Sets," *Journal of the American Statistical Association*, 85, 97-104.
- Rousseeuw, P.J., and Croux, C. (1993), "Alternatives to the Median Absolute Deviation," *Journal of the American Statistical Association*, 88, 1273-1283.

- Rousseeuw, P., Croux, C., Todorov, V., Ruckstuhl, A., Salibian-Barrera, M., Verbeke, T., Koller, M., and Maechler, M. (2016), *robustbase: Basic Robust Statistics*, R package version 0.92-6, (<http://CRAN.R-project.org/package=robustbase>).
- Rousseeuw, P.J., and Hubert, M. (1999), "Regression Depth," *Journal of the American Statistical Association*, 94, 388-433.
- Rousseeuw, P.J., and Leroy, A.M. (1987), *Robust Regression and Outlier Detection*, Wiley, New York, NY.
- Rousseeuw, P.J., Van Aelst, S., and Hubert, M. (1999), "Rejoinder to Discussion of 'Regression Depth'," *Journal of the American Statistical Association*, 94, 419-433.
- Rousseeuw, P.J., and Van Driessen, K. (1999), "A Fast Algorithm for the Minimum Covariance Determinant Estimator," *Technometrics*, 41, 212-223.
- Rousseeuw, P.J., and Van Driessen, K. (2006), "Computing LTS Regression for Large Data Sets," *Data Mining and Knowledge Discovery*, 12, 29-45.
- Rousseeuw, P.J., and van Zomeren, B.C. (1990), "Unmasking Multivariate Outliers and Leverage Points," *Journal of the American Statistical Association*, 85, 633-651.
- Rousseeuw, P.J., and van Zomeren, B.C. (1992), "A Comparison of Some Quick Algorithms for Robust Regression," *Computational Statistics & Data Analysis*, 14, 107-116.
- Rubin, D.B. (1980), "Composite Points in Weighted Least Squares Regressions," *Technometrics*, 22, 343-348.
- Rubin, D.B. (2004), "On Advice for Beginners in Statistical Research," *The American Statistician*, 58, 196-197.
- Ruppert, D. (1992), "Computing S-Estimators for Regression and Multivariate Location/Dispersion," *Journal of Computational and Graphical Statistics*, 1, 253-270.
- Ruppert, D., and Carroll, R.J. (1980), "Trimmed Least Squares Estimation in the Linear Model," *Journal of the American Statistical Association*, 75, 828-838.
- Rupasinghe Arachchige Don, H.S., and Olive, D.J. (2019), "Bootstrapping Analogs of the One Way MANOVA Test," *Communications in Statistics: Theory and Methods*, 4, 5546-5558.
- Rupasinghe Arachchige Don, H.S., and Pelawa Watagoda, L.C.R. (2018), "Bootstrapping Analogs of the Two Sample Hotelling's  $T^2$  Test," *Communications and Statistics: Theory and Methods*, 47, 2172-2182.
- Ryan, T. (2009), *Modern Regression Methods*, 2nd ed., Wiley, Hoboken, NJ.
- Santer, T.J. and Duffy, D.E. (1986), "A Note on A. Albert's and J. A. Anderson's Conditions for the Existence of Maximum Likelihood Estimates in Logistic Regression Models," *Biometrika*, 755-758.
- SAS Institute (1985), *SAS User's Guide: Statistics*, Version 5, SAS Institute, Cary, NC.

- Schaaffhausen, H. (1878), "Die Anthropologische Sammlung Des Anatomischen Der Universitat Bonn," *Archiv fur Anthropologie*, 10, 1-65, Appendix.
- Schomaker, M., and Heumann, C. (2014), "Model Selection and Model Averaging After Multiple Imputation," *Computational Statistics & Data Analysis*, 71, 758-770.
- Schwarz, G. (1978), "Estimating the Dimension of a Model," *The Annals of Statistics*, 6, 461-464.
- Seber, G.A.F., and Lee, A.J. (2003), *Linear Regression Analysis*, 2nd ed., Wiley, New York, NY.
- Sen, P.K., and Singer, J.M. (1993), *Large Sample Methods in Statistics: an Introduction with Applications*, Chapman & Hall, New York, NY.
- Serfling, R.J. (1980), *Approximation Theorems of Mathematical Statistics*, Wiley, New York, NY.
- Serfling, R., and Mazumder, S., (2009), "Exponential Probability Inequality and Convergence Results for the Median Absolute Deviation and Its Modifications," *Statistics & Probability Letters*, 79, 1767-1773.
- Severini, T.A. (1998), "Some Properties of Inferences in Misspecified Linear Models," *Statistics & Probability Letters*, 40, 149-153.
- Severini, T.A. (2005), *Elements of Distribution Theory*, Cambridge University Press, New York, NY.
- Shao, J. (1989), "The Efficiency and Consistency of Approximations to the Jackknife Variance Estimators," *Journal of the American Statistical Association*, 84, 114-119.
- Shao, J. (1993), "Linear Model Selection by Cross-Validation," *Journal of the American Statistical Association*, 88, 486-494.
- Sheynin, O. (1997), "Letter to the Editor," *The American Statistician*, 51, 210.
- Shibata, R. (1984), "Approximate Efficiency of a Selection Procedure for the Number of Regression Variables," *Biometrika*, 71, 43-49.
- Shorack, G.R. (1974), "Random Means," *The Annals of Statistics*, 1, 661-675.
- Shorack, G.R., and Wellner, J.A. (1986), *Empirical Processes With Applications to Statistics*, Wiley, New York, NY.
- Siegel, A.F. (1982), "Robust Regression Using Repeated Medians," *Biometrika*, 69, 242-244.
- Silverman, B.A. (1986), *Density Estimation for Statistics and Data Analysis*, Chapman and Hall, New York, NY.
- Simonoff, J.S. (1987a), "The Breakdown and Influence Properties of Outlier-Rejection-Plus-Mean Procedures," *Communications in Statistics: Theory and Methods*, 16, 1749-1769.
- Simonoff, J.S. (1987b), "Outlier Detection and Robust Estimation of Scale," *Journal of Statistical Computation and Simulation*, 27, 79-92.
- Simonoff, J.S. (2003), *Analyzing Categorical Data*, Springer, New York, NY.

- Simonoff, J.S., and Tsai, C. (2002), "Score Tests for the Single Index Model," *Technometrics*, 44, 142-151.
- Simpson, D.G., Ruppert, D., and Carroll, R.J. (1992), "On One-Step GM Estimates and Stability of Inferences in Linear Regression," *Journal of the American Statistical Association*, 87, 439-450.
- Slawski, M., zu Castell. W., and Tutz, G. (2010), "Feature Selection Guided by Structural Information," *Annals of Applied Statistics*, 4, 1056-1080.
- Smith, W.B. (1997), "Publication is as Easy as C-C-C," *Communications in Statistics: Theory and Methods*, 26, vii-xii.
- Snedecor, G.W., and Cochran, W.G. (1967), *Statistical Methods*, 6th ed., Iowa State College Press, Ames, IA.
- Sommer, S., and Huggins, R.M. (1996), "Variables Selection Using the Wald Test and a Robust  $C_p$ ," *Applied Statistics*, 45, 15-29.
- Srivastava, M.S., and Khattri, C.G. (1979), *An Introduction to Multivariate Statistics*, North Holland, New York, NY.
- Staudte, R.G., and Sheather, S.J. (1990), *Robust Estimation and Testing*, Wiley, New York, NY.
- Stefanski, L.A. (1991), "A Note on High-Breakdown Estimators," *Statistics & Probability Letters*, 11, 353-358.
- Stewart, G.M. (1969), "On the Continuity of the Generalized Inverse," *SIAM Journal on Applied Mathematics*, 17, 33-45.
- Stigler, S.M. (1973a), "The Asymptotic Distribution of the Trimmed Mean," *The Annals of Mathematical Statistics*, 1, 472-477.
- Stigler, S.M. (1973b), "Simon Newcomb, Percy Daniell, and the History of Robust Estimation 1885-1920," *Journal of the American Statistical Association*, 68, 872-878.
- Stigler, S.M. (1977), "Do Robust Estimators Work with Real Data?" *The Annals of Statistics*, 5, 1055-1098.
- Stigler, S.M. (2010), "The Changing History of Robustness," *The American Statistician*, 64, 271-281.
- Stoker, T.M. (1986), "Consistent Estimation of Scaled Coefficients," *Econometrica*, 54, 1461-1481.
- Street, J.O., Carroll, R.J., and Ruppert, D. (1988), "A Note on Computing Regression Estimates Via Iteratively Reweighted Least Squares," *The American Statistician*, 42, 152-154.
- Stromberg, A.J. (1993a), "Computing the Exact Least Median of Squares Estimate and Stability Diagnostics in Multiple Linear Regression," *SIAM Journal of Scientific and Statistical Computing*, 14, 1289-1299.
- Stromberg, A.J. (1993b), "Comment by Stromberg and Reply," *The American Statistician*, 47, 87-88.
- Su, Z., and Cook, R.D. (2012), "Inner Envelopes: Efficient Estimation in Multivariate Linear Regression," *Biometrika*, 99, 687-702.



- Tableman, M. (1994a), "The Influence Functions for the Least Trimmed Squares and the Least Trimmed Absolute Deviations Estimators," *Statistics & Probability Letters*, 19, 329-337.
- Tableman, M. (1994b), "The Asymptotics of the Least Trimmed Absolute Deviations (LTAD) Estimator," *Statistics & Probability Letters*, 19, 387-398.
- Tallis, G.M. (1963), "Elliptical and Radial Truncation in Normal Populations," *The Annals of Mathematical Statistics*, 34, 940-944.
- Tarr, G., Müller, S., and Weber, N.C. (2016), "Robust Estimation of Precision Matrices Under Cellwise Contamination," *Computational Statistics & Data Analysis*, 93, 404-420.
- Taskinen, S., Koch, I., and Oja, H. (2012), "Robustifying Principal Component Analysis with Spatial Sign Vectors," *Statistics & Probability Letters*, 82, 765-774.
- Thode, H.C. (2002), *Testing for Normality*, Marcel Dekker, New York, NY.
- Tibshirani, R. (1996), "Regression Shrinkage and Selection Via the Lasso," *Journal of the Royal Statistical Society, B*, 58, 267-288.
- Tibshirani, R.J. (2015), "Degrees of Freedom and Model Search," *Statistica Sinica*, 25, 1265-1296.
- Tibshirani, R.J., Rinaldo, A., Tibshirani, R., and Wasserman, L. (2018), "Uniform Asymptotic Inference and the Bootstrap After Model Selection," *The Annals of Statistics*, 46, 1255-1287.
- Tibshirani, R.J., and Taylor, J. (2012), "Degrees of Freedom in Lasso Problems," *The Annals of Statistics*, 40, 1198-1232.
- Tong, H. (1977), "Some Comments on the Canadian Lynx Data," *Journal of the Royal Statistical Society, A*, 140, 432-468.
- Tong, H. (1983), *Threshold Models in Nonlinear Time Series Analysis*, Lecture Notes in Statistics, 21, Springer-Verlag, Heidelberg, Germany.
- Tremearne, A.J.N. (1911), "Notes on Some Nigerian Tribal Marks," *Journal of the Royal Anthropological Institute of Great Britain and Ireland*, 41, 162-178.
- Tukey, J.W. (1957), "Comparative Anatomy of Transformations," *Annals of Mathematical Statistics*, 28, 602-632.
- Tukey, J.W. (1977), *Exploratory Data Analysis*, Addison-Wesley Publishing Company, Reading, MA.
- Tukey, J.W. (1991), "Graphical Displays for Alternative Regression Fits," in *Directions in Robust Statistics and Diagnostics*, Part 2, eds. Stahel, W., and Weisberg, S., Springer-Verlag, New York, NY, 309-326.
- Tukey, J.W., and McLaughlin, D.H. (1963), "Less Vulnerable Confidence and Significance Procedures for Location Based on a Single Sample: Trimming/Winsorization 1," *Sankhya, A*, 25, 331-352.
- Ullah, I., Qadir, M.F., and Ali, A. (2006), "Insha's Redescending M-estimator for Robust Regression, a Comparative Study," *Pakistan Journal of Statistics and Operations Research*, II, 135-144.

- Uraibi, H.S., Midi, H., and Rana, S. (2017), "Robust Multivariate Least Angle Regression," *Science Asia*, 43, 56-60.
- Uraibi, H.S., Midi, H., and Rana, S. (2019), "Selective Overview of Forward Selection in Terms of Robust Correlations," *Communications in Statistics: Simulations and Computation*, to appear.
- Velilla, S. (1993), "A Note on the Multivariate Box-Cox Transformation to Normality," *Statistics & Probability Letters*, 17, 259-263.
- Velilla, S. (1998), "A Note on the Behavior of Residual Plots in Regression," *Statistics & Probability Letters*, 37, 269-278.
- Velleman, P.F., and Welsch, R.E. (1981), "Efficient Computing of Regression Diagnostics," *The American Statistician*, 35, 234-242.
- Venables, W.N., and Ripley, B.D. (2010), *Modern Applied Statistics with S*, 4th ed., Springer, New York, NY.
- Víšek, J.Á. (1996), "On High Breakdown Point Estimation," *Computational Statistics*, 11, 137-146.
- Víšek, J.Á. (2006), "The Least Trimmed Squares - Part III: Asymptotic Normality," *Kybernetika*, 42, 203-224.
- Wackerly, D.D., Mendenhall, W., and Scheaffer, R.L., (2008), *Mathematical Statistics with Applications*, 7th ed., Thomson Brooks/Cole, Belmont, CA.
- Wang, D., Miecznikowski, J.C., and Hutson, A.D. (2012), "Direct Density Estimation of L-Estimates via Characteristic Functions with Applications," *Journal of Statistical Planning and Inference*, 142, 567-578.
- Wang, H., and Zhou, S.Z.F. (2013), "Interval Estimation by Frequentist Model Averaging," *Communications in Statistics: Theory and Methods*, 42, 4342-4356.
- Wang, H.Z., Suter, D. (2003), "Using Symmetry in Robust Model Fitting," *Pattern Recognition Letters*, 24, 2953-2966.
- Wang, L., Liu, X., Liang, H., and Carroll, R.J. (2011), "Estimation and Variable Selection for Generalized Additive Partial Linear Models," *The Annals of Statistics*, 39, 1827-1851.
- Weisberg, S. (2002), "Dimension Reduction Regression in R," *Journal of Statistical Software*, 7, webpage ([www.jstatsoft.org](http://www.jstatsoft.org)).
- Weisberg, S. (2005), *Applied Linear Regression*, 3rd ed., Wiley, New York, NY.
- Welch, B.L. (1937), "The Significance of the Difference Between Two Means When the Population Variances are Unequal," *Biometrika*, 29, 350-362.
- Welsh, A.H. (1986), "Bahadur Representations for Robust Scale Estimators Based on Regression Residuals," *The Annals of Statistics*, 14, 1246-1251.
- Welsh, A.H., and Ronchetti, E. (1993), "A Failure of Intuition: Naive Outlier Deletion in Linear Regression," Preprint.
- White, H. (1984), *Asymptotic Theory for Econometricians*, Academic Press, San Diego, CA.

Wieczorek, J.A. (2018), *Model Selection and Stopping Rules for High-Dimensional Forward Selection*, Ph.D. thesis, Carnegie Mellon University.

Wilcox, R.R. (2008a), "Robust Principal Components: a Generalized Variance Perspective," *Behavior Research Methods*, 40, 102-108.

Wilcox, R.R. (2008b), "Some Small-Sample Properties of Some Recently Proposed Outlier Detection Techniques," *Journal of Statistical Computation and Simulation*, 78, 701-712.

Wilcox, R. (2009), "Robust Multivariate Regression When There is Heteroscedasticity," *Communications in Statistics: Simulation and Computation*, 38, 1-13.

Wilcox, R.R. (2012, 2017), *Introduction to Robust Estimation and Hypothesis Testing*, 3rd and 4th ed., Academic Press Elsevier, San Diego, CA.

Winkelmann, R. (2000, 2008), *Econometric Analysis of Count Data*, 3rd ed., 5th ed., Springer-Verlag, New York, NY.

Wood, F.S. (1973), "The Use of Individual Effects and Residuals in Fitting Equations to Data," *Technometrics*, 15, 677-695.

Wood, S.N. (2017), *Generalized Additive Models: an Introduction with R*, 2nd ed., Chapman & Hall/CRC, Boca Rotan, FL.

Woodruff, D.L., and Roche, D.M. (1993), "Heuristic Search Algorithms for the Minimum Volume Ellipsoid," *Journal of Computational and Graphical Statistics*, 2, 69-95.

Woodruff, D.L., and Roche, D.M. (1994), "Computable Robust Estimation of Multivariate Location and Shape in High Dimension Using Compound Estimators," *Journal of the American Statistical Association*, 89, 888-896.

Woodruff, R.S. (1952), "Confidence Intervals for Medians and Other Position Measures," *Journal of the American Statistical Association*, 47, 635-646.

Yang, Y. (2003), "Regression with Multiple Candidate Models: Selecting or Mixing?" *Statistica Sinica*, 13, 783-809.

Yeo, I.K., and Johnson, R. (2000), "A New Family of Power Transformations to Improve Normality or Symmetry," *Biometrika*, 87, 954-959.

Yohai, V.J. and Maronna, R. (1976), "Location Estimators Based on Linear Combinations of Modified Order Statistics," *Communications in Statistics: Theory and Methods*, 5, 481-486.

Yoo, J.K., Patterson, B.S., and Datta, S. (2009), "An OLS-Based Predictor Test for a Single-Index Model for Predicting Transcription Rate from Histon Acetylation Level," *Statistics & Probability Letters*, 79, 2109-2114.

Yuen, K.K. (1974), "The Two-Sample Trimmed  $t$  for Unequal Population Variances," *Biometrika*, 61, 165-170.

Zhang, Z. (2011), *Applications of a Robust Dispersion Estimator*, Ph.D. Thesis, Southern Illinois University, online at (<http://parker.ad.siu.edu/Olive/szhang.pdf>).

Zhang, J., and Olive, D.J. (2009), "Applications of a Robust Dispersion Estimator," online at (<http://parker.ad.siu.edu/Olive/pprcovm.pdf>).

Zhang, J., Olive, D.J., and Ye, P. (2012), "Robust Covariance Matrix Estimation With Canonical Correlation Analysis," *International Journal of Statistics and Probability*, 1, 119-136.

Zhao, P., and Yu, B. (2006), "On Model Selection Consistency of Lasso," *Journal of Machine Learning Research*, 72, 2541-2563.

Zou, H., and Hastie, T. (2005), "Regularization and Variable Selection Via the Elastic Net," *Journal of the Royal Statistical Society Series, B*, 67, 301-320.

Zuo, Y. (2010), "Is the  $t$  Confidence Interval  $\bar{X} \pm t_{\alpha}(n-1)s/\sqrt{n}$  Optimal?," *The American Statistician*, 64, 170-173.

Zuur, A.F., Ieno, E.N., Walker, N.J., Saveliev, A.A., and Smith, G.M. (2009), *Mixed Effects Models and Extensions in Ecology with R*, Springer, New York, NY.

# Index

- Čížek, 243, 275, 276
- 1D regression, 2, 285, 371, 376
- 1D regression model, 469
  
- Abraham, 432
- active set, 334
- additive error regression, 3, 342, 363
- additive error single index model, 16
- additive predictor, 2
- Adell, 496
- affine equivariant, 102, 237
- affine transformation, 102, 237
- Aggarwal, 17
- Agresti, 429, 438, 439, 458, 469
- Agulló, 152, 279
- Akaike, 286, 294
- Albert, 470
- Aldrin, 378, 411
- ALMS, 8
- ALTA, 274
- ALTS, 8, 274
- Andersen, 469, 470
- Anderson, 294, 450, 470
- Anderson-Sprecher, 252
- Andrews, 75, 76
- ANOVA model, 3
- Appa, 279
- Arcones, 151
- asymptotic distribution, 7, 507, 510
- asymptotic paradigm, 6
- asymptotic relative efficiency, 65
- asymptotic theory, 48, 75, 76, 507
- asymptotic variance, 41, 61
- asymptotically optimal, 29, 73
- Atkinson, 151, 283
- attractor, 58, 107, 244
  
- Bølviken, 378, 411
- Büchlmann, 180
- bagging estimator, 37, 180
- Bai, 280
- Barnett, 17
- basic resampling, 107
- Bassett, 75, 275, 276, 280
- Baszczyńska, 39, 74
- Bayesian, 14, 251
- Becker, 17, 410, 478, 479
- Beckman, 17
- Berger, vii
- Berk, 352
- Bernholt, 118, 243, 280
- Bertsimas, 279
- Besbeas, 495
- beta-binomial regression, 429
- Bhatia, 329
- Bickel, 49, 62, 75, 76, 177, 180, 186, 187
- binary regression, 423
- binomial distribution, 484
- binomial regression, 423
- Birnbaum Saunders distribution, 530
- bivariate normal, 88
- Bloch, 39, 74
- Blum, 76
- Bondell, 281
- bootstrap, 77, 187, 507
- Boudt, 152
- Box, v, 1, 3, 14, 17, 200, 251, 366
- box plot, 19
- Box-Cox transformation, 127, 201, 388
- branch and bound, 279
- breakdown, 103, 238, 273, 275
- Breiman, 180
- Brillinger, 371, 375, 379, 409, 410
- Broffitt, 275

- Buckland, 77, 352
- Budny, 168
- bulging rule, 194
- Burnham, 294, 450, 470
- Burr Type X distribution, 531
- Burr Type XII distribution, 484
- Butler, 106
- Buxton, 10, 19, 48, 127, 144, 158, 161, 173, 222, 230, 232, 247, 259, 268, 270, 346, 359
- Cížek, 410
- Cai, 251
- Cameron, 466, 469, 470
- Carroll, 470
- case, v, 2, 86
- Casella, vii
- Cator, 106, 112, 114
- Cauchy distribution, 485
- Cauchy Schwartz inequality, 304
- cdf, 5, 19, 484
- centering matrix, 95, 147
- central limit theorem, 61
- Ceroli, 151
- cf, 5, 519
- Chaganty, 507
- Chambers, 17, 74, 121, 226, 228, 252, 364, 367, 391
- Chang, 400, 404, 409, 410
- Charkhi, 299
- Chebyshev estimator, 192, 275
- Chebyshev's Inequality, 513
- Chen, 27, 32, 37, 74, 77, 168, 187, 294, 314, 401, 403, 410, 488, 496
- Chew, 168
- chi distribution, 485
- chi-square distribution, 485
- Christmann, 431
- CI, 5, 36, 42, 73, 219
- Claeskens, 298, 299, 352
- Clarke, 75, 187
- classical prediction region, 167
- Cleveland, 121, 226, 228, 252, 391, 469
- CLT, 5, 7
- coefficient of multiple determination, 208
- Cohen, 496
- Collett, 432, 466, 469, 470
- concentration, 107, 110, 124, 477
- conditional distribution, 88
- confidence region, 176, 185
- consistent, 512
- consistent estimator, 61, 512
- constant variance MLR model, 204
- Continuity Theorem, 519
- Continuous Mapping Theorem:, 519
- continuous random variable, 500
- converges almost everywhere, 514, 515
- converges in distribution, 510
- converges in law, 510
- converges in probability, 512
- converges in quadratic mean, 513
- Cook, 17, 90, 91, 100, 127, 154, 193, 194, 196, 209, 227–229, 234, 250, 251, 303, 307, 343, 372–374, 378, 379, 381, 386, 388, 391, 393, 409, 436, 448, 461, 467, 469, 472, 477
- Cook's distance, 227, 409
- Cornish, 93
- covariance matrix, 87, 146, 226
- coverage, 273
- covmb2, 140
- Cox, 14, 200, 251, 366, 372, 373, 410
- Cramér, 49, 208
- Crawley, 17, 479, 481
- Critchley, 410
- cross checking, 27, 75, 527
- Croux, 75, 92, 117, 280, 488
- cube root rule, 194
- cumulative distribution function, 19, 484
- Dahiya, 507
- Daniel, 292, 391
- data frame, 479
- Datta, 105, 410
- David, 17, 75
- Davies, 152, 275
- DD plot, 121, 374
- degrees of freedom, 209
- Delta Method, 509
- depth estimator, 280
- Det-MCD, 5, 131, 135
- Devlin, 111, 477
- df, 209
- DGK, 5
- DGK estimator, 111
- Di Bucchianico, 251
- Diaconis, 75
- diagnostic for linearity, 386
- diagnostics, 1, 3, 226
- dimension reduction, 374
- discrete random variable, 500
- discriminant function, 424
- Dixon, 75
- dot plot, 20
- double exponential distribution, 486
- Draper, 230
- Duan, 371, 375, 393, 401, 409

- Duffy, 470
- Easton, 123
- Eaton, 90
- EC, 5, 374
- EDA, 3
- EE plot, 289, 390, 450
- efficiency, 276
- Efron, 37, 38, 77, 179, 180, 187, 285, 295, 303, 328, 332
- Ehrenberg, 478
- eigenvalue, 98
- eigenvector, 98
- Einmahl, 77, 251
- elastic net, 338
- elastic net variable selection, 342
- elemental fit, 243
- elemental set, 107, 110, 243, 247
- ellipsoidal trimming, 258, 379
- elliptically contoured, 90, 93, 126, 374, 376
- elliptically symmetric, 90
- empirical cdf, 35
- empirical distribution, 34, 176
- equivariant, 62
- error sum of squares, 207
- ESP, 5, 379
- ESSP, 379
- estimated additive predictor, 2
- estimated sufficient predictor, 2, 379
- estimated sufficient summary plot, 2, 373, 379
- Euclidean norm, 240, 521
- Ewald, 352
- expected value, 500
- experimental design model, 3
- exponential distribution, 487
- exponential family, 417
- extrapolation, 343
- F distribution, 530
- F-brand name estimator, viii
- F-estimator, viii
- Falk, 28, 54, 75
- Fan, 285, 298
- Fast-MCD, 5
- FCH, 5
- Feller, 495
- Ferguson, 485, 519
- Fernholtz, 187
- FF plot, 213, 229, 289
- Field, 75
- Filsomer, 152
- Fischer, 118
- fitted values, 191, 317
- FLTS, viii, 5
- FMCD, viii, 5
- Fox, 227, 251, 479
- Fréchet, 530
- Freedman, 75, 303–305, 343
- Freeman, 478
- Frey, 30, 58, 77
- Friedman, 180, 481
- Fu, 330, 333, 352
- full model, 286, 314, 449
- Fung, 27, 75
- Furnival, 292, 390
- GAM, 5
- gamma distribution, 488
- Gao, 409
- Gastwirth, 39, 74
- Gather, 410
- Gaussian distribution, 494
- Gaussian MLR model, 204
- general position, 104, 239, 265
- generalized additive model, 2, 455
- generalized linear model, 2, 372, 417, 418
- generalized sample variance, 100, 147
- geometric distribution, 529
- Gill, 187
- Giummolè, 251
- Gladstone, 8, 121, 158, 160, 216, 229, 254, 271, 308, 360, 463
- GLM, 5, 418, 449
- Gnanadesikan, 477
- Golub, 240
- Gonzalez, 478
- Grübel, 31, 77, 345
- Gram matrix, 326
- Graybill, 319
- Gross, 75, 76
- Guenther, 75, 76
- Gumbel distribution, 491
- Gunst, 328, 329
- Härdle, 410
- Hössjer, 243, 273, 275–277, 280
- Hadamard derivative, 187
- Haggstrom, 425, 470
- Hahn, 75
- Haile, 32
- half Cauchy distribution, 489, 529
- half logistic distribution, 490, 529
- half normal distribution, 490, 529
- Hall, 37, 75, 180
- Hamada, 478

- Hampel, 6, 17, 74, 75, 243, 273, 477  
 Hamza, 484  
 Harrison, 15, 395  
 Hastie, 187, 285, 295, 298, 325–328, 332, 334, 335, 337, 339, 352, 364, 367, 470  
 hat matrix, 192, 205, 226  
 Hawkins, viii, 107, 108, 117, 151, 234, 243, 245, 248, 251, 252, 263, 277, 278, 280, 283, 288, 378, 389, 410, 460, 470, 477  
 HB, 5, 272  
 hbreg, 5, 265  
 He, 27, 75, 118, 264, 280  
 Hebbler, 320  
 Heng-Hui, 410  
 Hesterberg, 187, 508  
 heteroscedastic, 372  
 Hettmansperger, 51, 75, 251  
 Heumann, 352  
 high breakdown, 272  
 high median, 21  
 highest density Bayesian credible interval, 32  
 highest density region, 31, 99, 166  
 Hilbe, 455, 469, 470  
 Hilker, 410  
 Hjort, 297, 298, 352  
 Hoaglin, 251, 478  
 Hoffman, 352  
 Hofmann, 279  
 Hong, 343  
 Hosmer, 424, 428, 453, 460, 469  
 Huber, viii, 6, 74, 75, 220, 233, 260, 281  
 Hubert, viii, 110, 274, 280, 281  
 Hurvich, 294, 295, 314  
 Hyndman, 166, 169  
 hyperellipsoid, 99  
  
 i, 177  
 identity line, 8, 205, 310  
 Ieno, 455, 469, 470  
 iid, 2, 5, 11, 19, 204  
 indicator function, 483, 504  
 influence, 226, 227  
 inliers, 6  
 interquartile range, 56  
 inverse exponential distribution, 491, 530  
  
 Jacobian matrix, 522  
 James, 318  
 Jia, 340  
 Jiang, 281  
  
 Jodrá, 496  
 Johnson, 12, 86, 87, 90, 93, 99, 100, 103, 105, 112, 168, 251, 405, 467, 505, 507  
 Joiner, 75  
 joint distribution, 88  
 Jones, 294, 390  
 Jureckova, 75  
  
 Kapadia, 484, 485  
 Kay, 448, 463  
 Kelker, 91  
 Keller-McNulty, 478  
 Kettenring, 477  
 Khatri, 157  
 Kilss, 478  
 Kim, 75, 151, 243, 251, 275, 482  
 Kleiner, 121, 226, 228, 252, 391  
 Klouda, 243, 279  
 Knight, 330, 333, 352  
 Koenker, 275, 276  
 Kong, 410  
 Kotz, 93, 405, 505, 507  
  
 L-estimator, 51  
 Lévy distribution, 494  
 ladder of powers, 193  
 ladder rule, 194  
 Laforgue, 57  
 Lai, 304  
 Lancelot, 470  
 Land, 279  
 Laplace distribution, 486  
 largest extreme value distribution, 28, 491  
 Larocque, 74  
 lasso, 318  
 Law of Total Probability, 298  
 Lax, 75, 76  
 least absolute deviations, 192  
 least median of squares, 273  
 least quantile of differences, 280  
 least quantile of squares, 273  
 least squares, 192, 205  
 least trimmed sum of absolute deviations, 273  
 least trimmed sum of squares, 273  
 Ledolter, 432  
 Lee, 216, 288, 402, 403  
 Leeb, 295, 352  
 Lehmann, 61, 67, 495, 515, 516  
 Lei, 166, 187, 344  
 Lemeshow, 424, 428, 453, 460, 469  
 Leon, 111



- Leroy, 6, 102, 108, 111, 227, 241, 245, 260, 280, 369  
Lesnoff, 470  
leverage, 227, 343  
Lewis, 17  
Li, 123, 285, 297, 298, 371, 375, 386, 393, 395, 401, 403, 409  
Liang, 409, 470  
limiting distribution, 508, 510  
linearly related predictors, 374  
Little, 448, 463  
Liu, 118, 123, 470  
LMS, 5, 243, 273  
location family, 23  
location model, 7, 19  
location–scale family, 23, 61  
log rule, 194  
log–Cauchy distribution, 492, 529  
log–logistic distribution, 492, 529  
log–Weibull distribution, 491  
log-Weibull distribution, 497  
logistic distribution, 491  
logistic regression, 423  
loglinear Poisson regression, 434  
lognormal distribution, 493  
Lopuhaä, 59, 106, 109, 112–114, 131  
low median, 21  
lowess, 376  
LQD, 280  
LR, 5, 423  
LTA, 5, 243, 273, 276, 278  
LTS, 5, 243, 273, 276  
Lumley, 481  
Luo, 294
- M-estimator, 52, 75  
Mašiček, 243, 275  
Machado, 178  
MAD, 5, 20, 22, 28, 55  
Mahalanobis distance, 85, 90, 97, 98, 102, 121, 127, 227, 379  
Mallows, 15, 260, 292, 294, 297, 390  
MANOVA, 5  
Marazzi, 489  
Mardia, 93  
Markov's Inequality, 513  
Maronna, viii, 108, 117, 152, 275, 280, 281  
Marquardt, 328  
Martin, viii  
Masking, 230  
masking, 234  
Mason, 77, 328, 329  
Mathsoft, 479  
matrix norm, 240  
Maxwell–Boltzmann distribution, 493, 530  
Mazumder, 74, 279  
MB, 5  
MB estimator, 111  
MBA, 5  
mbareg, 5  
McCullagh, 468  
McCulloch, 123  
MCD, 5, 106  
McKean, 51, 74, 75  
McLaughlin, 75  
MCLT, 5  
mean, 21  
MED, 5  
median, 21, 23, 28  
median absolute deviation, 22  
Meinshausen, 285, 335  
Mendenhall, vii  
method of moments, 27  
metrically trimmed mean, 44  
mgf, 5, 519  
midrange, 192  
minimum chi-square estimator, 438  
minimum covariance determinant, 106  
minimum volume ellipsoid, 152  
mixture distribution, 49, 500, 525  
MLD, 5  
MLE, 66  
MLR, 5, 14, 191, 192, 204  
model, 1  
model averaging, 352  
model checking plot, 229  
modified power transformation, 199  
monotonicity, 386  
Montgomery, 439, 468  
Moore, 44  
Morgan, 495  
Mosteller, 198, 200  
Mount, 243  
multicollinearity, 214  
multiple linear regression, 2, 3, 8, 191, 204, 272, 372  
Multivariate Central Limit Theorem, 521  
multivariate Chebyshev's inequality, 168  
Multivariate Delta Method, 522  
multivariate location and dispersion, 1, 10, 85, 107  
multivariate normal, 10, 85, 87, 90, 121, 123  
multivariate t distribution, 405  
multivariate t-distribution, 93

- Mushkudiani, 251
- MVE, 5
- MVN, 5, 85
- Myers, 439, 468
- Mykland, 187
  
- Nachtsheim, 127, 379, 388, 410, 477
- Naik, 410
- Navarro, 168
- near point mass, 118
- Nelder, 468
- Newton's method, 52
- Ni, 410
- Nishii, 297
- nonparametric bootstrap, 36, 177
- nonparametric prediction region, 167
- norm, 240, 338
- normal distribution, 42, 494
- normal equations, 217
- normal MLR model, 204
- Norman, 97
  
- observation, 2
- OD plot, 466
- OGK, 5
- Oldford, 280
- Olive, vii, viii, 11, 17, 32, 37, 74–76, 107, 108, 111, 117, 135, 151, 168, 169, 178, 181, 187, 203, 221, 243, 245, 248, 250–252, 258, 261, 263, 277, 278, 280, 288, 295, 296, 298, 318, 336, 341–343, 346, 352, 379, 389, 400, 404, 409, 410, 460, 470, 477, 483, 499, 507, 527
- OLS, 3, 5, 192, 205, 400, 410
- OLS view, 16, 379
- one sided stable distribution, 494, 530
- Oosterhoff, 276
- order statistics, 21, 30
- outlier resistant regression, 144, 257, 346
- outliers, 4, 9, 19
- overdispersion, 429
- overfit, 287
- Owen, 484, 485
  
- p-value, 44
- Pötscher, 295, 297, 298, 352
- parametric MVN prediction region, 170
- Parente, 178
- Pareto distribution, 495
- Park, 251, 268, 280, 482
- partial least squares, 318
- partitioning, 110
- Parzen, 75
  
- Patel, 251, 484, 485
- Patterson, 410
- pdf, 5, 23, 484
- Peña, 234
- Pekasiewicz, 39, 74
- Pelawa Watagoda, 32, 38, 74, 77, 178, 180, 181, 188, 286, 298, 336, 341, 343, 346, 351
- percentile CI, 37
- percentiles, 32
- perfect classification paradigm, 6
- permutation invariant, 237
- Pesch, 152
- PHD, 410
- PI, 5, 13
- pmf, 5, 23, 484
- point mass, 118
- Poisson distribution, 495
- Poisson regression, 434, 469
- Pollard, 243, 275
- population correlation, 89
- population correlation matrix, 94, 146
- population mean, 87
- population median, 23, 55
- population median absolute deviation, 23
- Portnoy, 264
- positive breakdown, 104
- positive definite, 98
- positive semidefinite, 98
- power distribution, 496, 530
- power transformation, 199
- Pratt, 109, 116, 260, 263, 264, 297, 486, 517
- prediction region, 165
- prediction region method CI, 74
- Prescott, 75, 76
- Press, 157, 405, 532
- Preston, 251
- principal components regression, 318
- probability density function, 484
- probability mass function, 484
- proportional hazards model, 372
- pval, 209, 210, 214
- pvalue, 209
  
- qualitative variable, 204
- quantile, 24
- quantile function, 75
- quantitative variable, 204
  
- R, 478
- R Core Team, viii, 17
- R-estimators, 51

- Rajapaksha, 187  
 Randles, 74  
 random vector, 86  
 randomly trimmed mean, 44  
 range rule, 194  
 Rao, 87  
 Rathnayake, 295, 296, 336, 342, 351  
 Raven, 467  
 Rayleigh distribution, 496, 528  
 regression, 1  
   regression equivariance, 237  
   regression equivariant, 237  
   regression function, 219  
   regression sum of squares, 207  
   relaxed lasso, 318  
 Ren, 177, 180, 186, 188  
 residual plot, 205, 228  
 residuals, 3, 317, 373  
 resistant binary regression, 470  
 resistant estimator, 439  
 response plot, 2, 14, 205, 228, 289, 373, 375, 390, 420, 469  
 response transformation, 200  
 response transformation model, 14, 372  
 response transformations, 14, 198, 251  
 response variable, 3, 193  
 Reyen, 117  
 RFCH, 5  
 RFCH estimator, 116  
 Riani, 151, 283  
 ridge regression, 318  
 Rinaldo, 314  
 Ripley, 17, 479, 481  
 RMVN, 5  
 Ro, 141, 152  
 Robinson, 77  
 robust confidence interval, 48, 75  
 robust point estimators, 27  
 robust statistics, 4  
 Rocke, 107, 119  
 Rohatgi, 89, 519  
 Ronchetti, 74  
 Ronchetti, viii, 75, 220, 233, 281  
 Rouncefield, 223  
 Rousseeuw, viii, 6, 58, 75, 102, 107, 108, 110, 111, 115, 121, 123, 135, 152, 227, 241, 243, 245, 251, 260, 273, 274, 280, 369, 431, 477, 488  
 rpack, vii  
 RR plot, 7, 8, 213, 229, 289  
 Rubin, 27, 478, 488, 496  
 Rubinfeld, 15, 395  
 Ruffieux, 489  
 rule of thumb, 97  
 Rupasinghe Arachchige Don, 188  
 Ruppert, 277, 477  
 S, 515  
   sample correlation matrix, 95, 147  
   sample covariance matrix, 95, 146  
   sample mean, 7, 95, 146, 207, 507  
   Santer, 470  
   SAVE, 410  
   Saveliev, 455, 469, 470  
   scale equivariant, 237  
   scale family, 23  
   scaled Winsorized variance, 46, 50  
   scatterplot, 193  
   scatterplot matrix, 7, 193, 196, 203  
   Schaaflhausen, 158, 431  
   Scheaffer, vii  
   Schneider, 352  
   Schomaker, 352  
   Schrader, 74  
   Schwarz, 286, 294  
   Schweder, 378, 411  
   score equations, 328  
   SE, 5, 7, 507  
   Seber, 216, 288, 402, 403  
   selection bias, 295  
   semiparametric prediction region, 170  
   Sen, 75, 188, 220  
   Serfling, 33, 53, 74, 177  
   Severini, 87, 329, 410, 523  
   Shao, 32, 77, 297  
   shape, 99, 100  
   Sheather, 61, 75, 78, 79, 251  
   Sheynin, 75  
   Shibata, 294  
   Shorack, 49, 50, 75, 275  
   shorth, 77  
   shorth CI, 37  
   shrinkage estimator, 352  
   Siegel, 477  
   Silverman, 169  
   Simonoff, 17, 75, 409, 429, 455, 469  
   simulation, 64  
   Singer, 220  
   single index model, 372, 377  
   singular value decomposition, 326  
   SIR, 400, 410  
   Sitter, 478  
   Skovgaard, 469  
   Slawski, 341  
   sliced inverse regression, 400  
   Slutsky's Theorem, 518, 523  
   smallest extreme value distribution, 424, 491, 497

- Smith, 230, 455, 469, 470, 478  
 smoothed bootstrap estimator, 180  
 Snee, 328  
 Snell, 373, 410  
 Solomon, 251  
 spectral decomposition, 99  
 spectral norm, 240  
 spherical, 90  
 split conformal prediction interval, 344  
 square root matrix, 99, 147  
 Srivastava, 157  
 SSP, 5, 373  
 Stahel-Donoho estimator, 118  
 standard deviation, 21  
 standard error, 7, 61, 507  
 Staneski, 507  
 start, 244  
 STATLIB, 12, 453  
 Staudte, 61, 75, 78, 79  
 Stefanski, 281  
 Stewart, 329  
 Stigler, 17, 49, 75–77  
 Stoker, 378  
 Streiner, 97  
 Stromberg, 279  
 Student's  $t$  distribution, 497  
 Su, 209, 303, 343  
 submodel, 286, 450  
 sufficient predictor, 2, 286, 371  
 sufficient summary plot, 373  
 survival regression models, 372  
 Suter, 268  
 SVD, 326  
 Swamping, 230  
 swamping, 234  
 symmetrically trimmed mean, 39  
  
 Tableman, 275–277  
 Tallis, 151  
 Tarr, 141, 152  
 Taskinen, 117  
 Taylor, 340  
 test data, 2  
 Tian, 251  
 Tibshirani, 77, 187, 285, 295, 334, 340, 352, 470  
 Topp–Leone distribution, 498, 530  
 total sum of squares, 207  
 trace, 326  
 training data, 2  
 transformation, 4  
 transformation plot, 200  
 Tremearne, 119, 271, 354  
 trimmed mean, 44, 63, 76  
  
 trimmed view, 381  
 trimmed views estimator, 259  
 Trivedi, 466, 469, 470  
 truncated Cauchy, 506  
 truncated double exponential, 504  
 truncated exponential, 502  
 truncated extreme value distribution, 498  
 truncated normal, 504  
 truncated random variable, 48, 502  
 Tsai, 294, 295, 314, 409, 410  
 Tukey, 7, 75, 121, 194, 198, 200, 226, 228, 251, 252, 391  
 TV estimator, 260  
 TVREG, 5  
 two sample procedures, 42  
 two stage trimmed means, 61  
  
 Ullah, 75  
 underfit, 287, 293  
 underfitting, 287  
 uniform distribution, 498  
 unimodal MLR model, 204  
 unit rule, 194  
 Uraibi, 352  
  
 Víšek, 275  
 Van Aelst, viii  
 Van Driessen, viii, 107, 110, 115, 121, 123, 135, 477  
 van Driessen, 58  
 Van Loan, 240  
 van Zomeren, 108, 251  
 variable selection, 14, 389, 410, 449  
 variance, 20, 21  
 vector norm, 240  
 Velilla, 127, 251, 388  
 Velleman, 251  
 Venables, 17, 479, 481  
 Ventura, 251  
 Vining, 439, 468  
 von Mises differentiable statistical functions, 177  
 VV plot, 390  
  
 W, 515  
 Wackerly, vii  
 Walker, 455, 469, 470  
 Wang, 75, 118, 268, 352, 470  
 Wei, 251  
 Weibull, 28  
 Weibull distribution, 499, 529  
 Weisberg, vii, 17, 100, 193, 194, 196, 227–229, 250, 251, 307, 372–374,

- 378, 381, 391, 393, 409, 436, 448,  
467, 469, 470, 472, 479
- Welch, 43
- Welch intervals, 43
- Wellner, 49, 50, 75, 275
- Welsh, 75, 251, 275
- White, vii, 523
- Whitten, 496
- Wichern, 86, 87, 99, 100, 103, 105, 112,  
168
- Wieczorek, 298
- Wilcox, 75
- Wilcoxon rank estimator, 260, 375
- Wilks, 17
- Willemsen, 26
- Wilson, 292, 390
- Winkelmann, 430, 466, 469, 470
- Winsor's principle, 380
- Winsorized mean, 44, 75
- Winsorized random variable, 49, 502
- Wood, 6, 236, 292, 391, 463, 475
- Woodruff, 74, 107, 119
- Xia, 410
- Yang, 180
- Ye, 152
- Yeo, 251
- Yohai, viii, 275, 281
- Yoo, 410
- Yu, 180, 297, 340
- Yuen, 43
- Zamar, 117
- zero breakdown, 104
- Zhang, 152
- Zhao, 297
- Zhou, 352
- Zhu, 410
- Zou, 285, 339
- Zuo, 66, 118
- Zuur, 455, 469, 470