

- Aelen, O.O., (1978), "Non Parametric Inference for a Family of Counting Processes," *The Annals of Statistics*, 6, 701-726.
- Agresti, A., and Coull, B.A. (1998), "Approximate is Better than Exact for Interval Estimation of Binomial Parameters," *The American Statistician*, 52, 119-126.
- Akaike, H. (1973), "Information Theory as an Extension of the Maximum Likelihood Principle," in *Proceedings, 2nd International Symposium on Information Theory*, eds. Petrov, B.N., and Csakim, F., Akademiai Kiado, Budapest, 267-281.
- Allison, P.D. (1995), *Survival Analysis Using SAS: a Practical Guide*, 1st ed., SAS Institute, Cary, NC.
- Allison, P.D. (2010), *Survival Analysis Using SAS: a Practical Guide*, 2nd ed., SAS Institute, Cary, NC.
- Andersen, P.K., and Skovgaard, L.T. (2010), *Regression with Linear Predictors*, Springer, New York, NY.
- Becker, R.A., Chambers, J.M., and Wilks, A.R. (1988), *The New S Language: a Programming Environment for Data Analysis and Graphics*, Wadsworth and Brooks/Cole, Pacific Grove, CA.
- Bennett, S. (1983), "Analysis of Survival Data by the Proportional Odds Model," *Statistics in Medicine*, 2, 273-277.
- Bickel, P.J., and Ren, J.-J. (2001), "The Bootstrap in Hypothesis Testing," in *State of the Art in Probability and Statistics: Festschrift for William R. van Zwet*, eds. de Gunst, M., Klaassen, C., and van der Vaart, A., The Institute of Mathematical Statistics, Hayward, CA, 91-112.
- Breiman, L. (1996), "Bagging Predictors," *Machine Learning*, 24, 123-140.
- Breslow, N.E. (1974), "Covariance Analysis of Censored Survival Data," *Biometrics*, 30, 89-100.
- Büchlmann, P., and Yu, B. (2002), "Analyzing Bagging," *The Annals of Statistics*, 30, 927-961.
- Budny, K. (2014), "A Generalization of Chebyshev's Inequality for Hilbert-Space-Valued Random Variables," *Statistics & Probability Letters*, 88, 62-65.
- Burnham, K.P., and Anderson, D.R. (2002), *Model Selection and Multimodel Inference: a Practical Information-Theoretic Approach*, 2nd ed., Springer, New York, NY.
- Burnham, K.P., and Anderson, D.R. (2004), "Multimodel Inference Understanding AIC and BIC in Model Selection," *Sociological Methods & Research*, 33, 261-304.
- Burr, D. (1994), "A Comparison of Certain Bootstrap Confidence Intervals in the Cox Model," *Journal of the American Statistical Association*, 89, 1290-1302.
- Camilli, S.J., Duncan, I., and London, R.L. (2014), *Models for Quantifying Risk*, 6th ed., ACTEX Publications, Winsted, CT.
- Charkhi, A., and Claeskens, G. (2018), "Asymptotic Post-Selection Inference for the Akaike Information Criterion," *Biometrika*, 105, 645-664.

- Chen, S.X. (2016), "Peter Hall's Contributions to the Bootstrap," *The Annals of Statistics*, 44, 1821-1836.
- Chen, X. (2011), "A New Generalization of Chebyshev Inequality for Random Vectors," see arXiv:0707.0805v2.
- Chihara, L., and Hesterberg, T. (2011), *Mathematical Statistics with Resampling and R*, Wiley, Hoboken, NJ.
- Claeskens, G., and Hjort, N.L. (2008), *Model Selection and Model Averaging*, Cambridge University Press, New York, NY.
- Collett, D. (2003), *Modelling Survival Data in Medical Research*, 2nd ed., Chapman & Hall/CRC, Boca Raton, FL.
- Collett, D. (2014), *Modelling Survival Data in Medical Research*, 3rd ed., Chapman & Hall/CRC, Boca Raton, FL.
- Cook, R.D., and Weisberg, S. (1999), *Applied Regression Including Computing and Graphics*, Wiley, New York, NY.
- Cox, D.R. (1962), *Renewal Theory*, Wiley, New York, NY.
- Cox, D.R. (1972), "Regression Models and Life-Tables," *Journal of the Royal Statistical Society, B*, 34, 187-220.
- Crawley, M.J. (2005), *Statistics an Introduction Using R*, Wiley, Hoboken, NJ.
- Crawley, M.J. (2007), *The R Book*, Wiley, Hoboken, NJ.
- Edmunson, J.H., Fleming, T.R., Decker, D.G., Malkasian, G.D., Jorgenson, E.O., Jeffries, J.A., Webb, M.J., and Kvols, L.K. (1979), "Different Chemotherapeutic Sensitivities and Host Factors Affecting Prognosis in Advanced Ovarian Carcinoma Versus Minimal Residual Disease," *Cancer Treatment Reports*, 63, 241-247.
- Efron, B. (1981), "Censored-Data and the Bootstrap," *Journal of the American Statistical Association*, 76, 312-319.
- Efron, B. (1982), *The Jackknife, the Bootstrap and Other Resampling Plans*, SIAM, Philadelphia, PA.
- Efron, B. (2014), "Estimation and Accuracy After Model Selection," (with discussion), *Journal of the American Statistical Association*, 109, 991-1007.
- Efron, B., and Hastie, T. (2016), *Computer Age Statistical Inference*, Cambridge University Press, New York, NY.
- Efron, B., and Tibshirani, R. (1986), "Bootstrap Methods for Standard Errors, Confidence Intervals, and Other Methods of Statistical Accuracy," (with discussion), *Statistical Science*, 1, 54-77.
- Efron, B., and Tibshirani, R.J. (1993), *An Introduction to the Bootstrap*, Chapman & Hall/CRC, New York, NY.
- Ewald, K., and Schneider, U. (2018), "Uniformly Valid Confidence Sets Based on the Lasso," *Electronic Journal of Statistics*, 12, 1358-1387.
- Fan, J., and Li, R. (2002), "Variable Selection for Cox's Proportional Hazard Model and Frailty Model," *The Annals of Statistics*, 30, 74-99.
- Feng, C., Wang, H., Zhang, Y., Han, Y., Liang, Y., and Tu, X.M. (2017), "On Testing Proportionality in the Cox Regression Model by Andersen's Plot," *Communications in Statistics: Theory and Methods*, 46, 3489-3500.

- Ferguson, T.S. (1996), *A Course in Large Sample Theory*, Chapman & Hall, New York, NY.
- Fox, J., and Weisberg, S. (2010), *An R Companion to Applied Regression*, Sage Publications, Thousand Oaks, CA.
- Freedman, D.A. (2008), "Survival Analysis: a Primer," *The American Statistician*, 62, 110-119.
- Frey, J. (2013), "Data-Driven Nonparametric Prediction Intervals," *Journal of Statistical Planning and Inference*, 143, 1039-1048.
- Friedman, J.H., and Hall, P. (2007), "On Bagging and Nonlinear Estimation," *Journal of Statistical Planning and Inference*, 137, 669-683.
- Grambsch, P.M., and Therneau, T.M. (1994), "Proportional Hazards Tests and Diagnostics Based on Weighted Residuals," *Biometrika*, 81, 515-526.
- Gross, S.T., and Lai, T.L. (1996), "Bootstrap Methods for Truncated and Censored Data," *Statistica Sinica*, 6, 509-530.
- Hall, P. (1988), "Theoretical Comparisons of Bootstrap Confidence Intervals," (with discussion), *The Annals of Statistics*, 16, 927-985.
- Harrell, F.E. (2015), *Regression Modeling Strategies*, 2nd ed., Springer, New York, NY.
- Hastie, T., Tibshirani, R., and Friedman, J. (2009), *The Elements of Statistical Learning: Data Mining, Inference and Prediction*, 2nd ed., Springer, New York, NY.
- Hastie, T., Tibshirani, R., and Wainwright, M. (2015), *Statistical Learning with Sparsity: the Lasso and Generalizations*, CRC Press Taylor & Francis, Boca Raton, FL.
- Hess, K.R. (1995), "Graphical Methods for Assessing Violations of the Proportional Hazards Assumption in Cox Regression," *Statistics in Medicine*, 14, 1707-1723.
- Hesterberg, T., (2014), "What Teachers Should Know About the Bootstrap: Resampling in the Undergraduate Statistics Curriculum," available from (<http://arxiv.org/pdf/1411.5279v1.pdf>). (An abbreviated version was published (2015), *The American Statistician*, 69, 371-386.)
- Hjort, N.L., and Claeskens, G. (2006), "Focussed Information Criteria and Model Averaging for Cox's Hazard Regression Model," *Journal of the American Statistical Association*, 101, 1449-1464.
- Hogg, R.V., and Tanis, E.A. (2005), *Probability and Statistical Inference*, 7th ed., Prentice Hall, Englewood Cliffs, NJ.
- Hong, L., Kuffner, T.A., and Martin, R. (2018), "On Overfitting and Post-Selection Uncertainty Assessments," *Biometrika*, 105, 221-224.
- Hosmer, D.W., and Lemeshow, S. (1999), *Applied Survival Analysis: Regression Modeling of Time to Event Data*, 1st ed., Wiley, New York, NY.
- Hosmer, D.W., Lemeshow, S., and May, S. (2008), *Applied Survival Analysis: Regression Modeling of Time to Event Data*, 2nd ed., Wiley, New York, NY.

- Huang, J., Sun, T., Ying, Z., Yu, Y., and Zhang, C.-H. (2013), "Oracle Inequalities for the Lasso in the Cox Model," *The Annals of Statistics*, 41, 1142-1165.
- Hurvich, C., and Tsai, C.L. (1990), "The Impact of Model Selection on Inference in Linear Regression," *The American Statistician*, 44, 214-217.
- Hyndman, R.J. (1996), "Computing and Graphing Highest Density Regions," *The American Statistician*, 50, 120-126.
- Johnson, R.A., and Wichern, D.W. (1988, 2007), *Applied Multivariate Statistical Analysis*, 2nd and 6th ed., Prentice Hall, Englewood Cliffs, NJ.
- Kalbfleisch, J.D., and Prentice, R.L. (2002), *The Statistical Analysis of Failure Time Data*, 2nd ed., Wiley, New York, NY.
- Kaplan, E.L., and Meier, P. (1958), "Nonparametric Estimation from Incomplete Observations," *Journal of the American Statistical Association*, 53, 457-481.
- Kellison, S.G. and London, R.L. (2011), *Risk Models and Their Estimation*, ACTEX Publications, Winsted, CT.
- Klein, J.P., and Moeschberger, M.L. (1997), *Survival Analysis*, 1st ed., Springer, New York, NY.
- Klein, J.P., and Moeschberger, M.L. (2003), *Survival Analysis*, 2nd ed., Springer, New York, NY.
- Kleinbaum, D.G., and Klein, M. (2012), *Survival Analysis : A Self-Learning Text*, 3rd ed. Springer, New York, NY.
- Klugman, Panjer, and Wilmot (2008), *Loss Models: from Data to Decisions*, 3rd ed., New York, NY, Wiley
- Larsen, R.J., and Marx, M.L. (2011), *Introduction to Mathematical Statistics and Its Applications*, 5th ed., Prentice Hall, Upper Saddle River, NJ.
- Lawless, J.F. (2002), *Statistical Models and Methods for Lifetime Data Analysis*, 2nd ed., Wiley, New York, NY.
- Lee, E.T. and Wang, J.W. (2003), *Statistical Methods for Survival Data Analysis*, 3rd ed., Wiley, NY.
- Leeb, H., and Pötscher, B.M. (2006), "Can One Estimate the Conditional Distribution of Post-Model-Selection Estimators?" *The Annals of Statistics*, 34, 2554-2591.
- Leeb, H. and Pötscher, B.M. (2008), "Can One Estimate the Unconditional Distribution of Post-Model-Selection Estimators?" *Econometric Theory*, 24, 338-376.
- Leemis, L.M. (1995), *Reliability, Probabilistic Models and Statistical Methods*, Prentice Hall, Upper Saddle River, NJ.
- Lehmann, E.L. (1999), *Elements of Large-Sample Theory*, Springer, New York, NY.
- Li, G., and Datta, S. (2001), "A Bootstrap Approach to Nonparametric Regression for Right Censored Data," *Annals of the Institute of Statistical Mathematics*, 53, 708-729.
- Machado, J.A.F., and Parente, P. (2005), "Bootstrap Estimation of Covariance Matrices Via the Percentile Method," *Econometrics Journal*, 8, 70-78.

- MathSoft (1999a), *S-Plus 2000 User's Guide*, Data Analysis Products Division, MathSoft, Seattle, WA.
- MathSoft (1999b), *S-Plus 2000 Guide to Statistics*, Volume 2, Data Analysis Products Division, MathSoft, Seattle, WA.
- May, S., and Hosmer, D.W. (1998), "A Simple Method for Calculating a Goodness-of-Fit Test for the Proportional Hazards Model," *Lifetime Data Analysis*, 4, 109-120.
- Meeker, W.Q., and Escobar, L.A. (1998), *Statistical Methods for Reliability Data*, John Wiley and Sons, NY.
- Miller, R. (1981), *Survival Analysis*, Wiley, New York, NY.
- Navarro, J. (2014), "Can the Bounds in the Multivariate Chebyshev Inequality be Attained?" *Statistics & Probability Letters*, 91, 1-5.
- Navarro, J. (2016), "A Very Simple Proof of the Multivariate Chebyshev's Inequality," *Communications in Statistics: Theory and Methods*, 45, 3458-3463.
- Nelson, W. (1969), "Hazard Plotting for Incomplete Failure Data," *Journal of Quality Technology*, 1, 27-52.
- Nelson, W. (1972), "Theory and Application of Hazard plotting for Censored Failure Data," *Technometrics*, 14, 945-965.
- Oakes, D. (2000), "Survival Analysis," *Journal of the American Statistical Association*, 95, 282-285.
- Olive, D.J. (2007), "Prediction Intervals for Regression Models," *Computational Statistics & Data Analysis*, 51, 3115-3122.
- Olive, D.J. (2010), *Multiple Linear and 1D Regression Models*, online course notes, see (<http://parker.ad.siu.edu/Olive/regbk.htm>).
- Olive, D.J. (2011), "Plots for Survival Regression," see (<http://parker.ad.siu.edu/Olive/ppvsurv.pdf>).
- Olive, D.J. (2013a), "Plots for Survival Regression," Preprint, see (<http://parker.ad.siu.edu/Olive/ppvsurv.pdf>).
- Olive, D.J. (2013b), "Asymptotically Optimal Regression Prediction Intervals and Prediction Regions for Multivariate Data," *International Journal of Statistics and Probability*, 2, 90-100.
- Olive, D.J. (2014), *Statistical Theory and Inference*, Springer, New York, NY.
- Olive, D.J. (2017a), *Linear Regression*, Springer, New York, NY.
- Olive, D.J. (2017b), *Robust Multivariate Analysis*, Springer, New York, NY.
- Olive, D.J. (2018), "Applications of Hyperellipsoidal Prediction Regions," *Statistical Papers*, 59, 913-931.
- Olive, D.J. (2020), *Prediction and Statistical Learning*, online course notes, see (<http://parker.ad.siu.edu/Olive/slearnbk.htm>).
- Olive, D.J., and Hawkins, D.M. (2005), "Variable Selection for 1D Regression Models," *Technometrics*, 47, 43-50.

- Olive, D.J., Rathnayake, R.C., and Haile, M. (2020), "Prediction Intervals for GLMs, GAMs, and Some Survival Regression Models," see (<http://parker.ad.siu.edu/Olive/pppigam.pdf>).
- Pelawa Watagoda, L. C. R., and Olive, D.J. (2019), "Bootstrapping Multiple Linear Regression After Variable Selection," *Statistical Papers*, to appear. See (<http://parker.ad.siu.edu/Olive/ppboottest.pdf>).
- Pelawa Watagoda, L.C.R., and Olive, D.J. (2020), "Comparing Six Shrinkage Estimators With Large Sample Theory and Asymptotically Optimal Prediction Intervals," *Statistical Papers*, to appear. See (<http://parker.ad.siu.edu/Olive/pppicomp.pdf>).
- Pratt, J.W. (1959), "On a General Concept of 'in Probability'," *The Annals of Mathematical Statistics*, 30, 549-558.
- Rao, C.R. (1965, 1973), *Linear Statistical Inference and Its Applications*, 1st and 2nd ed., Wiley, New York, NY.
- Rathnayake, R.C. (2019), *Inference For Some GLMs and Survival Regression Models After Variable Selection*, Ph.D. thesis, Southern Illinois University, at (<http://parker.ad.siu.edu/Olive/srasanjiphd.pdf>).
- Rathnayake, R.C., and Olive, D.J. (2020), "Bootstrapping Some GLMs and Survival Regression Models After Variable Selection," see (<http://parker.ad.siu.edu/Olive/ppbootglm.pdf>).
- R Core Team (2016), "R: a Language and Environment for Statistical Computing," R Foundation for Statistical Computing, Vienna, Austria, (www.R-project.org).
- Rinaldo, A., Wasserman, L., and G'Sell, M. (2019), "Bootstrapping and Sample Splitting for High-Dimensional, Assumption-Lean Inference," *The Annals of Statistics*, 47, 3438-3469.
- Rohatgi, V.K. (1976), *An Introduction to Probability Theory and Mathematical Statistics*, Wiley, New York, NY.
- Rohatgi, V.K. (1984), *Statistical Inference*, Wiley, New York, NY.
- SAS Institute (1985), *SAS User's Guide: Statistics*, Version 5, SAS Institute, Cary, NC.
- SAS Institute, (1999), *SAS/STAT User's Guide*, Version 8, SAS Institute, Cary, NC.
- Schwarz, G. (1978), "Estimating the Dimension of a Model," *The Annals of Statistics*, 6, 461-464.
- Sen, P.K., and Singer, J.M. (1993), *Large Sample Methods in Statistics: an Introduction with Applications*, Chapman & Hall, New York, NY.
- Serfling, R.J. (1980), *Approximation Theorems of Mathematical Statistics*, Wiley, New York, NY.
- Severini, T.A. (2005), *Elements of Distribution Theory*, Cambridge University Press, New York, NY.
- Shao, J., and Tu, D.S. (1995), *The Jackknife and the Bootstrap*, Springer, New York, NY.

- Simon, N., Friedman, J., Hastie, T., and Tibshirani, R. (2011), "Regularization Paths for Cox's Proportional Hazards Model Via Coordinate Descent," *Journal of Statistical Software*, 39, 1-13.
- Smith, P.J. (2002), *Analysis of Failure and Survival Data*, Chapman and Hall/CRC, Boca Raton, FL.
- Staudte, R.G., and Sheather, S.J. (1990), *Robust Estimation and Testing*, Wiley, New York, NY.
- Tableman, M. and Kim, J.S. (2003), *Survival Analysis Using S: Analysis of Time-to-Event Data*, Chapman and Hall/CRC, Boca Rotan, FL.
- Tibshirani, R. (1997), "The Lasso Method for Variable Selection in the Cox Model," *Statistics in Medicine*, 16, 385-395.
- Tibshirani, R.J., Rinaldo, A., Tibshirani, R., and Wasserman, L. (2018), "Uniform Asymptotic Inference and the Bootstrap After Model Selection," *The Annals of Statistics*, 46, 1255-1287.
- van Houwelingen, H.C., Bruinsma, T., Hart, A.A.M., van't Veer, L.J., and Wessels, L.F.A. (2006), "Cross-validated Cox Regression on Microarray Gene Expression Data," *Statistics in Medicine*, 25, 32013216.
- Venables, W.N., and Ripley, B.D. (2010), *Modern Applied Statistics with S*, 4th ed., Springer, New York, NY.
- Vittinghoff, E., Glidden, D.V., Shiboski, S.C., and McCulloch, C.E. (2012), *Regression Methods in Biostatistics: Linear, Logistic, Survival and Repeated Measures Models*, 2nd ed., Springer, New York, NY.
- Wackerly, D.D., Mendenhall, W., and Scheaffer, R.L. (2008), *Mathematical Statistics with Applications*, 7th ed., Thomson Brooks/Cole, Belmont, CA.
- Walpole, R.E., Myers, R.H., Myers, S.L., and Ye, K. (2006), *Probability & Statistics for Engineers & Scientists*, 8th ed., Prentice Hall, Upper Saddle River, NJ.
- Wei, L.J. (1992), "The Accelerated Failure Time Model: a Useful Alternative to the Cox Regression Model in Survival Analysis," *Statistics in Medicine*, 11, 1871-1879.
- White, H. (1984), *Asymptotic Theory for Econometricians*, Academic Press, San Diego, CA.
- Yang, L.H. (2016), *Confidence Intervals for the Survival Function*, MS paper, Southern Illinois University, see (<https://pdfs.semanticscholar.org/2405/1ce15958ed4ccc82666085f66bf1140b7c25.pdf>).
- Yang, S., and Prentice, R.L. (1999), "Semiparametric Inference in the Proportional Odds Regression Model," *Journal of the American Statistical Association*, 94, 124-136.
- Yang, Y. (2003), "Regression with Multiple Candidate Models: Selecting or Mixing?" *Statistica Sinica*, 13, 783-809.
- Zeng, D., and Lin, D.Y. (2007), "Efficient Estimation for the Accelerated Failure Time Model," *Journal of the American Statistical Association*, 102, 1387-1396.
- Zhou, M. (2001), "Understanding the Cox Regression Models with Time-Change Covariates," *The American Statistician*, 55, 153-155.

Index

- ID regression, 43, 60, 89

- Aalen, 30
- Agresti, 8
- Akaike, 61, 115
- Allison, v, 10, 39, 52, 82, 107, 108, 185
- asymptotic distribution, 120, 123
- asymptotic theory, 120
- asymptotically optimal, 142, 146

- Büchlmann, 161
- bagging estimator, 161
- Becker, 182
- Bennett, 76, 106
- Bickel, 158, 161, 176
- bivariate normal, 118
- bootstrap, 120, 177
- Breiman, 161, 168
- Breslow, 45
- Budny, 152
- Burr, 168, 177

- case, 43
- censored response plot, 47
- centering matrix, 148
- cf, 132
- Charkhi, 139
- Chebyshev's Inequality, 125
- Chen, 152, 154, 177
- Claeskens, 139, 142, 177
- classical prediction region, 150
- Collett, v, 31, 35, 46, 57, 63, 77, 83, 91, 92, 110, 111
- conditional distribution, 118
- confidence region, 153, 175
- consistent, 125
- consistent estimator, 125

- Continuity Theorem, 132
- Continuous Mapping Theorem, 131
- converges almost everywhere, 127
- converges in distribution, 123
- converges in law, 123
- converges in probability, 124
- converges in quadratic mean, 125
- Cook, v, 76
- Coull, 8
- covariance matrix, 117
- coverage, 151
- Cox, 37, 45, 61, 115, 139
- Crawley, 182, 184
- cumulative hazard function, 2

- data frame, 182
- Datta, 177
- Delta Method, 121

- Edmunson, 92
- Efron, 154, 160, 161, 168, 177
- elastic net, 141
- elliptically contoured distribution, 150
- empirical cdf, 155
- empirical distribution, 155
- Escobar, v
- estimated sufficient predictor, 43
- Euclidean norm, 133
- Ewald, 178
- Exponential regression, 90

- Fan, 177
- Ferguson, 131
- force of mortality, 3
- Fox, 182
- Frey, 143, 154, 172
- Friedman, 161, 181

- full model, 60
- generalized Cox regression, 66
- Grambsch, 46
- Gross, 177
- Hall, 154, 161
- Harrell, v
- Hastie, 177
- hazard function, 2
- Hesterberg, 120, 177
- highest density region, 144, 146
- Hjort, 139, 142, 177
- Hong, 145
- Hosmer, v, 46, 47, 80, 100
- Huang, 177
- Hurvich, 174
- Hyndman, 147
- i, 156
- Jacobian matrix, 134
- Johnson, 117, 150
- joint distribution, 117
- Kalbfleisch, v
- Kaplan, 30
- Kellison, 30
- Kim, v
- Klein, v, 16, 33, 80
- Kleinbaum, v
- Klugman, 30
- Lai, 177
- Larsen, v
- Lawless, v, 64, 87
- Lee, v
- Leeb, 139, 178
- Leemis, v, 87, 107
- Lehmann, 127, 128
- Lemeshow, 46, 47, 80, 100
- Li, 177
- lifetable estimator, 9
- limiting distribution, 120, 123
- Lin, 76, 106
- Lindsey, 34, 36
- London, 30
- Machado, 158
- Mahalanobis distance, 147, 148
- Markov's Inequality, 125
- Marx, v
- MathSoft, 46, 48, 75
- Mathsoft, 182
- maximum likelihood estimator, 17
- May, 47
- Meeker, v
- Meier, 30
- Mendenhall, v
- mgf, 132
- Miller, v, 33, 37, 40, 47
- mixture distribution, 137
- MLE, 17
- Moeschberger, v, 16, 33, 80
- Multivariate Central Limit Theorem, 134
- multivariate Chebyshev's inequality, 152
- Multivariate Delta Method, 134
- multivariate normal, 116
- MVN, 117
- Myers, v
- Navarro, 152
- Nelson, 30
- nonparametric bootstrap, 156, 168
- nonparametric prediction region, 150
- Oakes, 75
- observation, 43
- Olive, v, 30, 76, 106, 139, 140, 145, 147, 148, 150, 152, 158, 162, 168, 177
- order statistics, 143
- Pötscher, 139, 178
- Parente, 158
- Pelawa Watagoda, 140, 145, 158, 161, 162, 177
- percentile method, 154
- population correlation, 118
- population mean, 117
- population shorth, 142
- Pratt, 139
- prediction region, 146
- Prentice, v, 76, 106
- R, 181
- R Core Team, v
- Rao, 116
- Rathnayake, 139, 140, 168, 177
- relaxed shrinkage estimator, 141
- reliability function, 3
- Ren, 158, 161, 176
- Rinaldo, 174
- Ripley, 181, 182
- Rohatgi, 119, 132
- S, 127
- sample correlation matrix, 147

- sample covariance matrix, 147
- sample mean, 120, 147
- SAS, 185
- SAS Institute, 75, 81, 185
- Scheaffer, v
- Schneider, 178
- Schoenfeld residual, 46
- Schwarz, 61, 115
- SE, 120
- selection bias, 116
- Serfling, 156
- Severini, 117, 136
- Shao, 168, 177
- Sheather, 178
- shrinkage estimator, 177
- Simon, 115, 177
- slice survival plot, 46
- Slutsky's Theorem, 130, 136
- Smith, v, 6, 13, 56, 85
- smoothed bootstrap estimator, 161
- standard error, 120
- Staudte, 178
- submodel, 60
- sufficient predictor, 43, 60
- survival function, 2

- Tableman, v
- Tanis, v

- test data, 43
- Therneau, 46
- Tibshirani, 115, 139, 168, 177
- training data, 43
- Tsai, 174
- Tu, 168, 177

- van Houwelingen, 47
- Venables, 181, 182
- von Mises differentiable statistical functions, 156

- W, 127
- Wackerly, v
- Walpole, v
- Wang, v
- Wei, 76, 106
- Weibull regression model, 90
- Weisberg, v, 76, 182
- White, 135
- Wichern, 117, 150

- Yang, 21, 76, 106, 161, 168
- Ye, v
- Yu, 161

- Zeng, 76, 106
- Zhou, 76, 172